VOLUME 82 • AUTHOR INDEX

Aalto M *see* Mäkimattila S *et al*
Abe H *see* Funaki S *et al*
Abel LA *see* Blekher T *et al*
Abiose A *see* Landers A *et al*
Abreu MM *see* Azuara-Blanco A *et al*
Acheson JF *et al*. Dissociated effects of botulinum toxin chemodenervation on ocular deviation and saccade dynamics in chronic lateral rectus palsy, **67**
Acheson R *see* Fulcher T *et al*
Adachi W *et al*. Ultrastructural alterations in the stroma adjacent to non-inflammatory corneal perforations associated with long standing rheumatoid arthritis: *letter*, **1445**
Adams GGW *see* Burton BJL and Adams GGW
Adamsons I *see* Hutzelmann J *et al*
Adeleine P *see* Chiquet C *et al*
Aggarwal RK *see* Loewenstein A *et al*
Ahn Y-K *see* Gauntt CDP *et al*
see Holló G *et al*
Aikimbaev KS *see* Soylu M and Aikimbaev KS
Airaksinen PJ *see* Burk ROW *et al*
Aitchison TC *see* Bowman RJC *et al*
Ajewole J *see* Dolin PJ *et al*
Akıner M *see* Zilelioğlu G *et al*
Aktürk T *see* Zilelioğlu G *et al*
Alder VA *see* Morgan WH *et al*
Alexander RA *see* Reichel MB *et al*
Alexandrakis G *et al*. Diagnosis of *Fusarium* keratitis in an animal model using the polymerase chain reaction, **306**
Allan B *see* Booth A *et al*
Allan BDS *see* Lim KS *et al*
Alm A *see* Widengård I *et al*
Al-Mesfer S *see* Mullaney PB *et al*
Alonso J *see* Norregaard JC *et al*
Althaus C *see* Heiligenhaus A *et al*
Altieri M *see* Rolando M *et al*
Amoaku WMK *see* Zambarakji HJ *et al*
Anadolu Y *see* Zilelioğlu G *et al*
Anagnostopoulos I *see* Coupland SE *et al*
Anand AR *see* Therese KL *et al*
Andersen TF *see* Norregaard JC *et al*
Anderson DF *see* McGill JI *et al*
Anderson GF *see* Norregaard JC *et al*
Andrews RGL *see* Bowman RJC *et al*
Apfelstedt-Sylla E *see* Kretschmann U *et al*
Apte SS *see* Fariss RN *et al*
Arai M *see* de Faria JML *et al*
see Hirai T *et al*
Araujo S *see* Lu D-W *et al*
Armitage WJ *see* Chapman FM *et al*
Arné JL *see* Lesueur LC *et al*
Arnold J. Global cataract blindness: the unmet challenge: *editorial*, 593
Ash DV *see* Churchill AJ *et al*
Ash S. Combination HIV therapy and opportunistic infections of the eye in people with AIDS: *editorial*, **981**
Aslan G *see* Satici A *et al*
Asselain B *see* Levy C *et al*
Atta HR *see* Chakrabarti HS and Atta HR
Auld RJ *see* Clarke MP *et al*
Austin DJ *see* Eke T *et al*
see Morrison D *et al*
Auw-Haedrich C *et al*. Conjunctival infestation of a child with *Theromyzon tessulatum: letter*, **1093**
Avni I *see* Wygnanski-Jaffe T *et al*
Axer-Siegel R *see* Weinberger D *et al*
Aylward GW *see* Kon CH *et al*
Azazi ME *see* Holmström G *et al*
Aznar J, Hunt B. Diagnosis of activated protein C resistance in retinal vein occlusion: *correspondence*, **849**
Azuara-Blanco A *see* Lu D-W *et al*
Azuara-Blanco A, Wilson RP. Intraocular and extraocular bleeding after intracameral injection of tissue plasminogen activator: *letter*, **1345**
Azuara-Blanco A *et al*. Effects of short term increase of intraocular pressure on optic disc cupping, **880**
Tono-Pen determination of intraocular pressure in patients with band keratopathy or glued cornea, **634**

Baarsma SG *see* Heij EL *et al*
Babalola OE *see* Landers A *et al*
Backhouse O, Metcalfe T. Factor V Leiden mutation in association with idiopathic intracranial hypertension: *letter*, **844**
Bacon A *see* McGill JI *et al*
Baglivo E. Detection of anticytomegalovirus antibody synthesis in the anterior chamber in Vogt–Koyanagi–Harada syndrome: *letter*, **1216**
Bainbridge JWB *et al*. Intraocular lens implants and risk of endophthalmitis, **1312**
Baldeschi L *et al*. Anterior suspended flaps: a modified approach for external dacryocystorhinostomy, **790**
Baldwin H *see* Beer TW *et al*
Baldwin J *see* Liu N-P *et al*
Bara J *see* Garcher C *et al*
Barbosa A *see* Lana-Peixoto MA and Barbosa A
Barker DJP *see* Foss AJE *et al*
Barnham M *see* Rehman SU *et al*
Barry CJ *see* Shen WY *et al*
Barry P *see* Cassidy L *et al*
see Chen S *et al*
Barton F *see* Dorey SE *et al*
Baudouin C *see* Garcher C *et al*
Baudouin C, de Lunardo C. Short term comparative study of topical 2% carteolol with and without benzalkonium chloride in healthy volunteers, **39**
Bautista CM *see* Chen TC *et al*
Beatty S *et al*. Echographic measurements of the retrobulbar optic nerve in normal and glaucomatous eyes, **43**
Trabeculectomy augmented with mitomycin C application under the scleral flap, **397**
Bechrakis N *see* Coupland SE *et al*
Beer TW *et al*. Mast cells in pathological and surgical scars, **691**
Bellan L *see* Norregaard JC *et al*
Benezra D, Kilmartin DJ. Primary association of HLA-B51 with Behçet's disease in Ireland: *correspondence*, **715**
Bengtsson B *see* Heijl A *et al*
Benichou J *see* Roberge FG *et al*
Bennett HGB *et al*. Antimicrobial management of presumed microbial keratitis: guidelines for treatment of central and peripheral ulcers, **137**
Bentley C *see* Brookes JL *et al*
Bentley CR *see* Acheson JF *et al*
Bergen AAB *see* Tijmes NT *et al*
Berk AT *see* Kaynak S *et al*
Bernauer W *see* Pepose JS *et al*
Bernth-Petersen P *see* Norregaard JC *et al*
Bertrand A *see* Malet Th *et al*
Bettin P *see* Carassa RG *et al*
Bhattacharya SS *see* Reichel MB *et al*
Bhojani TK *see* Azuara-Blanco A *et al*
Biedner B *see* Briscoe D *et al*
Bildstein L *see* Garcher C *et al*
Bilgihan A *see* Bilgihan K *et al*
Bilgihan K *et al*. Corneal aldehyde dehydrogenase and glutathione S-transferase activity after excimer laser keratectomy in guinea pigs, **300**
Binder PS *see* Melles GRJ *et al*
Birch J *see* Landers A *et al*
Bird AC *see* Chong NHV and Bird AC
see Eysteinsson T *et al*
see Fariss RN *et al*
see Reichel MB *et al*
see Sommerburg O *et al*
Black C *see* Norregaard JC *et al*
Bleeker-Wagemakers ED *see* Storimans CWJM *et al*
Blekher T *et al*. Effects of acupuncture on foveation characteristics in congenital nystagmus, **115**
Bloch-Michel E *see* Denis D *et al*
Böhnke M *et al*. Confocal microscopy reveals persisting stromal changes after myopic photorefractive keratectomy in zero haze corneas, **1393**
Boissy RE *see* Carden SM *et al*
Book reviews Anon. Standard list of medicines, equipment, instruments and optical supplies for district level eye care services, **1221**
Atta H. Ophthalmic ultrasound—a practical guide, **334**
Cassin B. Fundamentals for ophthalmic technical personnel, **715**
Char DH, *editor*. Thyroid eye disease, **978**
Chopdar A. Fundus fluorescein angiography, **852**
Dickinson C, Murray I, Carden D. John Dalton's colour vision legacy, **205**
Flanagan J, Trope G, Buys Y. Automated perimetry; an interactive primer, **716**
Gale AG, *editor*. Vision in vehicles—V, **464**
Hamano H, Kaufman HE. Corneal physiology and disposable contact lenses, **1347**
Hom MM. Manual of contact lens prescribing and fitting, **1221**
Jay B, Kirkness CM, *editors*. Recent advances in ophthalmology 9, **334**
Kanski JJ, McAllister JA, Salmon JF. Glaucoma: a colour manual of diagnosis and treatment, **102**
Kanski JJ, Nischal KK. Ophthalmology (picture tests), **1221**

Kanski JJ. Ophthalmology (colour guide), **1221**
McGhee CNIJ, Taylor HR, Gartry DS, Trokel SL. Excimer lasers in ophthalmology. Principles and practice, **206**
Millodot M. Dictionary of optometry and visual science, **852**
Ritch R, Shields MB, Krupin T. The glaucomas, **464**
Rowe F. Clinical orthoptics, **206**
Roy FH. Ocular differential diagnosis, **716**
Sandford-Smith S. Eye diseases in hot climates, **978**
Wilson II FW. Practical ophthalmology—a manual for beginning residents, **464**

Booth A *et al.* Shared care postoperative management of cataract patients: *correspondence*, **332**
Borderie VM *et al.* Donor organ cultured corneal tissue selection before penetrating keratoplasty, **382**
Bornfeld N *see* Coupland SE *et al*
see Coupland SE *et al*
see Kellner U *et al*
see Wiegel T *et al*
Bosch-Driessen EH. Sense and nonsense of corticosteroid administration in the treatment of ocular toxoplasmosis: *commentary*, **858**
Bosch-Driessen LEH *see* Rothova A *et al*
Bottke D *see* Wiegel T *et al*
Boulton M *see* Saxby L *et al*
Boulton M, Saxby L. Adhesion of IOLs to the posterior capsule: *editorial*, **468**
Boulton M *et al.* VEGF localisation in diabetic retinopathy, **561**
Bourcier T *et al.* Retinal pigment epithelial detachment: an unusual presentation in ocular sarcoidosis: *letter*, **585**
Bourgeois H *see* Chaine G *et al*
Bourguignon C *see* Chaine G *et al*
Bourne RRA, MacLaren RE. Intracranial plasmacytoma masquerading as Gradenigo's syndrome: *letter*, **458**
Bourne RR *et al.* Epidemic optic neuropathy in primary school children in Dar es Salaam, Tanzania, **232**
Bouros D *see* Tzanakis N *et al*
Bowen DI *see* King AM *et al*
Bowman RJC *et al.* An inner city preschool visual screening programme: long term visual results, **543**
Bradbury J *see* Booth A *et al*
Brancato R *see* Carassa RG *et al*
see Sadun F *et al*
see Trabucchi G *et al*
Brand RJ *see* McNamara NA *et al*
Brault Y *see* Chaine G *et al*
Braunstein C *see* Reis A *et al*
Breitschwerdt H *see* Meyer K *et al*
Brikman I *see* Wygnanski-Jaffe T *et al*
Briscoe D *et al.* A new computer program for mass screening of visual defects in preschool children, **415**
Broadway DC, Drance SM. Glaucoma and vasospasm, **862**
Broadway D *et al.* Rhodococcus keratitis: *letter*, **198**
Bron A *see* Dollfus H *et al*
see Garcher C *et al*
Brookes JL *et al.* Microcystic adnexal carcinoma masquerading as a chalazion: *letter*, **196**
Brown GC *see* Sharma S *et al*
Bruinenberg M *see* Ongkosuwito JV *et al*
Bruni A *see* Toti P *et al*
Buck S *see* Kagemann L *et al*
Buckingham T *see* Booth A *et al*
Buckingham TJ *see* Kelly SL and Buckingham TJ
Buckley CH *see* Kelly PAT *et al*
Buckley CH *et al.* Role of the endothelium in modulating functional responses of isolated bovine anterior ciliary arteries to vasoconstrictor agonists, **826**
Buckley SA *et al.* Anterior segment complications of indirect diode laser in diabetic patients: *letter*, **1447**
Budde WM *see* Jonas JB *et al*
see Jonas JB *et al*
Bulgarini D *see* Corsi A *et al*
Bullock J *see* Doyle SJ *et al*
Bunce C *see* Salzmann J *et al*
see Zürcher M *et al*
Bunce C *et al.* BD8 certification of visually impaired people, **72**
Bunce CV *see* Fontana L *et al*
Burk ROW *et al.* Laser scanning tomography of localised nerve fibre layer defects, **1112**
Burlando S *see* Polizzi A *et al*
Burnstine MA *et al.* Orbital fibroblast chemokine modulation: effects of dexamethasone and cyclosporin A, **318**
Burton BJL, Adams GGW. Persistent pupillary membranes: *letter*, **711**

Cadwgan A *see* Finlayson J *et al*
Cahill M *see* Chen S *et al*
Calabria G *see* Rolando M *et al*
Camerini G *see* Polizzi A *et al*
Cantor LB *see* Azuara-Blanco A *et al*
Caprioli J. Deviant axons and glaucomatous damage: *editorial*, **595**
Carassa RG *et al.* Nd:YAG laser iridotomy in pigment dispersion syndrome: an ultrasound biomicroscopic study, **150**
Carden SM *et al.* Albinism: modern molecular diagnosis: *perspective*, **189**
Carlson J *see* Larsson J *et al*
Carr S *see* Eke T *et al*
Carvajal-Gonzalez S *see* Borderie VM *et al*
Casaer P *see* Casteels I *et al*
Cassels-Brown A *see* Booth A *et al*
see Diggory P *et al*
Cassidy L *et al.* Platelet derived growth factor and fibroblast growth factor basic levels in the vitreous of patients with vitreoretinal disorders, **181**
Cassoux N *see* Bourcier T *et al*
Casswell T *see* Newsom R *et al*
Casteels I *et al.* The baby with poor visual contact: *commentary*, **1228**
Castellarin AA *et al.* Clinicopathological correlation of primary and recurrent choroidal neovascularisation following surgical excision in age related macular degeneration, **480**
Cates CA *et al.* Horner's syndrome in infancy: *correspondence*, **1097**
Cekic O. Effect of cigarette smoking on copper, lead, and cadmium accumulation in human lens, **186**
Chaine G *et al.* Case-control study of the risk factors for age related macular degeneration, **996**
Chakrabarti HS, Atta HR. Use of ultrasound biomicroscopy in the localisation and management of an anteriorly situated intraocular foreign body: *letter*, **459**
Challier B *see* Malet Th *et al*
Chan C-C, Li Q. Immunopathology of uveitis: *perspective*, **91**
Chantelau E. Evidence that upregulation of serum IGF-1 concentration can trigger acceleration of diabetic retinopathy, **725**
Chapman FM *et al. Candida glabrata* endophthalmitis following penetrating keratoplasty: *letter*, **712**
Chapotot EC *see* Lesueur LC *et al*
Chappel D *see* Vessey MP *et al*
Charteris DG. Growth factors in proliferative vitreoretinopathy: *editorial*, **106**
Chen HC *et al.* Effect of isovolaemic haemodilution on visual outcome in branch retinal vein occlusion, **162**
Chen JJY *see* Hsiao C-H *et al*
Chen PYF *see* Hsiao C-H *et al*
Chen S *et al.* Cluster of four cases of inadvertent injury to the globe secondary to peribulbar anaesthesia: *correspondence*, **850**
Chen TC *et al.* Scleritis associated with acute febrile neutrophilic dermatosis (Sweet's syndrome): *letter*, **328**
Chévez-Barrios P *see* Mietz H *et al*
Chiba A *see* Suzuki T *et al*
Chignell AH *see* Webster L *et al*
Chikuda M *see* Suzuki T *et al*
Chiquet C *et al.* Visual outcome and prognostic factors after magnetic extraction of posterior segment foreign bodies in 40 cases, **801**
Chirila TV *see* Hicks CR *et al*
Chisholm IH *see* Francis PJ and Chisholm IH
Cho J *see* Jeong S *et al*
Chong NHV, Bird AC. Alternative therapies in exudative age related macular degeneration: *perspective*, **1441**
Choong YF, Menage MJ. Symptomatic acute raised IOP following haemodialysis in a patient with end stage renal failure: *letter*, **1342**
Chowers I *et al.* MIB-1 and PC-10 immunostaining for the assessment of proliferative activity in primary acquired melanosis without and with atypia, **1316**
Chung HS *see* Kagemann L *et al*
Church MK *see* McGill JI *et al*
Churchill AJ *et al.* An alternative and more cost effective method of delivery of radiotherapy in age related macular degeneration, **373**
Ciccodicola A *see* Simonelli F *et al*
Clark BJ. Information technology in ophthalmology: *commentary*, **984**
Clark DI *see* Pearce IA *et al*
Clarke MP *et al.* Effectiveness of occlusion therapy in ametropic amblyopia: *correspondence*, **850**
Clayton AB *see* Hicks CR *et al*
Cleary M *see* Houston CA *et al*
Cleary M *et al.* Recovery in microtropia: implications for aetiology and neurophysiology, **225**
Clemente G *see* Iannaccone A *et al*
Coffey M *see* Wu J *et al*
Collin JRO *see* Olver JM *et al*
see Zürcher M *et al*
Collin R *see* Forbes J *et al*
Collur S *see* Lu D-W *et al*
Constable IJ *see* Hicks CR *et al*
see Morgan WH *et al*
see Shen WY *et al*
Constable PH *et al.* Long term growth arrest of human Tenon's fibroblasts following single applications of β radiation, **448**
Cook HL *see* Prasad S *et al*
Cook SD *see* Karabatsas CH *et al*
Cooper C *see* Foss AJE *et al*
Cordeiro MF *see* Constable PH *et al*
see Reichel MB *et al*

Cordonnier M, Dramaix M. Screening for abnormal levels of hyperopia in children: a non-cycloplegic method with a hand held refractor, **1260**
Corsi A *et al.* Ocular changes associated with *Giardia lamblia* infection in children, **59**
Costagliola C *see* Eke T *et al*
Coste M *see* Chaine G *et al*
Coster DJ *see* Pesudovs K and Coster DJ
Cota NR. Spontaneous hyphaema in hereditary haemorrhagic telangiectasia: *letter*, **1093**
Cottrell DG *see* Chapman FM *et al*
Coupland SE *et al.* Expression patterns of cyclin D1 and related proteins regulating G1-S phase transition in uveal melanoma and retinoblastoma, **961**
Keratoacanthoma of the bulbar conjunctiva: *letter*, **586**
Cousens SN *see* Landers A *et al*
see Murdoch IE *et al*
Cowey A *see* Morgan JE *et al*
Crabb DP *et al.* Simulating binocular visual field status in glaucoma, **1236**
Craig JJ *see* Mulholland DA *et al*
Crawford GJ *see* Hicks CR *et al*
Cree IA *see* Reichel MB *et al*
see Rummelt V *et al*
Cringle SJ *see* Morgan WH *et al*
Crofts BJ *et al.* The contribution of low birth weight to severe vision loss in a geographically defined population, **9**
Crowley S *see* Fulcher T *et al*
Crowston JG *see* Constable PH *et al*
Cruess AF *see* Sharma S *et al*
Cruysberg JRM *see* Melles GRJ *et al*
Cumming RG *see* Wang JJ *et al*
Cuneo S *see* Polizzi A *et al*
Cunningham C *see* Doyle SJ *et al*
Cunningham Jr ET *see* Whitcup SM *et al*
Czechonska G *see* Finger PT *et al*

Dalton PD *see* Hicks CR *et al*
Dalton R *see* Bainbridge JWB *et al*
Damato B *et al.* Endoresection of choroidal melanoma, **213**
Danias J. Retinopathy associated with pancreatitis in a child with maple syrup urine disease: *letter*, **841**
Danks JJ, Harrad RA. Flashing lights in thyroid eye disease: a new symptom described and (possibly) explained, **1309**
Danner SA *see* van den Horn GJ *et al*
Dart J *see* Broadway D *et al*
see Forbes J *et al*
see Heyworth P *et al*
see McDonnell PJ *et al*
Dart JKG *see* Radford CF *et al*
see Radford CF *et al*
David N *see* Malet Th *et al*
Davis A *see* Dutton GN and Davis A
Dayan MR *et al.* Automated perimetry by optometrists in patients at low risk of glaucoma: *correspondence*, **1221**
Dean D *see* Lietman TM *et al*
de Cock R *see* Mokete B and de Cock R
de Faria JML *et al.* Objective measurement of contrast sensitivity function using contrast sweep visual evoked responses, **168**
de Jong PTVM *see* Tijmes NT *et al*
de Keizer RJW *see* Ongkosuwito JV *et al*
Dekker EM *see* Porro G *et al*
Dekker FW *see* Terwee CB *et al*
de Lunardo C *see* Baudouin C and de Lunardo C
Denis D *et al.* Treatment of common ocular allergic disorders; a comparison of lodoxamide and NAAGA, **1135**
de Risi F *see* Corsi A *et al*
Derlacki DJ *see* Szlyk JP *et al*
Desai P, Reidy A. Responding to the challenge of clinical practice variations: *editorial*, **1101**
de Séra JP *see* Melles GRJ *et al*
Desjardins L *see* Levy C *et al*
de Smet MD *see* Roberge FG *et al*
see van den Horn GJ *et al*
de Sole G. Elimination of trachoma: follow up: *correspondence*, **590**
Detorakis ET *et al.* Evaluation of loss of heterozygosity and microsatellite instability in human pterygium: clinical correlations, **1324**
Devonshire P *see* Bennett HGB *et al*
de Vos AF *see* Yang P *et al*
Dhillon B *see* Kamal A *et al*
Dhital SP *see* Lietman TM *et al*
Dichtl A *see* Jonas JB *et al*
Dichtl A *et al.* Histomorphometry of the optic disc in highly myopic eyes with absolute secondary angle closure glaucoma, **286**
Dick AD *see* Kilmartin DJ *et al*
Dick AD. Serological tests for monitoring and predicting disease severity, course, and outcome of autoimmune intraocular inflammation: *editorial*, **856**
Dick B *see* Heiligenhaus A *et al*
Dietrich TJ *see* Schiefer U *et al*
Diffey BL *see* Lindgren G *et al*
Diggory P *et al.* Randomised, controlled trial of spirometric changes in elderly people receiving timolol or betaxolol as initial treatment for glaucoma, **146**
di Giovanni A *see* Denis D *et al*
di Iorio L *see* Corsi A *et al*
Dillen PMEW *see* Verbraak FD *et al*
Dolin PJ *see* Bourne RR *et al*
Dolin PJ *et al.* Trachoma in the Gambia, **930**
Dollfus H *et al.* Congenital toxoplasma chorioretinitis transmitted by preconceptionally immune women: *letter*, **1444**
Doorn MW *see* Ongkosuwito JV *et al*
Doran RML *see* King AM *et al*
Dorey SE *et al.* Magnetic resonance image changes following optic nerve trauma from peribulbar anaesthetic: *letter*, **586**
Downes RN *see* von Arx G *et al*
Doyle SJ *et al.* Emmetropisation, axial length, and corneal topography in teenagers with Down's syndrome, **793**
Doz F *see* Levy C *et al*
Dramaix M *see* Cordonnier M and Dramaix M
Drance SM *see* Broadway DC and Drance SM
Dua HS *see* Azuara-Blanco A *et al*
Dua HS. The conjunctiva in corneal epithelial wound healing, **1407**
Ducasse A *see* Marx-Chemla C *et al*
Duffy J *see* Cassidy L *et al*
Dufier JL *see* Dollfus H *et al*
Duguid G *see* Broadway D *et al*
Dumonde DC *see* Whittle RM *et al*
Duncan G. Lens cell growth and posterior capsule opacification: in vivo and in vitro observations: *editorial*, **1102**
Dunn E *see* Norregaard JC *et al*
Durak I *see* Kaynak S *et al*
Dureau P *see* Dollfus H *et al*
D'Urso M *see* Simonelli F *et al*
Dutt JE *see* Heiligenhaus A *et al*
Dutton GN *see* Bowman RJC *et al*
see Cleary M *et al*
see Houston CA *et al*
Dutton GN, Davis A. Topical steroids and alkali burns: *correspondence*, **1098**
Dyke S *see* Livingstone DJ *et al*
Dzhanov R *see* Geyer O *et al*

Eagle Jr RC *see* Gündüz K *et al*
Easty DL *see* Chapman FM *et al*
see Lau CH *et al*
Eckstein AK *see* Kötter I *et al*
Eckstein M *et al.* Use of intraocular lenses in children with traumatic cataract in south India, **911**
Edward DP, Wax MB. Congenital lenticular pigmentation: *letter*, **1344**
Eggink CA *see* Melles GRJ *et al*
Eke T *see* Morrison D *et al*
Eke T *et al.* Acute glaucoma, chronic glaucoma, and serotoninergic drugs: *correspondence*, **976**
Topical ointment does not prevent recurrent symptoms following traumatic corneal abrasion: *correspondence*, **1096**
El-Hifnawi E-S *see* Geerling G *et al*
Ellwein LB *see* Pokharel GP *et al*
see Pokharel GP *et al*
Elner SG *see* Burnstine MA *et al*
Elner VM *see* Burnstine MA *et al*
Elston J. Is botulinum toxin helpful in squint management?: *editorial*, **105**
Endo K-I *see* Nakamura M *et al*
Engelbrecht S *see* Heiligenhaus A *et al*
Escano MFT. Colour Doppler imaging in Takayasu's arteritis: *letter*, **1091**
Espallargues M *see* Norregaard JC *et al*
Espinasse-Berrod M-A *see* Chaine G *et al*
Evans D *see* Kagemann L *et al*
Evans J *see* Bunce C *et al*
Evans JE *see* Zambarakji HJ *et al*
Evans JR *see* Foss AJE *et al*
Evans K *see* Reichel MB *et al*
Eysteinsson T *et al.* Helicoidal peripapillary chorioretinal degeneration: electrophysiology and psychophysics in 17 patients, **280**
Ezra E *et al.* Ultrasonic assessment of rhinostomy size following external dacryocystorhinostomy, **786**

Faal H *see* Dolin PJ *et al*
Faliang W *see* Seshubabu G *et al*
Fan DSP *see* Wu JT *et al*
Fan J *see* Reichel MB *et al*
Fardeau C *see* Bourcier T *et al*
Fariss RN *et al.* Accumulation of tissue inhibitor of metalloproteinases-3 in human eyes with Sorsby's fundus dystrophy or retinitis pigmentosa, **1329**
Faulborn J *see* Müllner K *et al*
Fekkes D *see* Storimans CWJM *et al*
Feldman RM *see* Mietz H *et al*
Feron EJC *see* Ongkosuwito JV *et al*

Fielder AR *see* Clarke MP *et al*
Fielder AR. The impact of low birth weight on the visual pathway: *editorial*, **1**
Finger PT *et al.* Topical mitomycin C chemotherapy for conjunctival melanoma and PAM with atypia, **476**
Finlayson J *et al.* HIV retinopathy at seroconversion: *letter*, **1339**
Fiori M *see* Carassa RG *et al*
Firth R *see* Fulcher T *et al*
Fisher M *see* Newsom R *et al*
Fishman GA *see* Szlyk JP *et al*
Fitt AWD. Obstruction of the superior vena cava: *letter*, **1092**
Fitton JH *see* Hicks CR *et al*
Fitzke FW *see* Crabb DP *et al*
see Garway-Heath DF *et al*
see Heijl A *et al*
see Reichel MB *et al*
see von Rückmann A *et al*
Fitzke FW. Colour imaging using a scanning laser ophthalmoscope: *editorial*, **337**
Flagiello L *see* Simonelli F *et al*
Flanagan JG *see* Hudson C *et al*
Flitcroft D *see* Salzmann J *et al*
Flitcroft DI *see* Rose KE *et al*
Flitcroft DI. Ophthalmologists should consider the causes of myopia and not simply treat its consequences: *editorial*, **210**
Flodmark O *see* Jacobson L *et al*
Foerster MH *see* Coupland SE *et al*
see Kellner U *et al*
see Wiegel T *et al*
Folberg R *see* Chowers I *et al*
see Mathers WD *et al*
see Rummelt V *et al*
Fontana L *et al.* Pulsatile ocular blood flow investigation in asymmetric normal tension glaucoma and normal subjects, **731**
Forbes J *et al.* Split thickness buccal mucous membrane grafts and β irradiation in the treatment of recurrent pterygium, **1420**
Foreman D *see* Boulton M *et al*
Formelli F *see* Polizzi A *et al*
Forrester JV *see* Kilmartin DJ *et al*
see Manivannan A *et al*
Forrester JV. More change at the *BJO*: *editorial*, **721**
Fortin E *see* Whitcup SM *et al*
Foss A *see* Kon CH *et al*
Foss AJE *see* Morgan JE *et al*
see Rummelt V *et al*
Foss AJE *et al.* Does raised intraocular pressure begin in utero?, **1125**
Foster A *see* Eckstein M *et al*
Foster CS *see* Heiligenhaus A *et al*
Foster PJ *see* Garway-Heath DF *et al*
Foudrinier F *see* Marx-Chemla C *et al*
Francis PJ, Chisholm IH. Ocular trauma from party balloons: *correspondence*, **203**
Franks WA *see* Churchill AJ *et al*
Fraser S *see* Bunce C *et al*
Fredrick DR *see* Hoyt CS and Fredrick DR
Freedman D *see* Polizzi A *et al*
Frennesson C, Nilsson SEG. Prophylactic laser treatment in early age related maculopathy reduced the incidence of exudative complications, **1169**
Frier M *see* Wilson CG *et al*
Frith P *see* Vessey MP *et al*
Frucht-Pery J *see* Chowers I *et al*
Fujita T *see* Suzuki T *et al*
Fukushima A *see* Yoshida H *et al*
Fulcher T *et al.* Diabetic retinopathy in Down's syndrome, **407**
Nasolacrimal intubation in adults, **1039**
Fuller JR *see* Morris E and Fuller JR
Funaki S *et al.* Relation between size of optic disc and thickness of retinal nerve fibre layer in normal subjects, **1242**
Fusaro RE *see* McNamara NA *et al*
Futagami S *see* Ohno-Matsui K *et al*

Gachon A-MF, Lacazette E. Tear lipocalin and the eye's front line of defence: *perspective*, **453**
Gain P *see* Chiquet C *et al*
Gales K *see* Dayan MR *et al*
Gallagher PJ *see* Beer TW *et al*
Gannon LM *see* Pearce IA *et al*
Garcher C *et al.* CA 19-9 ELISA test: a new method for studying mucus changes in tears, **88**
Garner A *see* Broadway D *et al*
see Zürcher M *et al*
Garway-Heath DF. Sources of bias in studies of optic disc and retinal nerve fibre layer morphology: *commentary*, **986**
Garway-Heath DF, Hitchings RA. Quantitative evaluation of the optic nerve head in early glaucoma, **352**
Garway-Heath DF *et al.* Measurement of optic disc size: equivalence of methods to correct for ocular magnification, **643**
Vertical cup/disc ratio in relation to optic disc size: its value in the assessment of the glaucoma suspect, **1118**
Gauntt CDP *et al.* Peripapillary circle of Zinn-Haller: *correspondence*, **849**
Gavin MP, Kirkness CM. Cornea plana—clinical features, videokeratometry, and management: *letter*, **329**
Geerling G *et al.* Initial clinical experience with the picosecond Nd:YLF laser for intraocular therapeutic applications, **504**
Gelisken F *see* Schneider U *et al*
George J-L *see* Malet Th *et al*
George NDL *see* Cates CA *et al*
see Parsa CF and George NDL
George NDL *et al.* Does Horner's syndrome in infancy require investigation?, **51**
Gerding MN *see* Terwee CB *et al*
Geyer O *et al.* Reproducibility of topographic measures of the glaucomatous optic nerve head, **14**
Gharti MP *see* Snellingen T *et al*
Ghebremedhin B. In memoriam—Fred Hollows, **1099**
Gilbert C *see* Eckstein M *et al*
Gilchrist P *see* Wilson CG *et al*
Gillespie IH *see* Dorey SE *et al*
Glanville A *see* Ng P *et al*
Gloor P *see* Alexandrakis G *et al*
Goble R *see* Murray AT *et al*
Godehardt E *see* Reis A *et al*
Goldstein DA *see* Chen TC *et al*
Gole GA *see* Serrano JC *et al*
Gonzalez G *see* George NDL *et al*
Good PA *see* Beatty S *et al*
Good WV *see* Carden SM *et al*
Gordon D *see* Salzmann J *et al*
Gorman C *see* Sadiq SA *et al*
see Vernon SA *et al*
Gottesman N *see* Levartovsky S *et al*
Gotzamanis A *see* Marx-Chemla C *et al*
Goulding P *see* King AM *et al*
Graham EM *see* Stanbury RM and Graham EM
Gray C *see* Doyle SJ *et al*
Gray T *et al.* Steroid responsive disc neovascularisation in uveitis associated with juvenile chronic arthritis: *letter*, **327**
Greaney MJ, Richards AB. Bilateral orbital fat prolapse in cutis laxa: *letter*, **713**
Greco G *see* Toti P *et al*
Green F *see* Finlayson J *et al*
Greenfield DS *see* Waheed S *et al*
Gregor ZJ *see* von Rückmann A *et al*
Gregory CY *see* Reichel MB *et al*
Gregson R *see* Smith L *et al*
Gresty MA *see* Acheson JF *et al*
Griffin M *see* Fulcher T *et al*
Griffiths PG *see* Dayan MR *et al*
Groenewald C *see* Damato B *et al*
Grossniklaus HE *see* Kramer TR *et al*
Grotman M *see* Briscoe D *et al*
Grover S *see* Szlyk JP *et al*
Grundler AE *see* Jonas JB *et al*
see Jonas JB *et al*
Guinot-Saera A, Koay P. Efficacy of probing as treatment of epiphora in adults with blocked nasolacrimal ducts, **389**
Gundüz K. Choroidal melanoma in a patient with retinitis pigmentosa and Usher's syndrome: *letter*, **847**
Gundüz K *et al.* Episcleral melanoma without conjunctival or uveal involvement: *letter*, **1342**
Gunning T *see* Munier A *et al*
Gupta A *see* Chen HC *et al*
Gurel MS *see* Satici A *et al*

Hack CE *see* Klok A-M *et al*
Haddad OAWE, Saad MK. Prevalence and risk factors for diabetic retinopathy among Omani diabetics, **901**
Hadoke PWF *see* Buckley CH *et al*
Haifeng X *see* Seshubabu G *et al*
Hakimi J *see* Roberge FG *et al*
Hamano T *see* Nakamura M *et al*
Hamon F *see* Marx-Chemla C *et al*
Hanlon GW *see* Livingstone DJ *et al*
Hanna IT *et al.* Open lacrimal surgery: a comparison of admission outcome and complications after planned day case or inpatient management, **392**
Hannaford P *see* Vessey MP *et al*
Hanyu A *see* Kaji Y *et al*
Harazny J *see* Michelson G *et al*
Harding JJ, van Heyningen R. Is month of birth associated with cataract in later life?, **526**
Häring G *et al.* Ultrasound biomicroscopic imaging in intermediate uveitis, **625**
Harpey C *see* Chaine G *et al*
Harrad RA *see* Danks JJ and Harrad RA
see Shuttleworth GN *et al*
Harris A *see* Azuara-Blanco A *et al*
see Kagemann L *et al*
Hasanreisoğlu B *see* Bilgihan K *et al*
Hashida M *see* Yoshida H *et al*
Hashimoto E *et al.* Unusual macular retinal detachment associated with vitreomacular traction syndrome: *letter*, **326**

Hatchwell E *see* Reck AC *et al*
Hattenbach L-O *et al.* Absence of hypertensive retinopathy in a Turkish kindred with autosomal dominant hypertension and brachydactyly, **1363**
Hay J *see* Bennett HGB *et al*
Hayasaka S *et al.* Interferon associated retinopathy: *perspective*, **323**
Hayashi F *see* Hayashi H *et al*
see Hayashi K *et al*
Hayashi H *see* Hayashi K *et al*
Hayashi H *et al.* Anterior capsule contraction and intraocular lens dislocation in eyes with pseudoexfoliation syndrome, **1429**
Hayashi K *see* Hayashi H *et al*
Hayashi K *et al.* Comparison of decentration and tilt between one piece and three piece polymethyl methacrylate intraocular lenses, **419**
Heij EL *et al.* Adhesion molecules in iris biopsy specimens from patients with uveitis, **432**
Heijl A *et al.* Visual field progression in glaucoma: *correspondence*, **1097**
Heiligenhaus A *et al.* Eosinophil granule proteins expressed in ocular cicatricial pemphigoid, **312**
Recombinant tissue plasminogen activator in cases with fibrin formation after cataract surgery: a prospective randomised multicentre study, **810**
Heimann H *see* Coupland SE *et al*
see Kellner U *et al*
Helbig H *see* Kellner U *et al*
Helleboid L *see* Denis D *et al*
Hennequin C *see* Dollfus H *et al*
Heyworth P *see* Eke T *et al*
see McDonnell PJ *et al*
Heyworth P *et al.* Natural history of recurrent erosion syndrome—a 4 year review of 117 patients, **26**
Hicks CR *et al.* Clinical results of implantation of the Chirila keratoprosthesis in rabbits, **18**
Hida T *see* Hashimoto E *et al*
Hillman JS *see* Diggory P *et al*
Hinkelbein W *see* Wiegel T *et al*
Hintschich CR *see* Baldeschi L *et al*
see Zürcher M *et al*
Hirai T *et al.* Modified Bagolini striated glass test: clinical applications of starlight test in binocular visual field screening, **1288**
Hirakata A *see* Hashimoto E *et al*
Hiratsuka Y *et al.* Rhinogenic optic neuropathy caused bilateral loss of light perception: *letter*, **99**
Hirose T *see* de Faria JML *et al*
Hirst LW, Lee GA. Corneoscleral transplantation for end stage corneal disease, **1276**
Hitchings R *see* Kamal D and Hitchings R
Hitchings RA *see* Crabb DP *et al*
see Fontana L *et al*
see Garway-Heath DF and Hitchings RA
see Garway-Heath DF *et al*
see Garway-Heath DF *et al*
see Heijl A *et al*
Hoang-Xuan T. Pseudouveitis as a manifestation of hyperlipidaemia: *letter*, **1215**
Hodgkins P *see* Kiné DAH *et al*
Hodgkins P *et al.* Optic disc anomalies and frontonasal dysplasia, **290**
Hodgkins PR *see* Cates CA *et al*
see Serrano JC *et al*
Holgate ST *see* McGill JI *et al*
Holló G *et al.* Peripapillary circle of Zinn–Haller revealed by fundus fluorescein angiography: *correspondence*, **332**
Hollick EJ *et al.* Lens epithelial cell regression on the posterior capsule with different intraocular lens materials, **1182**
Holmström G *et al.* Ophthalmological long term follow up of preterm infants: a population based, prospective study of the refraction and its development, **1265**
Hong Y *see* Hicks CR *et al*
Horiguchi M *et al.* Extrafoveal photostress recovery test in glaucoma and idiopathic central serous chorioretinopathy, **1007**
Hotta K *see* Hashimoto E *et al*
Hotta Y *see* Hiratsuka Y *et al*
Houston CA *see* Cleary M *et al*
Houston CA *et al.* Clinical characteristics of microtropia—is microtropia a fixed phenomenon?, **219**
Howlader SA *see* Rahman MR *et al*
Hoyng CB *see* Ongkosuwito JV *et al*
Hoyt CS *see* Cates CA *et al*
see George NDL *et al*
Hoyt CS, Fredrick DR. Cortically visually impaired children: a need for more study: *editorial*, **1225**
Hsiao C-H *et al.* Intrascleral dissemination of infectious scleritis following pterygium excision, **29**
Huaman AM *see* Mullaney PB *et al*
Huang SCM *see* Hsiao C-H *et al*
Hudson C *et al.* Scanning laser tomography Z profile signal width as an objective index of macular retinal thickening, **121**
Hull RG *see* Kiné DAH *et al*
Hullo A *see* Chaine G *et al*
Hummel M *see* Coupland SE *et al*
Hunt B *see* Aznar J and Hunt B
Hunt DM *see* Reichel MB *et al*
Hunter PA *see* Buckley SA *et al*
Husain R *see* Rahman MR *et al*
Hutzelmann J *et al.* Comparison of the safety and efficacy of the fixed combination of dorzolamide/timolol and the concomitant administration of dorzolamide and timolol: a clinical equivalence study, **1249**
Hykin P *see* Heyworth P *et al*

Iannaccone A *et al.* Plasma endothelin-1 concentrations in patients with retinal vein occlusions, **498**
Iester M *see* Rolando M *et al*
Ikeda T *see* Tokuyama T *et al*
Ikezawa Z *see* Uchio E *et al*
Imamura Y *see* Mashima Y *et al*
Immonen I *see* Jaakkola A *et al*
Ingkatanuwat S *see* Shuangshoti S *et al*
International Clinical Equivalence Study Group *see* Hutzelmann J *et al*
Introini U *see* Trabucchi G *et al*
Irjala K *see* Mäkimattila S *et al*
Irwin M *see* Clarke MP *et al*
Ishii Y *see* Adachi W *et al*
see Oshika T *et al*
Ito Y *see* Hirai T *et al*
see Horiguchi M *et al*
Iwamoto H *see* Yoshida H *et al*

Jaakkola A *et al.* Correlation between Octopus perimetry and fluorescein angiography after strontium-90 plaque brachytherapy for subfoveal exudative age related macular degeneration, **763**
Jacks AS. Retinal haemorrhage caused by "ecstasy": *letter*, **842**
Jackson H *see* Buckley SA *et al*
Jacobson L *et al.* Nystagmus in periventricular leucomalacia, **1026**
Jain S. Cross polarised spectacles in photosensitive epilepsy: *letter*, **974**
Jalali S *see* Alexandrakis G *et al*
James CB. Pulsatile ocular blood flow: *editorial*, **720**
Jeffery G *see* Morgan JE *et al*
see Morgan JE *et al*
Jeong S *et al.* Bilateral subperiosteal haematoma after endoscopic sinus surgery: *letter*, **100**
Johnson A *see* Crofts BJ *et al*
Johnson GJ *see* Dolin PJ *et al*
see Rahman MR *et al*
Johnson JC *see* Kertes PJ *et al*
Jonas JB *see* Dichtl A *et al*
see Papastathopoulos KI and Jonas JB
Jonas JB *et al.* Comparison of measurements of neuroretinal rim area between confocal laser scanning tomography and planimetry of photographs, **362**
Neuroretinal rim width ratios in morphological glaucoma diagnosis, **1366**
Optic disc dimensions, body length, and body weight: *letter*, **197**
Optic disc morphology in pigmentary glaucoma, **875**
Jónasson F *see* Eysteinsson T *et al*
Jones BR *see* Landers A *et al*
Jones HS *see* Clarke MP *et al*
Jones K *see* Prasad S *et al*
Jónsson V *see* Eysteinsson T *et al*

Kagemann L *et al.* Heidelberg retinal flowmetry: factors affecting blood flow measurement, **131**
Kaji Y *et al.* Expression of transforming growth factor β superfamily and their receptors in the corneal stromal wound healing process after excimer laser keratectomy: *letter*, **462**
Kalmann R, Mourits MP. Prevalence and management of elevated intraocular pressure in patients with Graves' orbitopathy, **754**
Kamal A *et al.* Sustained release intravitreal ganciclovir implant as salvage treatment in AIDS related cytomegalovirus retinitis: *correspondence*, **333**
Kamal D, Hitchings R. Normal tension glaucoma—a practical approach: *perspective*, **835**
Kamata Y *see* Yamada M *et al*
Kampik A. Macular holes—a diagnostic and therapeutic enigma?: *editorial*, **338**
Kanai A *see* Hiratsuka Y *et al*
Kanski J *see* Gray T *et al*
Karabatsas CH *et al.* Clinical evaluation of keratometry and computerised videokeratography: intraobserver and interobserver variability on normal and astigmatic corneas, **637**
Karcioglu ZA *see* Mullaney PB *et al*
Karwatowski WSS *see* Waldock A *et al*
see Waldock A *et al*
Katai N *et al.* Ultrasound biomicroscopic images of the anterior chamber angle of a patient with posterior polymorphous dystrophy: *letter*, **1339**
Kate FJWT *see* Verbraak FD *et al*

Kato M *see* Kaji Y *et al*
Katsumi O *see* de Faria JML *et al*
Kaynak S *et al*. Pars plana vitrectomy with pars plana tube implantation in eyes with intractable glaucoma, **1377**
Keating D *see* Prasad S *et al*
see Williamson TH and Keating D
Keim A *see* Auw-Haedrich C *et al*
Kellner U *see* Coupland SE *et al*
Kellner U *et al*. Electrophysiological evaluation of visual loss in Müller cell sheen dystrophy, **650**
Kelly PAT *et al*. Possible role for nitric oxide releasing nerves in the regulation of ocular blood flow in the rat, **1199**
Kelly SL, Buckingham TJ. Movement hyperacuity in childhood amblyopia, **991**
Kelsell RE *see* Reichel MB *et al*
Kennedy S *see* Cassidy L *et al*
Kenny D *see* Munier A *et al*
Keogh A *see* Ng P *et al*
Kertes PJ *et al*. Internal resection of posterior uveal melanomas, **1147**
Keunen JEE *see* Sommerburg O *et al*
Khaw PT *see* Constable PH *et al*
see Kon CH *et al*
see Lim KS *et al*
see Olver JM *et al*
see Reichel MB *et al*
Kheterpal S *see* Beatty S *et al*
Kijlstra A *see* Heij EL *et al*
see Klok A-M *et al*
see Ongkosuwito JV *et al*
see Verbraak FD *et al*
see Yang P *et al*
Killedar M *see* Eckstein M *et al*
Kilmartin DJ *see* Benezra D and Kilmartin DJ
Kilmartin DJ *et al*. Cyclosporin A therapy in refractory non-infectious childhood uveitis, **737**
Kim D-S *see* Gauntt CDP *et al*
see Holló G *et al*
Kiné DAH *et al*. Osteoporosis: a survey of consultant ophthalmologists: *correspondence*, **203**
King A *see* Kamal A *et al*
King AM *et al*. Aicardi syndrome: *letter*, **457**
King R *see* Crofts BJ *et al*
Kinoshita S *see* Adachi W *et al*
see Yokoi K *et al*
Kirkness CM *see* Bennett HGB *et al*
see Gavin MP and Kirkness CM
Kirkpatrick JNP *see* Manivannan A *et al*
Kirwan JF *see* Bainbridge JWB *et al*
see Eke T *et al*
Kist M *see* Auw-Haedrich C *et al*
Klintworth GK *see* Liu N-P *et al*
Klok A-M *see* Ongkosuwito JV *et al*
Klok A-M *et al*. Elevated serum IL-8 levels are associated with disease activity in idiopathic intermediate uveitis, **871**
Knafelz D *see* Corsi A *et al*
Knott RM. Insulin-like growth factor type 1—friend or foe?: *editorial*, **719**
Ko M-K *see* Gauntt CDP *et al*
see Holló G *et al*
Koay P *see* Guinot-Saera A and Koay P
see Shafi T and Koay P
Kohner EM *see* Chen HC *et al*
Kolling GH *see* Meyer K *et al*
Kon CH *et al*. Effects of single, short term exposures of human retinal pigment epithelial cells to thiotepa or 5-fluorouracil: implications for the treatment of proliferative vitreoretinopathy, **554**
Konishi M *see* Mashima Y *et al*
Koornneef L *see* Baldeschi L *et al*
Kötter I *et al*. Treatment of ocular symptoms of Behçet's disease with interferon α_{2a}: a pilot study, **488**
Kozeis N *see* Tyagi AK *et al*
Krallmann P *see* Heiligenhaus A *et al*
Kramer TR *et al*. Pigmented uveal tumours in a transgenic mouse model, **953**
Kraus H *see* Kellner U *et al*
Kreissig I *see* Lincoff H and Kreissig I
see Schneider U *et al*
see Sobottka B *et al*
Krepelkova J *see* Sach J *et al*
Kretschmann U *et al*. Multifocal electroretinography in patients with Stargardt's macular dystrophy, **267**
Kreusel KM *see* Wiegel T *et al*
Kriete MF *see* Roberge FG *et al*
Kriss A *see* Serrano JC *et al*
see Smith L *et al*
Krumpaszky HG *see* Sobottka B *et al*
Kuchynka P *see* Sach J *et al*
Kudoh J *see* Mashima Y *et al*
Kugelberg U *see* Holmström G *et al*
Kuijpers RWAM *see* Heij EL *et al*
Kushelevsky A *see* Briscoe D *et al*
Kusunoki S *see* Suzuki T *et al*
Kwan ASL, Rose GE. Orbital Wegener's granuloma resulting from direct extension of nasal disease through a surgical rhinostomy: *letter*, **198**
Kyle P *see* MacAndie K and Kyle P

Lacazette E *see* Gachon A-MF and Lacazette E
Laing RBS *see* Finlayson J *et al*
Lam DSC *see* Wu JT *et al*
Lam WWM *see* Wu JT *et al*
Lana-Peixoto MA, Barbosa A. Anterior ischaemic optic neuropathy in a child with AS haemoglobinopathy and migraine: *letter*, **199**
Landau D *see* Weinberger D *et al*
Landers A *et al*. Blue-yellow colour vision in an onchocercal area of northern Nigeria, **510**
Lane JA *see* Mathers WD *et al*
Lang P *see* Jonas JB *et al*
see Jonas JB *et al*
Langmann G *see* Müllner K *et al*
Lanigan B *see* O'Keefe M *et al*
Lapuente R *see* Heiligenhaus A *et al*
Laqua H *see* Geerling G *et al*
Lardenoye CWTA *et al*. Grid laser photocoagulation for macular oedema in uveitis or the Irvine–Gass syndrome, **1013**
Larkö O *see* Lindgren G *et al*
Larkin DFP. Corneal transplantation for herpes simplex keratitis: *commentary*, **107**
Laroche L *see* Borderie VM *et al*
Larsson J *et al*. Ultrasound enhanced thrombolysis in experimental retinal vein occlusion in the rabbit, **1438**
Lau CH *et al*. A murine model of interlamellar corneal transplantation, **294**
Lawal B *see* Landers A *et al*
Lawson J *see* Hodgkins P *et al*
Lazar M *see* Geyer O *et al*
see Loewenstein A *et al*
Lecorvec M *see* Denis D *et al*
Lee AG *see* Wright M *et al*
Lee GA *see* Hirst LW and Lee GA
Lee PS *see* Dolin PJ *et al*
Lee SE *see* McCarty CA *et al*
Lee WR *see* Coupland SE *et al*
see Loeffler KU and Lee WR
Lee WR. Towards a more accurate assessment of the malignant potential in conjunctival melanosis: *editorial*, **1227**
Lees M *see* Hodgkins P *et al*
Lehmann OJ *see* Radford CF *et al*
Lehoang P *see* Bourcier T *et al*
Lei G *see* Seshubabu G *et al*
Leibowitz HM *see* Wu XY *et al*
Leitch J *see* Hodgkins P *et al*
Lennon F *see* Liu N-P *et al*
Lesueur LC *et al*. Visual outcome after paediatric cataract surgery: is age a major factor?, **1022**
Letizia C *see* Iannaccone A *et al*
Levartovsky S, Moskowitz Y. Application of mitomycin C 0.02% for 2 minutes at the end of pterygium surgery: *letter*, **97**
Levartovsky S *et al*. Long term effect of hypermetropic anisometropia on the visual acuity of treated amblyopic eyes, **55**
Levy C *et al*. Role of chemotherapy alone or in combination with hyperthermia in the primary treatment of intraocular retinoblastoma: preliminary results, **1154**
Lewis TL. Seeing beyond acuity: *editorial*, **982**
Li Q *see* Chan C-C and Li Q
Liarikos S *see* Finger PT *et al*
Lieberman MW *see* Mietz H *et al*
Liebmann JM *see* Waheed S *et al*
Lietman TM *et al*. Conjunctival impression cytology for vitamin A deficiency in the presence of infectious trachoma, **1139**
Lifshitz T *see* Briscoe D *et al*
see Weinstein O *et al*
Lightman S *see* Gray T *et al*
Lim KS *et al*. Glaucoma drainage devices; past, present, and future, **1083**
Limb GA *see* Webster L *et al*
Lincoff H, Kreissig I. Optical coherence tomography of pneumatic displacement of optic disc pit maculopathy, **367**
Lindgren G *see* Heijl A *et al*
Lindgren G *et al*. Basal cell carcinoma of the eyelids and solar ultraviolet radiation exposure, **1412**
Lindsay P *see* Morlet N *et al*
Liu C, Tighe B. Striving for the perfect keratoprosthesis: *editorial*, **3**
Liu N-P *et al*. Coexistence of macular corneal dystrophy types I and II in a single sibship, **241**
Livingston PM *see* McCarty CA *et al*
Livingston PM *et al*. Knowledge, attitudes, and self care practices associated with age related eye disease in Australia, **780**
Livingstone DJ *et al*. Evaluation of an extended period of use for preserved eye drops in hospital practice, **473**

Livni N *see* Chowers I *et al*
Lloyd AW *see* Lim KS *et al*
Lloyd-Smith CW *see* McCarty CA *et al*
Loeffler KU, Lee WR. Terminology of sub-RPE deposits: do we all speak the same language?: *commentary*, **1104**
Loewenstein A *et al.* Deep lamellar keratoplasty with complete removal of pathological stroma for vision improvement: *correspondence*, **205**
Logan P *see* O'Reilly J *et al*
Lou X *see* Hicks CR *et al*
Lowe T *see* Garway-Heath DF *et al*
Lu D-W *et al.* Visual limitations assessment in patients with glaucoma: *correspondence*, **1347**
Luckie A *see* Chen HC *et al*
Luft FC *see* Hattenbach L-O *et al*
Luhishi EA *see* Shuttleworth GN *et al*
Lukas JR *et al.* Bilateral small retinal infiltrates during rickettsial infection: *letter*, **1217**
Lumbroso L *see* Bourcier T *et al*
Luthert PJ *see* Fariss RN *et al*
Luyendijk L *see* Klok A-M *et al*
Luzi P *see* Toti P *et al*

Ma H-K *see* Hsiao C-H *et al*
MacAndie K, Kyle P. "Johnny Poppers": a cause of serious ocular injury, **807**
McCarty CA *see* Livingston PM *et al*
McCarty CA *et al.* Use of eye care services by people with diabetes: the Melbourne Visual Impairment Project, **410**
McCaughan G *see* Ng P *et al*
McCluskey P *see* Ng P *et al*
MacDonald P *see* Ng P *et al*
McDonnell PJ *see* Tyagi AK and McDonnell PJ
McDonnell PJ *et al.* Natural history of recurrent erosion syndrome: *correspondence*, **1096**
McFadzean RM *see* Cleary M *et al*
see Houston CA *et al*
see Wright M *et al*
McGalliard J *see* Damato B *et al*
McGill JI *et al.* Allergic eye disease mechanisms: *perspective*, **1203**
McHugh JDA *see* Buckley SA *et al*
McIlwaine GG *see* Wright M *et al*
McKee PH *see* Brookes JL *et al*
MacLaren RE *see* Bourne RRA and MacLaren RE
MacLaren RE. Regeneration and transplantation of the optic nerve: developing a clinical strategy: *perspective*, **577**
McLaughlin J *see* Beatty S *et al*
McLeod D *see* Boulton M *et al*
see Hudson C *et al*
McNamara NA *et al.* Epithelial permeability reflects subclinical effects of contact lens wear, **376**
McNaught AI *see* Crabb DP *et al*
Macrì A *see* Rolando M *et al*
MacSweeney E *see* Dorey SE *et al*
Madhavan HN *see* Therese KL *et al*
Mäepea O *see* Widengård I *et al*
Maeyens E *see* Kinė DAH *et al*
Mäkimattila S *et al.* Serum total renin, an independent marker of the activity and severity of retinopathy in patients with IDDM, **939**
Malecaze F *see* Lesueur LC *et al*
Malet Th *et al.* Clinical and scintigraphic comparison of silicone and polyvinylpyrrolidone coated silicone perforated plugs, **1416**
Maloof A *see* Morlet N *et al*
Mangiavacchi P *see* Toti P *et al*
Manivannan A *et al.* Novel approach towards colour imaging using a scanning laser ophthalmoscope, **342**
Manners R *see* Reck AC *et al*
Mannor GE *see* Ezra E *et al*
Mant J *see* Vessey MP *et al*
Mäntysaari M *see* Mäkimattila S *et al*
Mardin CY *see* Jonas JB *et al*
Marinari G *see* Polizzi A *et al*
Markus MB *see* Niszl IA and Markus MB
Marshall J. The safety of laser pointers: myths and realities: *perspective*, **1335**
Martin B *see* Kagemann L *et al*
Martin TM, Rosenbaum JT. Identifying genes that cause disease: HLA-B27, the paradigm, the promise, the perplexity: *commentary*, **1354**
Marx-Chemla C *et al.* Overt chorioretinitis after patient acquired toxoplasmosis in an immunocompetent subject: *letter*, **1446**
Mashima Y *see* Yamada M *et al*
Mashima Y *et al.* Severe form of juvenile corneal stromal dystrophy with homozygous R124H mutation in the keratoepithelin gene in five Japanese patients, **1280**
Mastropasqua L *see* Eke T *et al*
Mathers WD *et al.* Correlation between surface water contamination with amoeba and the onset of symptoms and diagnosis of amoeba-like keratitis, **1143**
Matheson M *see* Broadway D *et al*
Matinlauri I *see* Mäkimattila S *et al*
Matsumoto M *see* Hayasaka S *et al*
Matsuo N *see* Shiragami C *et al*
Matsuo T *see* Shiragami C *et al*
Mauß S *see* Heiligenhaus A *et al*
Meenken C *see* van den Horn GJ *et al*
Melles GRJ *et al.* Bilateral, anterior stromal ring opacity of the cornea, **522**
Menage MJ *see* Choong YF and Menage MJ
Metcalfe T *see* Backhouse O and Metcalfe T
Metcalfe TW *see* Rehman SU *et al*
Metzidaki G *see* Tzanakis N *et al*
Meyer K *et al.* The Early vs Late Infantile Strabismus Surgery Study: do sources for bias exist in this non-randomised trial?, **934**
Miano MG *see* Simonelli F *et al*
Michaeli-Cohen A *see* Geyer O *et al*
Michelson G *et al.* Automatic full field analysis of perfusion images gained by scanning laser Doppler flowmetry, **1294**
Michon J *see* Levy C *et al*
Mietz H *et al.* Suramin inhibits wound healing following filtering procedures for glaucoma, **816**
Migdal C *see* Salzmann J *et al*
Miki D *see* Hashimoto E *et al*
Milam AH *see* Fariss RN *et al*
Miller NR *see* Wright M *et al*
Minassian DC *see* Radford CF *et al*
see Rahman MR *et al*
Missotten L *see* Casteels I *et al*
Misu K *see* Suzuki T *et al*
Mita T *see* Kaji Y *et al*
Mitchell P *see* Wang JJ *et al*
Mitchell S *see* Nolan W and Mitchell S
Miyakawa K *see* Uchio E *et al*
Miyake Y *see* Horiguchi M *et al*
Miyamoto N *see* Katai N *et al*
Mizusawa T *see* Okada AA *et al*
Moccatti D *see* Chaine G *et al*
Mochizuki H *see* Yamada M *et al*
Mohamed AA *see* Bourne RR *et al*
see Dolin PJ *et al*
Moinfar N. Paediatric varicella choroiditis: *letter*, **1092**
Mokete B, de Cock R. Xerophthalmia and short bowel syndrome: *letter*, **1340**
Moore AT *see* Reichel MB *et al*
Mooy CM *see* Heij EL *et al*
Mooy CM. Ploidy analysis in uveal melanoma: *editorial*, **1352**
Morgan JE *et al.* Axon deviation in the human lamina cribrosa, **680**
Retinal nerve fibre layer polarimetry: histological and clinical comparison, **684**
Morgan WH *et al.* Relation between pressure determined by ophthalmodynamometry and aortic pressure in the dog, **821**
Moriarty P *see* Fulcher T *et al*
Morini FA *see* Corsi A *et al*
Morlet N *see* Heyworth P *et al*
Morlet N *et al.* Reliable keratometry with a new hand held surgical keratometer: calibration of the keratoscopic astigmatic ruler, **35**
Morris E, Fuller JR. Successful penetrating keratoplasty in an infant after extended storage of infantile donor cornea: *letter*, **846**
Morris RJ *see* Cates CA *et al*
Morris SS *see* Murdoch IE *et al*
Morrison D *see* Eke T *et al*
Morrison D *et al.* High prevalence of recurrent symptoms following uncomplicated traumatic corneal abrasion: *correspondence*, **850**
Moseley MJ *see* Clarke MP *et al*
Moseley MJ. Preschool vision screening: a recent report calls for a halt: *commentary*, **722**
Moskowitz Y *see* Levartovsky S and Moskowitz Y
Mourits MP *see* Kalmann R and Mourits MP
Mtanda AT *see* Bourne RR *et al*
Muir A *see* Lim KS *et al*
Mulholland DA *et al.* Use of scanning laser ophthalmoscopy to monitor papilloedema in idiopathic intracranial hypertension, **1301**
Mullaney PB *et al.* Retinoblastoma associated orbital cellulitis, **517**
Mullner K *et al.* Echographic findings in uveal melanomas treated with the Leksell gamma knife, **154**
Munier A *et al.* Causes of blindness in the adult population of the Republic of Ireland, **630**
Murdoch IE *see* Landers A *et al*
Murdoch IE *et al.* People and eyes: statistical approaches in ophthalmology: *perspective*, **971**
Murray AT *et al.* Dermatitis artefacta presenting as a basal cell carcinoma—an important clinical sign missed: *letter*, **97**

Nagaki Y *see* Hayasaka S *et al*
Nagata T *see* Oshika T *et al*
Nahen K *see* Geerling G *et al*
Nakamura M *et al.* Gefarnate increases PAS positive cell density in rabbit conjunctiva, **1320**
Nakamura Y *see* Mashima Y *et al*
see Yamada M *et al*
Nakao F *see* Hayashi H *et al*
see Hayashi K *et al*

Nakata K *see* Nakamura M *et al*
Nakayasu K *see* Hiratsuka Y *et al*
Nardi M *see* Baldeschi L *et al*
Nasir MA *see* Castellarin AA *et al*
National Acanthamoeba Keratitis Study Group *see* Radford CF *et al*
Naugle Jr TC *et al*. Complications of fascia lata harvesting for ptosis surgery: *correspondence*, **333**
Naumann GOH *see* Dichtl A *et al*
see Rummelt V *et al*
see Rummelt V *et al*
Negrel AD *see* Pokharel GP *et al*
Nesti A *see* Simonelli F *et al*
Neudorfer M *see* Geyer O *et al*
Newsom R *et al*. Cystoid macular oedema in patients with AIDS and cytomegalovirus retinitis on highly active antiretroviral therapy: *letter*, **456**
Ng P *et al*. Ocular complications of heart, lung, and liver transplantation, **423**
Nicholls SM *see* Lau CH *et al*
Nilsson SEG *see* Frennesson C and Nilsson SEG
Nishida K *see* Adachi W *et al*
Nishino K *see* Yoshida H *et al*
Niszl IA, Markus MB. Anti-*Acanthamoeba* activity of contact lens solutions, **1033**
Njoo FL. Progressive outer retinal necrosis in a patient with cutaneous non-Hodgkin's T cell lymphoma (Sézary syndrome): *letter*, **1218**
Nolan W, Mitchell S. Do all patients with CMV retinitis require life long anti-CMV therapy?: *letter*, **844**
Nölle B *see* Häring G *et al*
Norregaard JC *et al*. Variation in indications for cataract surgery in the United States, Denmark, Canada, and Spain: results from the International Cataract Surgery Outcomes Study, **1107**
Nucci C *see* Corsi A *et al*

Obata H *see* Kaji Y *et al*
O'Brien C *see* Fontana L *et al*
see Kelly PAT *et al*
O'Brien C. Is there a role for computerised image analysis in glaucoma management?: *editorial*, **2**
Vasospasm and glaucoma: *editorial*, **855**
O'Brien CJ *see* Buckley CH *et al*
Occleston NL *see* Constable PH *et al*
see Kon CH *et al*
O'Connor M *see* Fulcher T *et al*
Ogata T *see* Mashima Y *et al*
Oguz H *see* Satici A *et al*
Ohno S *see* Uchio E *et al*
Ohno-Matsui K *et al*. Zinn–Haller arterial ring observed by ICG angiography in high myopia, **1357**
Okada AA *et al*. Videofunduscopy and videoangiography using the scanning laser ophthalmoscope in Vogt–Koyanagi–Harada syndrome, **1175**
O'Keefe M *see* Munier A *et al*
O'Keefe M *et al*. Longer term visual outcome of eyes with retinopathy of prematurity treated with cryotherapy or diode laser, **1246**
Oldfield K *see* Wormald R and Oldfield K
Oliver M *see* Levartovsky S *et al*
Olsson SB *see* Larsson J *et al*
Olver JM *see* Brookes JL *et al*
Olver JM. Botulinum toxin A treatment of overactive corrugator supercilii in thyroid eye disease, **528**
Olver JM *et al*. Correction of lower eyelid retraction in thyroid eye disease: a randomised controlled trial of retractor tenotomy with adjuvant antimetabolite versus scleral graft, **174**
O'Meara N *see* Fulcher T *et al*
O'Moore E *see* Newsom R *et al*
O'Neill EC *see* Beatty S *et al*
see Beatty S *et al*
Ongkosuwito JV *et al*. Increased presence of Epstein–Barr virus DNA in ocular fluid samples from HIV negative immunocompromised patients with uveitis, **245**
Oosterhuis JA *see* Storimans CWJM *et al*
O'Reilly J *see* O'Keefe M *et al*
O'Reilly J *et al*. Sub-Tenon's anaesthesia: *correspondence*, **589**
Orr GM *see* Sadiq SA *et al*
Orr KE *see* Chapman FM *et al*
Oshika T *et al*. Adhesion of lens capsule to intraocular lenses of polymethylmethacrylate, silicone, and acrylic foldable materials: an experimental study, **549**
Oshry T *see* Weinstein O *et al*
Owens S *see* Hutzelmann J *et al*

Pacquement H *see* Levy C *et al*
Painter R *see* Vessey MP *et al*
Pal I *see* Michelson G *et al*
Palmeri MLD *see* Toti P *et al*
Pande MV *see* Hollick EJ *et al*
Pannarale MR *see* Iannaccone A *et al*
Paone FM *see* Corsi A *et al*
Papaefthymiou J *see* Karabatsas CH *et al*
Papastathopoulos KI *see* Jonas JB *et al*
Papastathopoulos KI, Jonas JB. Fluorescein angiographic correlation of focal narrowing of retinal arterioles in glaucoma, **48**
Park YG *see* Jeong S *et al*
Parmar DN *see* Buckley SA *et al*
Parsa CF, George NDL. Pharmacological reversal of ptosis in a patient with acquired Horner's syndrome and heterochromia: *letter*, **1095**
Parschalk B *see* Lukas JR *et al*
Paydafar D *see* Verbraak FD *et al*
Pazzaglia S *see* Iannaccone A *et al*
Pearce IA *et al*. Three year visual outcome for treated stage 3 retinopathy of prematurity: cryotherapy versus laser, **1254**
Pece A *see* Sadun F *et al*
Pe'er J *see* Chowers I *et al*
Pendl G *see* Müllner K *et al*
Pennie FC *see* Pearce IA *et al*
Pepose JS *see* Schipper I and Pepose JS
Pepose JS *et al*. Improved impression cytology techniques for the immunopathological diagnosis of superficial viral infections: *correspondence*, **1097**
Pericak-Vance MA *see* Liu N-P *et al*
Perkins AC *see* Wilson CG *et al*
Pesudovs K, Coster DJ. An instrument for assessment of subjective visual disability in cataract patients, **617**
Peyman GA *see* Kertes PJ *et al*
Phillips CI. Clifford "Grant" Tulloh, **590**
Phillips RP *see* Prasad S *et al*
Pillai CT *see* Azuara-Blanco A *et al*
Pillunat LE *see* Schmidt K-G *et al*
Pinna A. Idiopathic keratoconus in a patient with congenital rubella syndrome: *letter*, **1215**
Pinon JM *see* Marx-Chemla C *et al*
Plant GT *see* Bourne RR *et al*
Platten S *see* Hicks CR *et al*
Poinoosawmy D *see* Crabb DP *et al*
see Fontana L *et al*
Pokharel GP *et al*. Prevalence of blindness and cataract surgery in Nepal, **600**
Visual functioning and quality of life outcomes among cataract operated and unoperated blind populations in Nepal, **606**
Pokhrel RP *see* Snellingen T *et al*
Polis MA *see* Whitcup SM *et al*
Polito A *see* Corsi A *et al*
Polizzi A *et al*. Role of impression cytology during hypovitaminosis A, **303**
Polse KA *see* McNamara NA *et al*
Porro G *et al*. Visual behaviours of neurologically impaired children with cerebral visual impairment: an ethological study, **1231**
Potamitis T *see* Beatty S *et al*
Potter AR. Setting up an eye service in rural Africa: *correspondence*, **1451**
Potts MJ *see* Waldock A *et al*
see Waldock A *et al*
Powell MB *see* Kramer TR *et al*
Powrie S *see* Hanna IT *et al*
Prabhasawat P, Tseng SCG. Frequent association of delayed tear clearance in ocular irritation, **666**
Prasad S *et al*. Telemedicine and computers in diabetic retinopathy screening: *correspondence*, **851**
Prummel MF *see* Terwee CB *et al*
Purdie A, Whyte IF. Shinty and ocular trauma in north west Scotland: *letter*, **1445**

Qing W *see* Seshubabu G *et al*
Quantock AJ *see* Adachi W *et al*
Quinn JP *see* Chen TC *et al*
Quintana E *see* Levy C *et al*

Raber J *see* Roberge FG *et al*
Rabinowitz YS *see* Rasheed K *et al*
Radford CF *et al*. Acanthamoeba keratitis: multicentre survey in England 1992–6, **1387**
Disposable contact lens use as a risk factor for microbial keratitis, **1272**
Rahman MR *et al*. Randomised trial of 0.2% chlorhexidine gluconate and 2.5% natamycin for fungal keratitis in Bangladesh, **919**
Rakoczy PE *see* Shen WY *et al*
Rankin SJA *see* Mulholland DA *et al*
Rao LS *see* Wilson CG *et al*
Rasheed K *et al*. Interobserver and intraobserver reliability of a classification scheme for corneal topographic patterns, **1401**
Rauf A *see* Foss AJE *et al*
Rayner S *see* Heyworth P *et al*
Reardon W *see* Hodgkins P *et al*
Reck AC *et al*. Phenotypic heterogeneity may occur in congenital fibrosis of the extraocular muscles, **676**
Regmi G *see* Pokharel GP *et al*

Rehman SU *et al.* Anterior uveitis associated with cat scratch disease: *letter*, **587**
Reichel MB *et al.* New model of conjunctival scarring in the mouse eye, **1072**
Phenotype of a British North Carolina macular dystrophy family linked to chromosome 6q, **1162**
Reid F *see* Bainbridge JWB *et al*
Reidy A *see* Desai P and Reidy A
see Wu J *et al*
Reim M *see* Wolf S *et al*
Reinhard T *see* Reis A *et al*
Reis A *et al.* Effect of mycophenolate mofetil, cyclosporin A, and both in combination in a murine corneal graft rejection model, **700**
Reiss P *see* van den Horn GJ *et al*
Remba D *see* Rasheed K *et al*
Remba MJ *see* Rasheed K *et al*
Rennie IG. From the outside in, or the inside out. Resecting uveal melanomas: *editorial*, **209**
Restori M *see* Ezra E *et al*
Revelins BI *see* Szlyk JP *et al*
Richards AB *see* Greaney MJ and Richards AB
Rinaldi E *see* Simonelli F *et al*
Rinaldi M *see* Simonelli F *et al*
Riordan-Eva P *see* Wright M *et al*
Ritch R *see* Waheed S *et al*
Ritchie IM *see* Kelly PAT *et al*
Ritterband DC *see* Waheed S *et al*
Roberge FG *et al.* Treatment of uveitis with recombinant human interleukin-13, **1195**
Rocha G *see* Sánchez-Thorin JC *et al*
Rodriguez JM *see* Tejedor J and Rodriguez JM
Roider J *see* Geerling G *et al*
Rolando M *et al.* RA/DA cumulative curve analysis of local and diffuse neuroretinal rim area damage in glaucoma patients, **769**
Roman SJ *see* O'Reilly J *et al*
Rootman J. Why "orbital pseudotumour" is no longer a useful concept: *commentary*, **339**
Rose GE *see* Ezra E *et al*
see Hanna IT *et al*
see Kwan ASL and Rose GE
see Olver JM *et al*
Rose KE *et al.* Myopia: *correspondence*, **1220**
Rosen E *see* Saxby L *et al*
Rosenbaum JT *see* Martin TM and Rosenbaum JT
Rosner M *see* Wygnanski-Jaffe T *et al*
Rostron CK *see* Bainbridge JWB *et al*
Rothova A *see* Klok A-M *et al*
see Lardenoye CWTA *et al*
Rothova A *et al.* Azithromycin for ocular toxoplasmosis, **1306**
Rovida S *see* Polizzi A *et al*
Ruben ST *see* Garway-Heath DF *et al*
Rudnicka AR *see* Garway-Heath DF *et al*
Ruether K *see* Kretschmann U *et al*
Rummelt V *see* Rummelt V *et al*
Rummelt V *et al.* Reassessment of the PAS patterns in uveal melanoma: *correspondence*, **101**
Ruskell G. Blood flow in the Zinn–Haller circle: *editorial*, **1351**
The retinopial vein: a vein passing directly from the retina to the pia mater at the optic nerve head, **495**

Saad MK *see* Haddad OAWE and Saad MK
Saatci AO *see* Kaynak S *et al*
Sabri K *see* Morrison D *et al*
Saccà SC *see* Polizzi A *et al*
Sach J *et al.* Haemangiosarcoma of the breast, metastatic to the ciliary body and iris: *letter*, **709**
Sadiq SA *see* von Arx G *et al*
Sadiq SA *et al.* Use of indomethacin for pain relief following scleral buckling surgery, **429**
Sadun F *et al.* Fluorescein and indocyanine green angiography in arteritic anterior ischaemic optic neuropathy: *letter*, **1344**
Sahel J *see* Chaine G *et al*
Sakai H *see* Kaji Y *et al*
Sakai J-I *see* Okada AA *et al*
Salvatore J *see* Kramer TR *et al*
Salzmann J *et al.* Brain natriuretic peptide: identification of a second natriuretic peptide in human aqueous humour, **830**
Sampatanukul P *see* Shuangshoti S *et al*
Sánchez-Thorin JC *et al.* Meta-analysis on the recurrence rates after bare sclera resection with and without mitomycin C use and conjunctival autograft placement in surgery for primary pterygium, **661**
Sanders MD *see* Wright M *et al*
Sannace C *see* Trabucchi G *et al*
Sarhan AR *see* Azuara-Blanco A *et al*
Satici A *et al.* Mechanical ptosis and lagophthalmos in cutaneous leishmaniasis: *letter*, **975**
Sato K *see* Tokuyama T *et al*
Sato M *see* Hirai T *et al*
Sato S *see* Hayasaka S *et al*
Saxby L *see* Boulton M and Saxby L
Saxby L *et al.* Lens epithelial cell proliferation, migration, and metaplasia following capsulorhexis, **945**
Sayer AA *see* Foss AJE *et al*
Schaller J *see* Heiligenhaus A *et al*
Scheer S *see* Borderie VM *et al*
Schenk-Rootlieb AJF *see* Porro G *et al*
Schenone M *see* Polizzi A *et al*
Schiefer U *et al.* Absence of relative afferent pupillary defect and pupillary hemiakinesia in a child with homonymous hemianopia due to ((retro-)geniculate) porencephaly: *letter*, **461**
Schilder MBH *see* Porro G *et al*
Schipper I *see* Böhnke M *et al*
Schipper I, Pepose JS. Effect of PRK on intraocular pressure measurements and on keratometry: *correspondence*, **204**
Schlenzka A *see* Mäkimattila S *et al*
Schüler A *see* Coupland SE *et al*
Schlienger P *see* Levy C *et al*
Schlote T *see* Sobottka B *et al*
Schmidt K-G *et al.* Topical carbonic anhydrase inhibition increases ocular pulse amplitude in high tension primary open angle glaucoma, **758**
Schmidt-Erfurt U *see* Geerling G *et al*
Schneider U *et al.* Indocyanine green angiography and idiopathic polypoidal choroidal vasculopathy: *letter*, **98**
Schoettker PJ *see* Carden SM *et al*
Schulte K *see* Wolf S *et al*
Schuster H *see* Hattenbach L-O *et al*
Schutz D *see* Chaine G *et al*
Scotcher S *see* Tyagi AK *et al*
Seal DV *see* Bennett HGB *et al*
Sebastiani A *see* Denis D *et al*
Seedor JA *see* Waheed S *et al*
Seeliger MW *see* Kretschmann U *et al*
Seifert P, Sekundo W. Capillaries in the epithelium of pterygium, 77
Sekundo W *see* Seifert P and Sekundo W
Selvaraj S *see* Pokharel GP *et al*
Serrano JC *et al.* The nanophthalmic macula, **276**
Seshubabu G *et al.* The oculocardiac reflex in cataract surgery in the elderly: *correspondence*, **589**
Seward HC. Do patients with age related maculopathy and cataract benefit from cataract surgery?: *editorial*, **594**
Shafi T, Koay P. Randomised prospective masked study comparing patient comfort following the instillation of topical proxymetacaine and amethocaine, **1285**
Shah M *see* Waheed S *et al*
Shallo-Hoffmann J *see* Acheson JF *et al*
Sharma S *et al.* Accuracy of visible retinal emboli for the detection of cardioembolic lesions requiring anticoagulation or cardiac surgery, **655**
Sharp PF *see* Manivannan A *et al*
Shaw C *see* Cassidy L *et al*
Shedden A *see* Hutzelmann J *et al*
Shen WY *et al.* Expression of cell adhesion molecules and vascular endothelial growth factor in experimental choroidal neovascularisation in the rat, **1063**
Sheridan C *see* Kon CH *et al*
Shields CL *see* Gündüz K *et al*
Shields JA *see* Gündüz K *et al*
Shimazaki J *et al.* Transplantation of amniotic membrane and limbal autograft for patients with recurrent pterygium associated with symblepharon, **235**
Shimizu N *see* Mashima Y *et al*
Shimshoni M *see* Levartovsky S *et al*
Shinoda K *see* Hashimoto E *et al*
Shinozaki N *see* Shimazaki J *et al*
Shiraga F *see* Shiragami C *et al*
Shiragami C *et al.* Transplanted and repopulated retinal pigment epithelial cells on damaged Bruch's membrane in rabbits, **1056**
Shirakashi M *see* Funaki S *et al*
Shirasawa E *see* Kaji Y *et al*
Shrestha BR *see* Snellingen T *et al*
Shrestha JK *see* Snellingen T *et al*
Shrestha SK *see* Pokharel GP *et al*
Shuangshoti S *see* Shuangshoti S *et al*
Shuangshoti S *et al.* Intraocular metastasis of endodermal sinus tumour: *letter*, **1343**
Shuttleworth GN *et al.* Do patients with age related maculopathy and cataract benefit from cataract surgery?, **611**
Silver DM *see* Geyer O *et al*
Simonelli F *et al.* Ocular signs associated with a rhodopsin mutation (Cys-167→Arg) in a family with autosomal dominant retinitis pigmentosa: *letter*, **709**
Simonsz HJ *see* Meyer K *et al*
Smith L *et al.* Gaze evoked amaurosis in neurofibromatosis type II: *letter*, **584**
Smith W *see* Wang JJ *et al*
Snellingen T *et al.* Socioeconomic barriers to cataract surgery in Nepal: the south Asian cataract management study, **1424**
Sobottka B *et al.* Choroidal metastases and choroidal melanomas: comparison of ultrasonographic findings, **159**

Solomon A *see* Chowers I *et al*
Sommerburg O *et al*. Fruits and vegetables that are sources for lutein and zeaxanthin: the macular pigment in human eyes, **907**
Soubrane G *see* Chaine G *et al*
Sourvinos G *see* Detorakis ET *et al*
Soya K *see* Kaji Y *et al*
Soylev MF *see* Kaynak S *et al*
Soylu M, Aikimbaev KS. Haemodynamic changes in ocular Behçet's disease: *letter*, **1090**
Spaeth GL *see* Lu D-W *et al*
Spalton DJ *see* Hollick EJ *et al*
Spandidos DA *see* Detorakis ET *et al*
Sparrow JM *see* Karabatsas CH *et al*
see Waldock A *et al*
see Waldock A *et al*
Speicher MA *see* Lu D-W *et al*
Spencer A *see* Doyle SJ *et al*
Spileers W *see* Casteels I *et al*
Spyraki C *see* Tzanakis N *et al*
Stajich JM *see* Liu N-P *et al*
Stanbury RM *see* Webster L *et al*
Stanbury RM, Graham EM. Systemic corticosteroid therapy—side effects and their management: *perspective*, **704**
Stanford MR *see* Whittle RM *et al*
Stange M *see* Wiegel T *et al*
Stanislavsky YL *see* McCarty CA *et al*
Steardo L *see* Eke T *et al*
Stein H *see* Coupland SE *et al*
Steinkamp WK *see* Heiligenhaus A *et al*
Steinmetz B *see* Heiligenhaus A *et al*
Stephens JP *see* Eke T *et al*
Steuhl K-P *see* Heiligenhaus A *et al*
Stevenson L *see* Sadiq SA *et al*
Storimans CWJM *et al*. Serotoninergic status in patients with hereditary vascular retinopathy syndrome, **897**
Stubiger N *see* Kötter I *et al*
Stur M *see* Lukas JR *et al*
Sugino IK *see* Castellarin AA *et al*
Sugita J *see* Loewenstein A *et al*
Summanen P *see* Mäkimattila S *et al*
Sundmacher R *see* Reis A *et al*
Sutphin JE *see* Mathers WD *et al*
Sutton GA *see* Murray AT *et al*
Suzuki T *et al*. Anti-GQ1b ganglioside antibody and ophthalmoplegia of undetermined cause, **916**
Sylvestri G *see* Kamal A *et al*
Szlyk JP *et al*. Difficulty in performing everyday activities in patients with juvenile macular dystrophies: comparison with patients with retinitis pigmentosa, **1372**

Tabandeh H *see* Bainbridge JWB *et al*
Taylor D *see* Smith L *et al*
Taylor DSI *see* Hodgkins P *et al*
see Serrano JC *et al*
Taylor HR *see* Livingston PM *et al*
see McCarty CA *et al*
Tazartes M *see* Denis D *et al*
Teimory M *see* Bainbridge JWB *et al*
Tejedor J, Rodriguez JM. Retreatment of children after surgery for acquired esotropia: reoperation versus botulinum injection, **110**
Tekin NF *see* Kaynak S *et al*
Terwee CB *et al*. Development of a disease specific quality of life questionnaire for patients with Graves' ophthalmopathy: the GO-QOL, **773**
Tessler HH *see* Chen TC *et al*
Tessler Z *see* Weinstein O *et al*
Testa F *see* Simonelli F *et al*
Testa N *see* Eke T *et al*
Thaer A *see* Böhnke M *et al*
Tham CCY *see* Wu JT *et al*
Therese KL *et al*. Polymerase chain reaction in the diagnosis of bacterial endophthalmitis, **1078**
Thermos K *see* Tzanakis N *et al*
Thiel M *see* Pepose JS *et al*
Thompson D *see* Smith L *et al*
Thonar EJ-MA *see* Liu N-P *et al*
Thorogood P *see* Hodgkins P *et al*
Thouvenin D *see* Lesueur LC *et al*
Tighe B *see* Liu C and Tighe B
Tijmes NT *et al*. Paucity of signs in X linked ocular albinism with a 700 kb deletion spanning the OA1 gene: *letter*, **457**
Toka HR *see* Hattenbach L-O *et al*
Toka O *see* Hattenbach L-O *et al*
Tokoro T *see* Ohno-Matsui K *et al*
Tokuyama T *et al*. Effect of plasma colloid osmotic pressure on intraocular pressure during haemodialysis, **751**
Toti P *et al*. DNA ploidy pattern in choroidal melanoma: correlation with survival. A flow cytometry study on archival material, **1433**
Touzeau O *see* Borderie VM *et al*
Trabucchi G *et al*. Partial lipodystrophy with associated fundus abnormalities: an optical coherence tomography study: *letter*, **326**
Treffers WF *see* Lardenoye CWTA *et al*
see Porro G *et al*
see Rothova A *et al*
Trepsat C *see* Chiquet C *et al*
Trinkaus-Randall V *see* Wu XY *et al*
Tsai RJF *see* Hsiao C-H *et al*
Tsamparlakis J *see* Detorakis ET *et al*
Tseng SCG *see* Prabhasawat P and Tseng SCG
Tsubota K *see* Shimazaki J *et al*
Tsuk A *see* Wu XY *et al*
Tsuru T *see* Kaji Y *et al*
Tu KL. Immediate postoperative objective refraction as an indication to final refraction in phacoemulsification surgery: *letter*, **842**
Tullo AB *see* Rose KE *et al*
Turkozkan N *see* Bilgihan K *et al*
Turner GS *see* Hudson C *et al*
Turner P *see* Karabatsas CH *et al*
Tuulonen A *see* Burk ROW *et al*
Twomey JM *see* Kiné DAH *et al*
Tyagi AK, McDonnell PJ. Visual impairment due to bilateral corneal endothelial failure following simultaneous bilateral cataract surgery: *letter*, **1341**
Tyagi AK *et al*. Can convulsions alone cause retinal haemorrhages in infants?, **659**
Tyers AG *see* Naugle Jr TC *et al*
Tzanakis N *et al*. Anaphylactic shock after a single oral intake of acetazolamide: *letter*, **588**

Uchio E *et al*. Systemic and local immunological features of atopic dermatitis patients with ocular complications, **82**
Ueno H *see* Yoshida H *et al*
Uğurbaş SH *see* Zilelioğlu G *et al*
Upadhyay MP *see* Snellingen T *et al*
Ursell PG *see* Hollick EJ *et al*
Usui M *see* Okada AA *et al*
Usui T *see* Kretschmann U *et al*
Uteza Y *see* Dollfus H *et al*

Vail A *see* Diggory P *et al*
Valicire P *see* Levy C *et al*
Vance JM *see* Liu N-P *et al*
van Dalen A *see* Storimans CWJM *et al*
van den Horn GJ *see* Verbraak FD *et al*
van den Horn GJ *et al*. Effects of protease inhibitors on the course of CMV retinitis in relation to CD4+ lymphocyte responses in HIV+ patients, **988**
van der Lelij A *see* Ongkosuwito JV *et al*
van der Meer JTM *see* Verbraak FD *et al*
van der Weiden M *see* Heij EL *et al*
van Heyningen R *see* Harding JJ and van Heyningen R
van Kuijk FJGM *see* Sommerburg O *et al*
van Loon NH *see* Rothova A *et al*
van Nieuwenhuizen O *see* Porro G *et al*
van Schooneveld MJ *see* Lardenoye CWTA *et al*
Vardi H *see* Briscoe D *et al*
Vardy SM *see* Naugle Jr TC *et al*
Vargas E *see* Hutzelmann J *et al*
Vedie F *see* Borderie VM *et al*
Ventruto V *see* Simonelli F *et al*
Verbraak FD *et al*. Risk of developing CMV retinitis following non-ocular CMV end organ disease in AIDS patients, **748**
Verin P *see* Denis D *et al*
Verma S *see* Brookes JL *et al*
Vernon SA *see* Zambarakji HJ *et al*
Vernon SA *et al*. Medium to long term intraocular pressure control following small flap trabeculectomy (microtrabeculectomy) in relatively low risk eyes, **1383**
Versano D *see* Geyer O *et al*
Vessey MP *et al*. Oral contraception and eye disease: findings in two large cohort studies, **538**
Vesti E *see* Jaakkola A *et al*
Vijayalakshmi P *see* Eckstein M *et al*
Vijayasekaran S *see* Hicks CR *et al*
Villena I *see* Marx-Chemla C *et al*
Vingolo EM *see* Iannaccone A *et al*
Viswanathan A *see* Garway-Heath DF *et al*
Viswanathan AC *see* Crabb DP *et al*
see Heijl A *et al*
Vogel A *see* Geerling G *et al*
von Arx G *et al*. Endonasal laser dacryocystorhinostomy: *correspondence*, **976**
von Rückmann A *see* Schmidt K-G *et al*
von Rückmann A *et al*. Fundus autofluorescence in patients with macular holes imaged with a laser scanning ophthalmoscope, **346**

Waheed S *et al*. Recurrent bleb infections, **926**
Waldock A *see* Morgan JE *et al*
Waldock A *et al*. Clinical evaluation of scanning laser polarimetry: I Intraoperator reproducibility and design of a blood vessel removal algorithm, **252**
Clinical evaluation of scanning laser polarimetry: II Polar profile shape analysis, **260**
Wallace GR *see* Whittle RM *et al*

Walters G *see* Booth A *et al*
Wang JJ *et al.* Bilateral involvement by age related maculopathy lesions in a population, **743**
Wardrop DRA. Latanoprost and cystoid macular oedema in a pseudophake: *letter*, **843**
Wax MB *see* Edward DP and Wax MB
Webster L *et al.* Vitreous intercellular adhesion molecule 1 in uveitis complicated by retinal detachment, **438**
Weinberger D *et al.* Retinal thickness variation in the diabetic patient measured by the retinal thickness analyser, **1003**
Weindling AM *see* Pearce IA *et al*
Weinland M *see* Azuara-Blanco A *et al*
Weinstein O *et al.* Use of sulphur hexafluoride for anterior chamber reformation following trabeculectomy: *correspondence*, **1220**
Weizman S *see* Briscoe D *et al*
Welzenbach J *see* Michelson G *et al*
Werner E *see* Wolf S *et al*
West L *see* Beer TW *et al*
Wheatcroft SM *see* Naugle Jr TC *et al*
Whiston RA *see* Whittle RM *et al*
Whitcher JP. Squeezing healthcare costs—every drop counts: *editorial*, **467**
Whitcup SM *et al.* Spontaneous and sustained resolution of CMV retinitis in patients receiving highly active antiretroviral therapy: *letter*, **845**
Whittle RM *et al.* Human antiretinal antibodies in toxoplasma retinochoroiditis, **1017**
Whyte IF *see* Purdie A and Whyte IF
Widengård I *et al.* Effects of latanoprost and dipivefrin, alone or combined, on intraocular pressure and on blood-aqueous barrier permeability, **404**
Wiechens B *see* Häring G *et al*
Wiegel T *et al.* Frequency of asymptomatic choroidal metastasis in patients with disseminated breast cancer: results of a prospective screening programme, **1159**
Wiek J *see* Chen HC *et al*
Wiersinga WM *see* Terwee CB *et al*
Wilhelm B *see* Schiefer U *et al*
Wilhelm H *see* Schiefer U *et al*
Williams G *see* Boulton M *et al*
Williamson TH *see* Bowman RJC *et al*
see Prasad S *et al*
Williamson TH, Keating D. Telemedicine and computers in diabetic retinopathy screening: *commentary*, **5**
Willshaw HE *see* Tyagi AK *et al*
Willshaw HE. How dangerous a world is it?: *commentary*, **6**
Wilson CG *et al.* Ocular contact time of a carbomer gel (GelTears) in humans, **1131**
Wilson MM *see* Kramer TR *et al*
Wilson RP *see* Azuara-Blanco A and Wilson RP
Wingate N *see* Morlet N *et al*
Winter RM *see* Hodgkins P *et al*
Wittebol-Post D *see* Porro G *et al*
Wolf S *et al.* Acute effect of metipranolol on the retinal circulation, **892**
Wong D *see* Damato B *et al*
Wormald R *see* Bunce C *et al*
see Salzmann J *et al*
see Wu J *et al*
Wormald R, Oldfield K. Evidence based medicine, the Cochrane Collaboration, and the CONSORT statement: *commentary*, **597**
Wormald RPL *see* Foss AJE *et al*
Wright DH *see* Beer TW *et al*
Wright M *et al.* Papilloedema, a complication of progressive diaphyseal dysplasia: a series of three case reports, **1042**
Wu J *et al.* Impaired motion sensitivity as a predictor of subsequent field loss in glaucoma suspects: the Roscommon Glaucoma Study, **534**
Wu JT *et al.* Intravitreal phaco chopper fragment missed by computed tomography: *letter*, **460**
Wu XY *et al.* In vivo comparison of three different porous materials intended for use in a keratoprosthesis, **569**
Wygnanski-Jaffe T *et al.* Primary epithelial amyloid keratopathy with multiple recurrences in grafts: *letter*, **330**

Yamada M *see* Mashima Y *et al*
Yamada M *et al.* Quantitative analysis of lipid deposits from Schnyder's corneal dystrophy, **444**
Yamada T *see* Blekher T *et al*
Yamakawa T *see* Hiratsuka Y *et al*
Yamashita H *see* Kaji Y *et al*
Yamashita S *see* Ohno-Matsui K *et al*
Yang P *et al.* Interferon gamma immunoreactivity in iris nerve fibres during endotoxin induced uveitis in the rat, **695**
Yassur Y *see* Weinberger D *et al*
Yee RD *see* Blekher T *et al*
Yelin JB *see* Sánchez-Thorin JC *et al*
Ygge J *see* Jacobson L *et al*
Yki-Järvinen H *see* Mäkimattila S *et al*
Yokoi K *et al.* Impairment of ocular surface epithelium barrier function in patients with atopic dermatitis, **797**
Yokoi N *see* Yokoi K *et al*
Yokoi N. Direct observation of tear film stability on a damaged corneal epithelium: *letter*, **1094**
Yorston D. Are intraocular lenses the solution to cataract blindness in Africa?: *commentary*, **469**
Yoshida H *et al.* Analysis of effects of stimulation in vitro of ovalbumin primed lymph node cells on adoptive transfer of experimental immune mediated blepharoconjunctivitis in Lewis rats, **1189**
Yoshida O *see* Yoshida H *et al*
Yoshimura N *see* Katai N *et al*
Yu D-Y *see* Morgan WH *et al*
Yu MJT *see* Shen WY *et al*
Yui A *see* Hiratsuka Y *et al*

Zaal MJW *see* Klok A-M *et al*
Zajicek G *see* Chowers I *et al*
Zambarakji HJ *see* Vernon SA *et al*
Zambarakji HJ *et al.* Reproducibility of volumetric measurements of normal maculae with the Heidelberg retina tomograph, **884**
Zarbin MA *see* Castellarin AA *et al*
Zech JC *see* Chiquet C *et al*
Zhigang T *see* Seshubabu G *et al*
Zhu YP *see* Wilson CG *et al*
Ziegelaar B *see* Hicks CR *et al*
Zierhut M *see* Kötter I *et al*
Zilelioğlu G *et al.* Adjunctive use of mitomycin C on endoscopic lacrimal surgery, **63**
Zrenner E *see* Kretschmann U *et al*
Zucker JM *see* Levy C *et al*
Zurcher M *et al.* Sebaceous carcinoma of the eyelid: a clinicopathological study, **1049**

VOLUME 82 • SUBJECT INDEX

Acanthamoeba, Acanthamoeba keratitis: multicentre survey in England 1992–6, **1387**
Anti-*Acanthamoeba* **activity of contact lens solutions,** 1033
Correlation between surface water contamination with amoeba and the onset of symptoms and diagnosis of amoeba-like keratitis, **1143**
acetazolamide, Anaphylactic shock after a single oral intake of acetazolamide: *letter*, **588**
aciclovir, Paediatric varicella choroiditis: *letter*, **1092**
activated protein C, Diagnosis of activated protein C resistance in retinal vein occlusion: *correspondence*, **849**
acupuncture, Effects of acupuncture on foveation characteristics in congenital nystagmus, **115**
acute glaucoma, Acute glaucoma, chronic glaucoma, and serotoninergic drugs: *correspondence*, **976**
adenocarcinoma, Sebaceous carcinoma of the eyelid: a clinicopathological study, **1049**
adhesion, Adhesion of lens capsule to intraocular lenses of polymethylmethacrylate, silicone, and acrylic foldable materials: an experimental study, **549**
adhesion molecules, Adhesion molecules in iris biopsy specimens from patients with uveitis, **432**
adult blindness, Causes of blindness in the adult population of the Republic of Ireland, **630**
adults, Nasolacrimal intubation in adults, **1039**
aetiology, Natural history of recurrent erosion syndrome—a 4 year review of 117 patients, **26**
afferent pupillary defect, Absence of relative afferent pupillary defect and pupillary hemiakinesia in a child with homonymous hemianopia due to ((retro-)geniculate) porencephaly: *letter*, **461**
Africa, Are intraocular lenses the solution to cataract blindness in Africa?: *commentary*, **469**
Setting up an eye service in rural Africa: *correspondence*, **1451**
age, Is month of birth associated with cataract in later life?, **526**
age related macular degeneration, Alternative therapies in exudative age related macular degeneration: *perspective*, **1441**
An alternative and more cost effective method of delivery of radiotherapy in age related macular degeneration, **373**
Bilateral involvement by age related maculopathy lesions in a population, **743**
Case-control study of the risk factors for age related macular degeneration, **996**
Clinicopathological correlation of primary and recurrent choroidal neovascularisation following surgical excision in age related macular degeneration, **480**
Correlation between Octopus perimetry and fluorescein angiography after strontium-90 plaque brachytherapy for subfoveal exudative age related macular degeneration, **763**
Fruits and vegetables that are sources for lutein and zeaxanthin: the macular pigment in human eyes, **907**
age related maculopathy, Bilateral involvement by age related maculopathy lesions in a population, **743**
Do patients with age related maculopathy and cataract benefit from cataract surgery?, **611**
Do patients with age related maculopathy and cataract benefit from cataract surgery?: *editorial*, **594**
Prophylactic laser treatment in early age related maculopathy reduced the incidence of exudative complications, **1169**
Aicardi syndrome, Aicardi syndrome: *letter*, **457**
AIDS, Combination HIV therapy and opportunistic infections of the eye in people with AIDS: *editorial*, **981**
Cystoid macular oedema in patients with AIDS and cytomegalovirus retinitis on highly active antiretroviral therapy: *letter*, **456**
Effects of protease inhibitors on the course of CMV retinitis in relation to CD4+ lymphocyte responses in HIV+ patients, **988**
Sustained release intravitreal ganciclovir implant as salvage treatment in AIDS related cytomegalovirus retinitis: *correspondence*, **333**
albinism, Albinism: modern molecular diagnosis: *perspective*, **189**
aldehyde dehydrogenase, Corneal aldehyde dehydrogenase and glutathione S-transferase activity after excimer laser keratectomy in guinea pigs, **300**
algorithm, Clinical evaluation of scanning laser polarimetry: I Intraoperator reproducibility and design of a blood vessel removal algorithm, **252**
alkali burns, Topical steroids and alkali burns: *correspondence*, **1098**
alleles, Coexistence of macular corneal dystrophy types I and II in a single sibship, **241**
allergic conjunctivitis, Treatment of common ocular allergic disorders; a comparison of lodoxamide and NAAGA, **1135**
allergic eye disease, Allergic eye disease mechanisms: *perspective*, **1203**
amblyopia, A new computer program for mass screening of visual defects in preschool children, **415**
An inner city preschool visual screening programme: long term visual results, **543**
Clinical characteristics of microtropia—is microtropia a fixed phenomenon?, **219**
Long term effect of hypermetropic anisometropia on the visual acuity of treated amblyopic eyes, **55**
Movement hyperacuity in childhood amblyopia, **991**
Seeing beyond acuity: *editorial*, **982**
amethocaine, Randomised prospective masked study comparing patient comfort following the instillation of topical proxymetacaine and amethocaine, **1285**
ametropic amblyopia, Effectiveness of occlusion therapy in ametropic amblyopia: *correspondence*, **850**
amniotic membrane, Transplantation of amniotic membrane and limbal autograft for patients with recurrent pterygium associated with symblepharon, **235**
amoeba, Correlation between surface water contamination with amoeba and the onset of symptoms and diagnosis of amoeba-like keratitis, **1143**
anaphylactic shock, Anaphylactic shock after a single oral intake of acetazolamide: *letter*, **588**
angle closure glaucoma, Histomorphometry of the optic disc in highly myopic eyes with absolute secondary angle closure glaucoma, **286**
animal model, New model of conjunctival scarring in the mouse eye, **1072**
anomalous retinal correspondence, Recovery in microtropia: implications for aetiology and neurophysiology, **225**
anterior capsule contraction, Anterior capsule contraction and intraocular lens dislocation in eyes with pseudoexfoliation syndrome, **1429**
anterior chamber, Detection of anticytomegalovirus antibody synthesis in the anterior chamber in Vogt–Koyanagi–Harada syndrome: *letter*, **1216**
Ultrasound biomicroscopic images of the anterior chamber angle of a patient with posterior polymorphous dystrophy: *letter*, **1339**
anterior chamber reformation, Use of sulphur hexafluoride for anterior chamber reformation following trabeculectomy: *correspondence*, **1220**
anterior ciliary artery, Role of the endothelium in modulating functional responses of isolated bovine anterior ciliary arteries to vasoconstrictor agonists, **826**
anterior ischaemic optic neuropathy, Anterior ischaemic optic neuropathy in a child with AS haemoglobinopathy and migraine: *letter*, **199**
Fluorescein and indocyanine green angiography in arteritic anterior ischaemic optic neuropathy: *letter*, **1344**
anterior mucosal flaps, Anterior suspended flaps: a modified approach for external dacryocystorhinostomy, **790**
anterior segment, Anterior segment complications of indirect diode laser in diabetic patients: *letter*, **1447**
anterior uveitis, Anterior uveitis associated with cat scratch disease: *letter*, **587**
antibacterial, Tear lipocalin and the eye's front line of defence: *perspective*, **453**
antibodies, Expression patterns of cyclin D1 and related proteins regulating G1-S phase transition in uveal melanoma and retinoblastoma, **961**
anticoagulation, Accuracy of visible retinal emboli for the detection of cardioembolic lesions requiring anticoagulation or cardiac surgery, **655**
anticytomegalovirus antibody, Detection of anticytomegalovirus antibody synthesis in the anterior chamber in Vogt–Koyanagi–Harada syndrome: *letter*, **1216**
antigens, Expression patterns of cyclin D1 and related proteins regulating G1-S phase transition in uveal melanoma and retinoblastoma, **961**
antimetabolites, Correction of lower eyelid retraction in thyroid eye disease: a randomised controlled trial of retractor tenotomy with adjuvant antimetabolite versus scleral graft, **174**
antimicrobials, Antimicrobial management of presumed microbial keratitis: guidelines for treatment of central and peripheral ulcers, **137**
antiretroviral therapy, Cystoid macular oedema in patients with AIDS and cytomegalovirus retinitis on highly active antiretroviral therapy: *letter*, **456**
Spontaneous and sustained resolution of CMV retinitis in patients receiving highly active antiretroviral therapy: *letter*, **845**
aphakia/pseudophakia, Prevalence of blindness and cataract surgery in Nepal, **600**
applanation tonometry, Tono-Pen determination of intraocular pressure in patients with band keratopathy or glued cornea, **634**
aqueous flare, Effects of latanoprost and dipivefrin, alone or combined, on intraocular pressure and on blood-aqueous barrier permeability, **404**

aqueous humour, Brain natriuretic peptide: identification of a second natriuretic peptide in human aqueous humour, **830**
aqueous natriuretic peptide, Brain natriuretic peptide: identification of a second natriuretic peptide in human aqueous humour, **830**
arterial pressure, Relation between pressure determined by ophthalmodynamometry and aortic pressure in the dog, **821**
artificial neural network, Telemedicine and computers in diabetic retinopathy screening: *commentary,* **5**
astigmatic corneas, Clinical evaluation of keratometry and computerised videokeratography: intraobserver and interobserver variability on normal and astigmatic corneas, **637**
atopic blepharoconjunctivitis, Impairment of ocular surface epithelium barrier function in patients with atopic dermatitis, **797**
atopic dermatitis, Systemic and local immunological features of atopic dermatitis patients with ocular complications, **82**
attitudes, Knowledge, attitudes, and self care practices associated with age related eye disease in Australia, **780**
atypia, MIB-1 and PC-10 immunostaining for the assessment of proliferative activity in primary acquired melanosis without and with atypia, **1316**
autoimmune intraocular inflammation, Serological tests for monitoring and predicting disease severity, course, and outcome of autoimmune intraocular inflammation: *editorial,* **856**
autoimmunity, Human antiretinal antibodies in toxoplasma retinochoroiditis, **1017**
automated perimetry, Automated perimetry by optometrists in patients at low risk of glaucoma: *correspondence,* **1221**
Avellino corneal dystrophy, Severe form of juvenile corneal stromal dystrophy with homozygous R124H mutation in the keratoepithelin gene in five Japanese patients, **1280**
azithromycin, Azithromycin for ocular toxoplasmosis, **1306**

β adrenergic blockers, Acute effect of metipranolol on the retinal circulation, **892**
β blockers, Short term comparative study of topical 2% carteolol with and without benzalkonium chloride in healthy volunteers, **39**
β irradiation, Split thickness buccal mucous membrane grafts and β irradiation in the treatment of recurrent pterygium, **1420**
B lymphocyte, Immunopathology of uveitis: *perspective,* **91**
bacterial endophthalmitis, Polymerase chain reaction in the diagnosis of bacterial endophthalmitis, **1078**
Bagolini striated glass, Modified Bagolini striated glass test: clinical applications of starlight test in binocular visual field screening, **1288**
balloons, Ocular trauma from party balloons: *correspondence,* **203**
Bangladesh, Randomised trial of 0.2% chlorhexidine gluconate and 2.5% natamycin for fungal keratitis in Bangladesh, **919**
bare sclera resection, Meta-analysis on the recurrence rates after bare sclera resection with and without mitomycin C use and conjunctival autograft placement in surgery for primary pterygium, **661**
barrier function, Impairment of ocular surface epithelium barrier function in patients with atopic dermatitis, **797**
basal cell carcinoma, Basal cell carcinoma of the eyelids and solar ultraviolet radiation exposure, **1412**
Dermatitis artefacta presenting as a basal cell carcinoma—an important clinical sign missed: *letter,* **97**
basal laminar deposits, Terminology of sub-RPE deposits: do we all speak the same language?: *commentary,* **1104**
basal linear deposit, Terminology of sub-RPE deposits: do we all speak the same language?: *commentary,* **1104**
basic fibroblast growth factor, In vivo comparison of three different porous materials intended for use in a keratoprosthesis, **569**
Platelet derived growth factor and fibroblast growth factor basic levels in the vitreous of patients with vitreoretinal disorders, **181**
BD8 certification, BD8 certification of visually impaired people, **72**
Behçet's disease, Haemodynamic changes in ocular Behçet's disease: *letter,* **1090**
Primary association of HLA-B51 with Behçet's disease in Ireland: *correspondence,* **715**
Treatment of ocular symptoms of Behçet's disease with interferon α_{2a}: a pilot study, **488**
benzalkonium, Short term comparative study of topical 2% carteolol with and without benzalkonium chloride in healthy volunteers, **39**
betaxolol, Randomised, controlled trial of spirometric changes in elderly people receiving timolol or betaxolol as initial treatment for glaucoma, **146**
bilateral corneal endothelial failure, Visual impairment due to bilateral corneal endothelial failure following simultaneous bilateral cataract surgery: *letter,* **1341**
binocular vision, Visual outcome after paediatric cataract surgery: is age a major factor?, **1022**
binocular visual field, Modified Bagolini striated glass test: clinical applications of starlight test in binocular visual field screening, **1288**
Simulating binocular visual field status in glaucoma, **1236**
bipolar cells, Expression patterns of cyclin D1 and related proteins regulating G1-S phase transition in uveal melanoma and retinoblastoma, **961**
birth month, Is month of birth associated with cataract in later life?, **526**
birth weight, Does raised intraocular pressure begin in utero?, **1125**
BJO, More change at the *BJO*: *editorial,* **721**
blebs, Recurrent bleb infections, **926**
blindness, Causes of blindness in the adult population of the Republic of Ireland, **630**
blindness prevalence, Prevalence of blindness and cataract surgery in Nepal, **600**
blood flow, Blood flow in the Zinn–Haller circle: *editorial,* **1351**
Zinn–Haller arterial ring observed by ICG angiography in high myopia, **1357**
blood vessels, Capillaries in the epithelium of pterygium, **77**
body length, Optic disc dimensions, body length, and body weight: *letter,* **197**
body weight, Optic disc dimensions, body length, and body weight: *letter,* **197**
botulinum toxin, Dissociated effects of botulinum toxin chemodenervation on ocular deviation and saccade dynamics in chronic lateral rectus palsy, **67**
Is botulinum toxin helpful in squint management?: *editorial,* **105**
Retreatment of children after surgery for acquired esotropia: reoperation versus botulinum injection, **110**
botulinum toxin A, Botulinum toxin A treatment of overactive corrugator supercilii in thyroid eye disease, **528**
brain natriuretic peptide, Brain natriuretic peptide: identification of a second natriuretic peptide in human aqueous humour, **830**
branch retinal vein occlusion, Effect of isovolaemic haemodilution on visual outcome in branch retinal vein occlusion, **162**
breast, Haemangiosarcoma of the breast, metastatic to the ciliary body and iris: *letter,* **709**
breast cancer, Frequency of asymptomatic choroidal metastasis in patients with disseminated breast cancer: results of a prospective screening programme, **1159**
Bruch's membrane, Transplanted and repopulated retinal pigment epithelial cells on damaged Bruch's membrane in rabbits, **1056**
bulbar conjunctiva, Keratoacanthoma of the bulbar conjunctiva: *letter,* **586**

C reactive protein, Elevated serum IL-8 levels are associated with disease activity in idiopathic intermediate uveitis, **871**
cadmium, Effect of cigarette smoking on copper, lead, and cadmium accumulation in human lens, **186**
calibration, Reliable keratometry with a new hand held surgical keratometer: calibration of the keratoscopic astigmatic ruler, **35**
Candida glabrata, *Candida glabrata* endophthalmitis following penetrating keratoplasty: *letter,* **712**
capsulorrhexis, Lens epithelial cell proliferation, migration, and metaplasia following capsulorhexis, **945**
capsulotomy, Initial clinical experience with the picosecond Nd:YLF laser for intraocular therapeutic applications, **504**
carbomer gels, Ocular contact time of a carbomer gel (GelTears) in humans, **1131**
cardiac surgery, Accuracy of visible retinal emboli for the detection of cardioembolic lesions requiring anticoagulation or cardiac surgery, **655**
cardioembolic lesions, Accuracy of visible retinal emboli for the detection of cardioembolic lesions requiring anticoagulation or cardiac surgery, **655**
cardiovascular disease, Glaucoma and vasospasm, **862**
carotenoids, Fruits and vegetables that are sources for lutein and zeaxanthin: the macular pigment in human eyes, **907**
carteolol, Short term comparative study of topical 2% carteolol with and without benzalkonium chloride in healthy volunteers, **39**
case-control study, Case-control study of the risk factors for age related macular degeneration, **996**
case finding, Quantitative evaluation of the optic nerve head in early glaucoma, **352**
cat scratch disease, Anterior uveitis associated with cat scratch disease: *letter,* **587**
cataract, An instrument for assessment of subjective visual disability in cataract patients, **617**
Do patients with age related maculopathy and cataract benefit from cataract surgery?, **611**
Do patients with age related maculopathy and cataract benefit from cataract surgery?: *editorial,* **594**
Effect of cigarette smoking on copper, lead, and cadmium accumulation in human lens, **186**
Is month of birth associated with cataract in later life?, **526**
Use of intraocular lenses in children with traumatic cataract in south India, **911**
cataract blindness, Are intraocular lenses the solution to cataract blindness in Africa?: *commentary,* **469**
Prevalence of blindness and cataract surgery in Nepal, **600**
Global cataract blindness: the unmet challenge: *editorial,* **593**
cataract management study, Socioeconomic barriers to cataract surgery in Nepal: the south Asian cataract management study, **1424**
cataract patients, Shared care postoperative management of cataract patients: *correspondence,* **332**

cataract surgery, Do patients with age related maculopathy and cataract benefit from cataract surgery?, **611**
Do patients with age related maculopathy and cataract benefit from cataract surgery?: *editorial*, **594**
Intraocular lens implants and risk of endophthalmitis, **1312**
Recombinant tissue plasminogen activator in cases with fibrin formation after cataract surgery: a prospective randomised multicentre study, **810**
Responding to the challenge of clinical practice variations: *editorial*, **1101**
Socioeconomic barriers to cataract surgery in Nepal: the south Asian cataract management study, **1424**
The oculocardiac reflex in cataract surgery in the elderly: *correspondence*, **589**
Variation in indications for cataract surgery in the United States, Denmark, Canada, and Spain: results from the International Cataract Surgery Outcomes Study, **1107**
Visual functioning and quality of life outcomes among cataract operated and unoperated blind populations in Nepal, **606**
Visual impairment due to bilateral corneal endothelial failure following simultaneous bilateral cataract surgery: *letter*, **1341**
cell, Lens epithelial cell regression on the posterior capsule with different intraocular lens materials, **1182**
cell adhesion molecules, Expression of cell adhesion molecules and vascular endothelial growth factor in experimental choroidal neovascularisation in the rat, **1063**
cell surface marker, Analysis of effects of stimulation in vitro of ovalbumin primed lymph node cells on adoptive transfer of experimental immune mediated blepharoconjunctivitis in Lewis rats, **1189**
cellulitis, Open lacrimal surgery: a comparison of admission outcome and complications after planned day case or inpatient management, **392**
cerebral imaging, Nystagmus in periventricular leucomalacia, **1026**
cerebral visual impairment, Visual behaviours of neurologically impaired children with cerebral visual impairment: an ethological study, **1231**
chalazion, Microcystic adnexal carcinoma masquerading as a chalazion: *letter*, **196**
chemokines, Orbital fibroblast chemokine modulation: effects of dexamethasone and cyclosporin A, **318**
chemotherapy, Role of chemotherapy alone or in combination with hyperthermia in the primary treatment of intraocular retinoblastoma: preliminary results, **1154**
childhood uveitis, Cyclosporin A therapy in refractory non-infectious childhood uveitis, **737**
children, An inner city preschool visual screening programme: long term visual results, **543**
Anterior ischaemic optic neuropathy in a child with AS haemoglobinopathy and migraine: *letter*, **199**
Conjunctival infestation of a child with *Theromyzon tessulatum*: *letter*, **1093**
Cortically visually impaired children: a need for more study: *editorial*, **1225**
Movement hyperacuity in childhood amblyopia, **991**
Paediatric varicella choroiditis: *letter*, **1092**
Retinopathy associated with pancreatitis in a child with maple syrup urine disease: *letter*, **841**
Seeing beyond acuity: *editorial*, **982**
Use of intraocular lenses in children with traumatic cataract in south India, **911**
chlamydia, Conjunctival impression cytology for vitamin A deficiency in the presence of infectious trachoma, **1139**
chlorhexidine, Randomised trial of 0.2% chlorhexidine gluconate and 2.5% natamycin for fungal keratitis in Bangladesh, **919**
choriocapillaris atrophy, Clinicopathological correlation of primary and recurrent choroidal neovascularisation following surgical excision in age related macular degeneration, **480**
chorioretinal degeneration, Helicoidal peripapillary chorioretinal degeneration: electrophysiology and psychophysics in 17 patients, **280**
chorioretinitis, Congenital toxoplasma chorioretinitis transmitted by preconceptionally immune women: *letter*, **1444**
Overt chorioretinitis after patient acquired toxoplasmosis in an immunocompetent subject: *letter*, **1446**
choroidal melanoma, Choroidal melanoma in a patient with retinitis pigmentosa and Usher's syndrome: *letter*, **847**
Choroidal metastases and choroidal melanomas: comparison of ultrasonographic findings, **159**
Endoresection of choroidal melanoma, **213**
Internal resection of posterior uveal melanomas, **1147**
choroidal metastasis, Choroidal metastases and choroidal melanomas: comparison of ultrasonographic findings, **159**
Frequency of asymptomatic choroidal metastasis in patients with disseminated breast cancer: results of a prospective screening programme, **1159**
choroidal neovascular membranes, Correlation between Octopus perimetry and fluorescein angiography after strontium-90 plaque brachytherapy for subfoveal exudative age related macular degeneration, **763**
choroidal neovascularisation, Alternative therapies in exudative age related macular degeneration: *perspective*, **1441**
Clinicopathological correlation of primary and recurrent choroidal neovascularisation following surgical excision in age related macular degeneration, **480**
Expression of cell adhesion molecules and vascular endothelial growth factor in experimental choroidal neovascularisation in the rat, **1063**
chromosome 16, Coexistence of macular corneal dystrophy types I and II in a single sibship, **241**
chronic glaucoma, Acute glaucoma, chronic glaucoma, and serotoninergic drugs: *correspondence*, **976**
chronicity, Natural history of recurrent erosion syndrome—a 4 year review of 117 patients, **26**
cicatrix, Mast cells in pathological and surgical scars, **691**
cigarettes, Effect of cigarette smoking on copper, lead, and cadmium accumulation in human lens, **186**
ciliary body, Haemangiosarcoma of the breast, metastatic to the ciliary body and iris: *letter*, **709**
cine magnetic resonance imaging, Flashing lights in thyroid eye disease: a new symptom described and (possibly) explained, **1309**
classification, Interobserver and intraobserver reliability of a classification scheme for corneal topographic patterns, **1401**
Cochrane Collaboration, Evidence based medicine, the Cochrane Collaboration, and the CONSORT statement: *commentary*, **597**
cohort studies, Oral contraception and eye disease: findings in two large cohort studies, **538**
collagen matrix contraction, Effects of single, short term exposures of human retinal pigment epithelial cells to thiotepa or 5-fluorouracil: implications for the treatment of proliferative vitreoretinopathy, **554**
colour Doppler imaging, Colour Doppler imaging in Takayasu's arteritis: *letter*, **1091**
Haemodynamic changes in ocular Behçet's disease: *letter*, **1090**
colour imaging, Colour imaging using a scanning laser ophthalmoscope: *editorial*, **337**
colour vision, Helicoidal peripapillary chorioretinal degeneration: electrophysiology and psychophysics in 17 patients, **280**
compliance, Effects of short term increase of intraocular pressure on optic disc cupping, **880**
complications, Clinical results of implantation of the Chirila keratoprosthesis in rabbits, **18**
computed tomography, Intravitreal phaco chopper fragment missed by computed tomography: *letter*, **460**
computer program, A new computer program for mass screening of visual defects in preschool children, **415**
computerised image analysis, Is there a role for computerised image analysis in glaucoma management?: *editorial*, **2**
computerised videokeratography, Clinical evaluation of keratometry and computerised videokeratography: intraobserver and interobserver variability on normal and astigmatic corneas, **637**
computers, Telemedicine and computers in diabetic retinopathy screening: *correspondence*, **851**
confocal laser scanning tomography, Comparison of measurements of neuroretinal rim area between confocal laser scanning tomography and planimetry of photographs, **362**
confocal microscopy, Confocal microscopy reveals persisting stromal changes after myopic photorefractive keratectomy in zero haze corneas, **1393**
congenital fibrosis, Phenotypic heterogeneity may occur in congenital fibrosis of the extraocular muscles, **676**
congenital lenticular pigmentation, Congenital lenticular pigmentation: *letter*, **1344**
congenital nystagmus, Effects of acupuncture on foveation characteristics in congenital nystagmus, **115**
congenital rubella syndrome, Idiopathic keratoconus in a patient with congenital rubella syndrome: *letter*, **1215**
congenital toxoplasmosis, Congenital toxoplasma chorioretinitis transmitted by preconceptionally immune women: *letter*, **1444**
conjunctiva, Conjunctival infestation of a child with *Theromyzon tessulatum*: *letter*, **1093**
Gefarnate increases PAS positive cell density in rabbit conjunctiva, **1320**
The conjunctiva in corneal epithelial wound healing, **1407**
conjunctival melanoma, Topical mitomycin C chemotherapy for conjunctival melanoma and PAM with atypia, **476**
conjunctival scarring, New model of conjunctival scarring in the mouse eye, **1072**
conjunctivitis, Eosinophil granule proteins expressed in ocular cicatricial pemphigoid, **312**
Consort statement, Evidence based medicine, the Cochrane Collaboration, and the CONSORT statement: *commentary*, **597**
constrictor agonists, Role of the endothelium in modulating functional responses of isolated bovine anterior ciliary arteries to vasoconstrictor agonists, **826**
consultant ophthalmologists, Osteoporosis: a survey of consultant ophthalmologists: *correspondence*, **203**
contact lens, Anti-*Acanthamoeba* activity of contact lens solutions, **1033**
Epithelial permeability reflects subclinical effects ofcontact lens wear, **376**

continuous curvilinear capsulorhexis, Anterior capsule contraction and intraocular lens dislocation in eyes with pseudoexfoliation syndrome, **1429**
Comparison of decentration and tilt between one piece and three piece polymethyl methacrylate intraocular lenses, **419**
contrast sensitivity function, Objective measurement of contrast sensitivity function using contrast sweep visual evoked responses, **168**
convergent squint, The Early vs Late Infantile Strabismus Surgery Study: do sources for bias exist in this non-randomised trial?, **934**
convulsions, Can convulsions alone cause retinal haemorrhages in infants?, **659**
copper, Effect of cigarette smoking on copper, lead, and cadmium accumulation in human lens, **186**
cornea, Bilateral, anterior stromal ring opacity of the cornea, **522**
Diagnosis of *Fusarium* keratitis in an animal model using the polymerase chain reaction, **306**
In vivo comparison of three different porous materials intended for use in a keratoprosthesis, **569**
Interobserver and intraobserver reliability of a classification scheme for corneal topographic patterns, **1401**
cornea plana, Cornea plana—clinical features, videokeratometry, and management: *letter,* **329**
corneal abrasion, High prevalence of recurrent symptoms following uncomplicated traumatic corneal abrasion: *correspondence,* **850**
corneal epithelium, Direct observation of tear film stability on a damaged corneal epithelium: *letter,* **1094**
Epithelial permeability reflects subclinical effects of contact lens wear, **376**
The conjunctiva in corneal epithelial wound healing, **1407**
corneal opacity, Bilateral, anterior stromal ring opacity of the cornea, **522**
Trachoma in the Gambia, **930**
corneal perforations, Ultrastructural alterations in the stroma adjacent to non-inflammatory corneal perforations associated with long standing rheumatoid arthritis: *letter,* **1445**
corneal rings, Bilateral, anterior stromal ring opacity of the cornea, **522**
corneal stromal wound healing, Expression of transforming growth factor β superfamily and their receptors in the corneal stromal wound healing process after excimer laser keratectomy: *letter,* **462**
corneal transplantation, A murine model of interlamellar corneal transplantation, **294**
Corneal transplantation for herpes simplex keratitis: *commentary,* **107**
Donor organ cultured corneal tissue selection before penetrating keratoplasty, **382**
corneal ulcers, Randomised trial of 0.2% chlorhexidine gluconate and 2.5% natamycin for fungal keratitis in Bangladesh, **919**
corneoscleral graft, Corneoscleral transplantation for end stage corneal disease, **1276**
corrugator supercilii, Botulinum toxin A treatment of overactive corrugator supercilii in thyroid eye disease, **528**
corticosteroid therapy, Systemic corticosteroid therapy—side effects and their management: *perspective,* **704**
corticosteroids, Sense and nonsense of corticosteroid administration in the treatment of ocular toxoplasmosis: *commentary,* **858**
cross sectional studies, Knowledge, attitudes, and self care practices associated with age related eye disease in Australia, **780**
cryotherapy, Longer term visual outcome of eyes with retinopathy of prematurity treated with cryotherapy or diode laser, **1246**
Three year visual outcome for treated stage 3 retinopathy of prematurity: cryotherapy versus laser, **1254**
Use of indomethacin for pain relief following scleral buckling surgery, **429**
cup/disc ratio, Does raised intraocular pressure begin in utero?, **1125**
Vertical cup/disc ratio in relation to optic disc size: its value in the assessment of the glaucoma suspect, **1118**
cutaneous leishmaniasis, Mechanical ptosis and lagophthalmos in cutaneous leishmaniasis: *letter,* **975**
cutis laxa, Bilateral orbital fat prolapse in cutis laxa: *letter,* **713**
cyclin D1, Expression patterns of cyclin D1 and related proteins regulating G1-S phase transition in uveal melanoma and retinoblastoma, **961**
cyclosporin A, Cyclosporin A therapy in refractory non-infectious childhood uveitis, **737**
Orbital fibroblast chemokine modulation: effects of dexamethasone and cyclosporin A, **318**
cystoid macular oedema, Cystoid macular oedema in patients with AIDS and cytomegalovirus retinitis on highly active antiretroviral therapy: *letter,* **456**
Latanoprost and cystoid macular oedema in a pseudophake: *letter,* **843**
cytokines, Analysis of effects of stimulation in vitro of ovalbumin primed lymph node cells on adoptive transfer of experimental immune mediated blepharoconjunctivitis in Lewis rats, **1189**
Interferon gamma immunoreactivity in iris nerve fibres during endotoxin induced uveitis in the rat, **695**
Treatment of uveitis with recombinant human interleukin-13, **1195**
cytomegalovirus, Detection of anticytomegalovirus antibody synthesis in the anterior chamber in Vogt–Koyanagi–Harada syndrome: *letter,* **1216**
Spontaneous and sustained resolution of CMV retinitis in patients receiving highly active antiretroviral therapy: *letter,* **845**
Sustained release intravitreal ganciclovir implant as salvage treatment in AIDS related cytomegalovirus retinitis: *correspondence,* **333**
cytomegalovirus retinitis, Cystoid macular oedema in patients with AIDS and cytomegalovirus retinitis on highly active antiretroviral therapy: *letter,* **456**
Do all patients with CMV retinitis require life long anti-CMV therapy?: *letter,* **844**
Effects of protease inhibitors on the course of CMV retinitis in relation to CD4+ lymphocyte responses in HIV+ patients, **988**
Risk of developing CMV retinitis following non-ocular CMV end organ disease in AIDS patients, **748**

dacryocystorhinostomy, Adjunctive use of mitomycin C on endoscopic lacrimal surgery, **63**
Open lacrimal surgery: a comparison of admission outcome and complications after planned day case or inpatient management, **392**
Orbital Wegener's granuloma resulting from direct extension of nasal disease through a surgical rhinostomy: *letter,* **198**
Ultrasonic assessment of rhinostomy size following external dacryocystorhinostomy, **786**
dark adaptation, Helicoidal peripapillary chorioretinal degeneration: electrophysiology and psychophysics in 17 patients, **280**
data collection, BD8 certification of visually impaired people, **72**
day case surgery, Open lacrimal surgery: a comparison of admission outcome and complications after planned day case or inpatient management, **392**
decentration, Comparison of decentration and tilt between one piece and three piece polymethyl methacrylate intraocular lenses, **419**
deep lamellar keratoplasty, Deep lamellar keratoplasty with complete removal of pathological stroma for vision improvement: *correspondence,* **205**
dermatitis artefacta, Dermatitis artefacta presenting as a basal cell carcinoma—an important clinical sign missed: *letter,* **97**
deviant axons, Deviant axons and glaucomatous damage: *editorial,* **595**
dexamethasone, Orbital fibroblast chemokine modulation: effects of dexamethasone and cyclosporin A, **318**
diabetes, Anterior segment complications of indirect diode laser in diabetic patients: *letter,* **1447**
Diabetic retinopathy in Down's syndrome, **407**
Serum total renin, an independent marker of the activity and severity of retinopathy in patients with IDDM, **939**
Use of eye care services by people with diabetes: the Melbourne Visual Impairment Project, **410**
VEGF localisation in diabetic retinopathy, **561**
diabetes mellitus, Evidence that upregulation of serum IGF-1 concentration can trigger acceleration of diabetic retinopathy, **725**
diabetic macular oedema, Scanning laser tomography Z profile signal width as an objective index of macular retinal thickening, **121**
diabetic retinopathy, Heidelberg retinal flowmetry: factors affecting blood flow measurement, **131**
Prevalence and risk factors for diabetic retinopathy among Omani diabetics, **901**
Retinal thickness variation in the diabetic patient measured by the retinal thickness analyser, **1003**
Telemedicine and computers in diabetic retinopathy screening: *commentary,* **5**
Use of eye care services by people with diabetes: the Melbourne Visual Impairment Project, **410**
VEGF localisation in diabetic retinopathy, **561**
diabetic retinopathy screening, Telemedicine and computers in diabetic retinopathy screening: *correspondence,* **851**
diabetics, Prevalence and risk factors for diabetic retinopathy among Omani diabetics, **901**
dietary intake, Fruits and vegetables that are sources for lutein and zeaxanthin: the macular pigment in human eyes, **907**
digital colour fundus images, Novel approach towards colour imaging using a scanning laser ophthalmoscope, **342**
diode laser, Anterior segment complications of indirect diode laser in diabetic patients: *letter,* **1447**
dipivefrin, Effects of latanoprost and dipivefrin, alone or combined, on intraocular pressure and on blood-aqueous barrier permeability, **404**
disability, An instrument for assessment of subjective visual disability in cataract patients, **617**
disposable contact lenses, Disposable contact lens use as a risk factor for microbial keratitis, **1272**
DNA, DNA ploidy pattern in choroidal melanoma: correlation with survival. A flow cytometry study on archival material, **1433**
DNA abnormalities, Ploidy analysis in uveal melanoma: *editorial,* **1352**
dog, Relation between pressure determined by ophthalmodynamometry and aortic pressure in the dog, **821**

donor cornea, Successful penetrating keratoplasty in an infant after extended storage of infantile donor cornea: *letter,* **846**
dorzolamide, Comparison of the safety and efficacy of the fixed combination of dorzolamide/timolol and the concomitant administration of dorzolamide and timolol: a clinical equivalence study, **1249**
Topical carbonic anhydrase inhibition increases ocular pulse amplitude in high tension primary open angle glaucoma, **758**
Down's syndrome, Diabetic retinopathy in Down's syndrome, **407**
Emmetropisation, axial length, and corneal topography in teenagers with Down's syndrome, **793**
drusen, Bilateral involvement by age related maculopathy lesions in a population, **743**
dry eye syndrome, Ocular contact time of a carbomer gel (GelTears) in humans, **1131**

eccentric fixation, Clinical characteristics of microtropia—is microtropia a fixed phenomenon?, **219**
echographic examination, Echographic findings in uveal melanomas treated with the Leksell gamma knife, **154**
"ecstasy" Retinal haemorrhage caused by "ecstasy": *letter,* **842**
elderly, Randomised, controlled trial of spirometric changes in elderly people receiving timolol or betaxolol as initial treatment for glaucoma, **146**
The oculocardiac reflex in cataract surgery in the elderly: *correspondence,* **589**
electrophysiology, Objective measurement of contrast sensitivity function using contrast sweep visual evoked responses, **168**
electroretinogram, Helicoidal peripapillary chorioretinal degeneration: electrophysiology and psychophysics in 17 patients, **280**
electroretinography, Electrophysiological evaluation of visual loss in Müller cell sheen dystrophy, **650**
Multifocal electroretinography in patients with Stargardt's macular dystrophy, **267**
emmetropisation, Emmetropisation, axial length, and corneal topography in teenagers with Down's syndrome, **793**
encephalocele, Optic disc anomalies and frontonasal dysplasia, **290**
end stage corneal disease, Corneoscleral transplantation for end stage corneal disease, **1276**
end stage renal failure, Symptomatic acute raised IOP following haemodialysis in a patient with end stage renal failure: *letter,* **1342**
endodermal sinus tumour, Intraocular metastasis of endodermal sinus tumour: *letter,* **1343**
endonasal laser dacryocystorhinostomy, Endonasal laser dacryocystorhinostomy: *correspondence,* **976**
endophthalmitis, Intraocular lens implants and risk of endophthalmitis, **1312**
Candida glabrata endophthalmitis following penetrating keratoplasty: *letter,* **712**
endoresection, Endoresection of choroidal melanoma, **213**
endothelin-1, Plasma endothelin-1 concentrations in patients with retinal vein occlusions, **498**
endothelium, Donor organ cultured corneal tissue selection before penetrating keratoplasty, **382**
Role of the endothelium in modulating functional responses of isolated bovine anterior ciliary arteries to vasoconstrictor agonists, **826**
endotoxin induced uveitis, Interferon gamma immunoreactivity in iris nerve fibres during endotoxin induced uveitis in the rat, **695**
England, Acanthamoeba keratitis: multicentre survey in England 1992–6, **1387**
eosinophil derived cationic protein, Eosinophil granule proteins expressed in ocular cicatricial pemphigoid, **312**
epidemiology, How dangerous a world is it?: *commentary,* **6**
epiphora, Clinical and scintigraphic comparison of silicone and polyvinylpyrrolidone coated silicone perforated plugs, **1416**
Efficacy of probing as treatment of epiphora in adults with blocked nasolacrimal ducts, **389**
episcleral melanoma, Episcleral melanoma without conjunctival or uveal involvement: *letter,* **1342**
epithelial permeability, Epithelial permeability reflects subclinical effects of contact lens wear, **376**
epithelium, Capillaries in the epithelium of pterygium, **77**
Epstein–Barr virus, Increased presence of Epstein–Barr virus DNA in ocular fluid samples from HIV negative immunocompromised patients with uveitis, **245**
esotropia, Retreatment of children after surgery for acquired esotropia: reoperation versus botulinum injection, **110**
Esterman visual field test, Simulating binocular visual field status in glaucoma, **1236**
ethological analysis, Visual behaviours of neurologically impaired children with cerebral visual impairment: an ethological study, **1231**
Europe, Variation in indications for cataract surgery in the United States, Denmark, Canada, and Spain: results from the International Cataract Surgery Outcomes Study, **1107**
everyday activities, Difficulty in performing everyday activities in patients with juvenile macular dystrophies: comparison with patients with retinitis pigmentosa, **1372**
evidence based medicine, Evidence based medicine, the Cochrane Collaboration, and the CONSORT statement: *commentary,* **597**
excimer laser, Confocal microscopy reveals persisting stromal changes after myopic photorefractive keratectomy in zero haze corneas, **1393**
excimer laser keratectomy, Corneal aldehyde dehydrogenase and glutathione S-transferase activity after excimer laser keratectomy in guinea pigs, **300**
Expression of transforming growth factor β superfamily and their receptors in the corneal stromal wound healing process after excimer laser keratectomy: *letter,* **462**
experimental autoimmune uveitis, Treatment of uveitis with recombinant human interleukin-13, **1195**
experimental immune mediated blepharoconjunctivitis, Analysis of effects of stimulation in vitro of ovalbumin primed lymph node cells on adoptive transfer of experimental immune mediated blepharoconjunctivitis in Lewis rats, **1189**
explant, Use of indomethacin for pain relief following scleral buckling surgery, **429**
external dacryocystorhinostomy, Anterior suspended flaps: a modified approach for external dacryocystorhinostomy, **790**
extraocular bleeding, Intraocular and extraocular bleeding after intracameral injection of tissue plasminogen activator: *letter,* **1345**
extraocular CMV disease, Risk of developing CMV retinitis following non-ocular CMV end organ disease in AIDS patients, **748**
extraocular muscles, Phenotypic heterogeneity may occur in congenital fibrosis of the extraocular muscles, **676**
exudative complications, Prophylactic laser treatment in early age related maculopathy reduced the incidence of exudative complications, **1169**
eye diseases, Knowledge, attitudes, and self care practices associated with age related eye disease in Australia, **780**
Oral contraception and eye disease: findings in two large cohort studies, **538**
eye drops, Evaluation of an extended period of use for preserved eye drops in hospital practice, **473**
eye infections, Combination HIV therapy and opportunistic infections of the eye in people with AIDS: *editorial,* **981**
eye movement, Nystagmus in periventricular leucomalacia, **1026**
eye services, Setting up an eye service in rural Africa: *correspondence,* **1451**
eyelid, Basal cell carcinoma of the eyelids and solar ultraviolet radiation exposure, **1412**
Sebaceous carcinoma of the eyelid: a clinicopathological study, **1049**
eyes, Ocular changes associated with *Giardia lamblia* infection in children, **59**
People and eyes: statistical approaches in ophthalmology: *perspective,* **971**

factor V Leiden mutation, Factor V Leiden mutation in association with idiopathic intracranial hypertension: *letter,* **844**
fascia lata harvesting, Complications of fascia lata harvesting for ptosis surgery: *correspondence,* **333**
fibrin, Recombinant tissue plasminogen activator in cases with fibrin formation after cataract surgery: a prospective randomised multicentre study, **810**
fibrinolysis, Recombinant tissue plasminogen activator in cases with fibrin formation after cataract surgery: a prospective randomised multicentre study, **810**
fibroblasts, Long term growth arrest of human Tenon's fibroblasts following single applications of β radiation, **448**
Fisher syndrome, Anti-GQ1b ganglioside antibody and ophthalmoplegia of undetermined cause, **916**
flow cytometry, DNA ploidy pattern in choroidal melanoma: correlation with survival. A flow cytometry study on archival material, **1433**
fluorescein, Videofunduscopy and videoangiography using the scanning laser ophthalmoscope in Vogt–Koyanagi–Harada syndrome, **1175**
fluorescein angiography, Absence of hypertensive retinopathy in a Turkish kindred with autosomal dominant hypertension and brachydactyly, **1363**
Clinicopathological correlation of primary and recurrent choroidal neovascularisation following surgical excision in age related macular degeneration, **480**
Fluorescein and indocyanine green angiography in arteritic anterior ischaemic optic neuropathy: *letter,* **1344**
Fluorescein angiographic correlation of focal narrowing of retinal arterioles in glaucoma, **48**
Peripapillary circle of Zinn–Haller revealed by fundus fluorescein angiography: *correspondence,* **332**
fluorophotometry, Epithelial permeability reflects subclinical effects of contact lens wear, **376**
Impairment of ocular surface epithelium barrier function in patients with atopic dermatitis, **797**
5-fluorouracil, Effects of single, short term exposures of human retinal pigment epithelial cells to thiotepa or 5-fluorouracil: implications for the treatment of proliferative vitreoretinopathy, **554**
Recurrent bleb infections, **926**
focal vessel constriction, Fluorescein angiographic correlation of focal narrowing of retinal arterioles in glaucoma, **48**
foveation, Effects of acupuncture on foveation characteristics in congenital nystagmus, **115**

frontonasal dysplasia, Optic disc anomalies and frontonasal dysplasia, **290**
frown lines, Botulinum toxin A treatment of overactive corrugator supercilii in thyroid eye disease, **528**
fundus, Absence of hypertensive retinopathy in a Turkish kindred with autosomal dominant hypertension and brachydactyly, **1363**
Peripapillary circle of Zinn–Haller revealed by fundus fluorescein angiography: *correspondence*, **332**
fundus abnormalities, Partial lipodystrophy with associated fundus abnormalities: an optical coherence tomography study: *letter*, **326**
fundus angiography, Videofunduscopy and videoangiography using the scanning laser ophthalmoscope in Vogt–Koyanagi–Harada syndrome, **1175**
fundus autofluorescence, Fundus autofluorescence in patients with macular holes imaged with a laser scanning ophthalmoscope, **346**
fundus flavimaculatus, Multifocal electroretinography in patients with Stargardt's macular dystrophy, **267**
fundus imaging, Novel approach towards colour imaging using a scanning laser ophthalmoscope, **342**
fungal keratitis, Randomised trial of 0.2% chlorhexidine gluconate and 2.5% natamycin for fungal keratitis in Bangladesh, **919**
Fusarium, Diagnosis of *Fusarium* keratitis in an animal model using the polymerase chain reaction, **306**

Gambia, Trachoma in the Gambia, **930**
gamma knife, Echographic findings in uveal melanomas treated with the Leksell gamma knife, **154**
ganciclovir, Sustained release intravitreal ganciclovir implant as salvage treatment in AIDS related cytomegalovirus retinitis: *correspondence*, **333**
gastrointestinal disease, Ocular changes associated with *Giardia lamblia* infection in children, **59**
gaze evoked amaurosis, Gaze evoked amaurosis in neurofibromatosis type II: *letter*, **584**
gefarnate, Gefarnate increases PAS positive cell density in rabbit conjunctiva, **1320**
genetics, Absence of hypertensive retinopathy in a Turkish kindred with autosomal dominant hypertension and brachydactyly, **1363**
Identifying genes that cause disease: HLA-B27, the paradigm, the promise, the perplexity: *commentary*, **1354**
giant cell arteritis, Fluorescein and indocyanine green angiography in arteritic anterior ischaemic optic neuropathy: *letter*, **1344**
Giardia lamblia, Ocular changes associated with *Giardia lamblia* infection in children, **59**
glaucoma, Automated perimetry by optometrists in patients at low risk of glaucoma: *correspondence*, **1221**
Axon deviation in the human lamina cribrosa, **680**
Brain natriuretic peptide: identification of a second natriuretic peptide in human aqueous humour, **830**
Clinical evaluation of scanning laser polarimetry: I Intraoperator reproducibility and design of a blood vessel removal algorithm, **252**
Clinical evaluation of scanning laser polarimetry: II Polar profile shape analysis, **260**
Comparison of measurements of neuroretinal rim area between confocal laser scanning tomography and planimetry of photographs, **362**
Comparison of the safety and efficacy of the fixed combination of dorzolamide/timolol and the concomitant administration of dorzolamide and timolol: a clinical equivalence study, **1249**
Echographic measurements of the retrobulbar optic nerve in normal and glaucomatous eyes, **43**
Effects of short term increase of intraocular pressure on optic disc cupping, **880**
Extrafoveal photostress recovery test in glaucoma and idiopathic central serous chorioretinopathy, **1007**
Fluorescein angiographic correlation of focal narrowing of retinal arterioles in glaucoma, **48**
Glaucoma and vasospasm, **862**
Heidelberg retinal flowmetry: factors affecting blood flow measurement, **131**
Impaired motion sensitivity as a predictor of subsequent field loss in glaucoma suspects: the Roscommon Glaucoma Study, **534**
Is there a role for computerised image analysis in glaucoma management?: *editorial*, **2**
Nd:YAG laser iridotomy in pigment dispersion syndrome: an ultrasound biomicroscopic study, **150**
Neuroretinal rim width ratios in morphological glaucoma diagnosis, **1366**
Pars plana vitrectomy with pars plana tube implantation in eyes with intractable glaucoma, **1377**
Quantitative evaluation of the optic nerve head in early glaucoma, **352**
RA/DA cumulative curve analysis of local and diffuse neuroretinal rim area damage in glaucoma patients, **769**
Randomised, controlled trial of spirometric changes in elderly people receiving timolol or betaxolol as initial treatment for glaucoma, **146**
Reproducibility of topographic measures of the glaucomatous optic nerve head, **14**
Retinal nerve fibre layer polarimetry: histological and clinical comparison, **684**
Short term comparative study of topical 2% carteolol with and without benzalkonium chloride in healthy volunteers, **39**
Simulating binocular visual field status in glaucoma, **1236**
Suramin inhibits wound healing following filtering procedures for glaucoma, **816**
Trabeculectomy augmented with mitomycin C application under the scleral flap, **397**
Vasospasm and glaucoma: *editorial*, **855**
Vertical cup/disc ratio in relation to optic disc size: its value in the assessment of the glaucoma suspect, **1118**
Visual field progression in glaucoma: *correspondence*, **1097**
Visual limitations assessment in patients with glaucoma: *correspondence*, **1347**
glaucoma drainage devices, Glaucoma drainage devices; past, present, and future: *perspective*, **1083**
glaucomatous damage, Deviant axons and glaucomatous damage: *editorial*, **595**
globe injury, Cluster of four cases of inadvertent injury to the globe secondary to peribulbar anaesthesia: *correspondence*, **850**
glutathione S-transferase, Corneal aldehyde dehydrogenase and glutathione S-transferase activity after excimer laser keratectomy in guinea pigs, **300**
glycated haemoglobin A_{1c}, Evidence that upregulation of serum IGF-1 concentration can trigger acceleration of diabetic retinopathy, **725**
glycoconjugate, CA 19-9 ELISA test: a new method for studying mucus changes in tears, **88**
glycosaminoglycans, In vivo comparison of three different porous materials intended for use in a keratoprosthesis, **569**
goblet cell, Gefarnate increases PAS positive cell density in rabbit conjunctiva, **1320**
GQ1b ganglioside, Anti-GQ1b ganglioside antibody and ophthalmoplegia of undetermined cause, **916**
Gradenigo's syndrome, Intracranial plasmacytoma masquerading as Gradenigo's syndrome: *letter*, **458**
graft rejection, A murine model of interlamellar corneal transplantation, **294**
graft survival, Donor organ cultured corneal tissue selection before penetrating keratoplasty, **382**
grafts, Primary epithelial amyloid keratopathy with multiple recurrences in grafts: *letter*, **330**
Graves' ophthalmopathy, Development of a disease specific quality of life questionnaire for patients with Graves' ophthalmopathy: the GO-QOL, **773**
Graves' orbitopathy, Prevalence and management of elevated intraocular pressure in patients with Graves' orbitopathy, **754**
growth arrest, Long term growth arrest of human Tenon's fibroblasts following single applications of β radiation, **448**
growth factors, Evidence that upregulation of serum IGF-1 concentration can trigger acceleration of diabetic retinopathy, **725**
Growth factors in proliferative vitreoretinopathy: *editorial*, **106**
Guillain-Barré syndrome, Anti-GQ1b ganglioside antibody and ophthalmoplegia of undetermined cause, **916**

HAART, Effects of protease inhibitors on the course of CMV retinitis in relation to CD4+ lymphocyte responses in HIV+ patients, **988**
haemangiosarcoma, Haemangiosarcoma of the breast, metastatic to the ciliary body and iris: *letter*, **709**
haemodialysis, Effect of plasma colloid osmotic pressure on intraocular pressure during haemodialysis, **751**
Symptomatic acute raised IOP following haemodialysis in a patient with end stage renal failure: *letter*, **1342**
haemodilution, Effect of isovolaemic haemodilution on visual outcome in branch retinal vein occlusion, **162**
hand held infrared automated refractor, Screening for abnormal levels of hyperopia in children: a non-cycloplegic method with a hand held refractor, **1260**
healing, Ultrasonic assessment of rhinostomy size following external dacryocystorhinostomy, **786**
health related quality of life, Development of a disease specific quality of life questionnaire for patients with Graves' ophthalmopathy: the GO-QOL, **773**
healthcare costs, Squeezing healthcare costs—every drop counts: *editorial*, **467**
heart transplantation, Ocular complications of heart, lung, and liver transplantation, **423**
Heidelberg retina tomograph, Laser scanning tomography of localised nerve fibre layer defects, **1112**
Reproducibility of volumetric measurements of normal maculae with the Heidelberg retina tomograph, **884**
hereditary haemorrhagic telangiectasia, Spontaneous hyphaema in hereditary haemorrhagic telangiectasia: *letter*, **1093**
herpes simplex keratitis, Corneal transplantation for herpes simplex keratitis: *commentary*, **107**
herpetic ocular infections, Ocular complications of heart, lung, and liver transplantation, **423**
heterochromia, Pharmacological reversal of ptosis in a patient with acquired Horner's syndrome and heterochromia: *letter*, **1095**

heterozygosity, Evaluation of loss of heterozygosity and microsatellite instability in human pterygium: clinical correlations, **1324**
histamine, Systemic and local immunological features of atopic dermatitis patients with ocular complications, **82**
histomorphometry, Histomorphometry of the optic disc in highly myopic eyes with absolute secondary angle closure glaucoma, **286**
histopathology, Pigmented uveal tumours in a transgenic mouse model, **953**
HIV retinopathy, HIV retinopathy at seroconversion: *letter,* **1339**
HIV therapy, Combination HIV therapy and opportunistic infections of the eye in people with AIDS: *editorial,* **981**
HLA-B27, Identifying genes that cause disease: HLA-B27, the paradigm, the promise, the perplexity: *commentary,* **1354**
HLA-B51, Primary association of HLA-B51 with Behçet's disease in Ireland: *correspondence,* **715**
Hollows Fred, In memoriam—Fred Hollows, **1099**
homonymous hemianopia, Absence of relative afferent pupillary defect and pupillary hemiakinesia in a child with homonymous hemianopia due to ((retro-)geniculate) porencephaly: *letter,* **461**
homozygote, Severe form of juvenile corneal stromal dystrophy with homozygous R124H mutation in the keratoepithelin gene in five Japanese patients, **1280**
Horner's syndrome, Does Horner's syndrome in infancy require investigation?, **51**
Horner's syndrome in infancy: *correspondence,* **1097**
Pharmacological reversal of ptosis in a patient with acquired Horner's syndrome and heterochromia: *letter,* **1095**
hospital, Evaluation of an extended period of use for preserved eye drops in hospital practice, **473**
hyperlipidaemia, Pseudouveitis as a manifestation of hyperlipidaemia: *letter,* **1215**
hypermetropic anisometropia, Long term effect of hypermetropic anisometropia on the visual acuity of treated amblyopic eyes, **55**
hyperopia, Screening for abnormal levels of hyperopia in children: a non-cycloplegic method with a hand held refractor, **1260**
hypertension, Absence of hypertensive retinopathy in a Turkish kindred with autosomal dominant hypertension and brachydactyly, **1363**
Diabetic retinopathy in Down's syndrome, **407**
hypertrophic scar, Mast cells in pathological and surgical scars, **691**
hyphaema, Spontaneous hyphaema in hereditary haemorrhagic telangiectasia: *letter,* **1093**
hypovitaminosis A, Role of impression cytology during hypovitaminosis A, **303**
hypoxia, Plasma endothelin-1 concentrations in patients with retinal vein occlusions, **498**

ICAM-1, Vitreous intercellular adhesion molecule 1 in uveitis complicated by retinal detachment, **438**
idiopathic central serous chorioretinopathy, Extrafoveal photostress recovery test in glaucoma and idiopathic central serous chorioretinopathy, **1007**
idiopathic intracranial hypertension, Factor V Leiden mutation in association with idiopathic intracranial hypertension: *letter,* **844**
idiopathic keratoconus, Idiopathic keratoconus in a patient with congenital rubella syndrome: *letter,* **1215**
idiopathic polypoidal choroidal vasculopathy, Indocyanine green angiography and idiopathic polypoidal choroidal vasculopathy: *letter,* **98**
IgE-RAST, Systemic and local immunological features of atopic dermatitis patients with ocular complications, **82**
IGF-1, Evidence that upregulation of serum IGF-1 concentration can trigger acceleration of diabetic retinopathy, **725**
Insulin-like growth factor type 1—friend or foe?: *editorial,* **719**
IL-13, Treatment of uveitis with recombinant human interleukin-13, **1195**
imaging, Measurement of optic disc size: equivalence of methods to correct for ocular magnification, **643**
Quantitative evaluation of the optic nerve head in early glaucoma, **352**
Vertical cup/disc ratio in relation to optic disc size: its value in the assessment of the glaucoma suspect, **1118**
immunocompetence, Overt chorioretinitis after patient acquired toxoplasmosis in an immunocompetent subject: *letter,* **1446**
immunofluorescence, Human antiretinal antibodies in toxoplasma retinochoroiditis, **1017**
immunopathology, Immunopathology of uveitis: *perspective,* **91**
Improved impression cytology techniques for the immunopathological diagnosis of superficial viral infections: *correspondence,* **1097**
immunophenotype, Coexistence of macular corneal dystrophy types I and II in a single sibship, **241**
immunostaining, MIB-1 and PC-10 immunostaining for the assessment of proliferative activity in primary acquired melanosis without and with atypia, **1316**
immunosuppressive agents, Effect of mycophenolate mofetil, cyclosporin A, and both in combination in a murine corneal graft rejection model, **700**
impairment, Difficulty in performing everyday activities in patients with juvenile macular dystrophies: comparison with patients with retinitis pigmentosa, **1372**
implant, Lens epithelial cell regression on the posterior capsule with different intraocular lens materials, **1182**
impression cytology, CA 19-9 ELISA test: a new method for studying mucus changes in tears, **88**
Conjunctival impression cytology for vitamin A deficiency in the presence of infectious trachoma, **1139**
Improved impression cytology techniques for the immunopathological diagnosis of superficial viral infections: *correspondence,* **1097**
Role of impression cytology during hypovitaminosis A, **303**
in memoriam, In memoriam—Fred Hollows, **1099**
India, Use of intraocular lenses in children with traumatic cataract in south India, **911**
indocyanine green, Videofunduscopy and videoangiography using the scanning laser ophthalmoscope in Vogt–Koyanagi–Harada syndrome, **1175**
indocyanine green angiography, Fluorescein and indocyanine green angiography in arteritic anterior ischaemic optic neuropathy: *letter,* **1344**
Indocyanine green angiography and idiopathic polypoidal choroidal vasculopathy: *letter,* **98**
indomethacin, Use of indomethacin for pain relief following scleral buckling surgery, **429**
infants, Can convulsions alone cause retinal haemorrhages in infants?, **659**
Horner's syndrome in infancy: *correspondence,* **1097**
Successful penetrating keratoplasty in an infant after extended storage of infantile donor cornea: *letter,* **846**
The baby with poor visual contact: *commentary,* **1228**
infectious endophthalmitis, Polymerase chain reaction in the diagnosis of bacterial endophthalmitis, **1078**
infectious scleritis, Intrascleral dissemination of infectious scleritis following pterygium excision, **29**
inferior rectus, Flashing lights in thyroid eye disease: a new symptom described and (possibly) explained, **1309**
inflammation, Orbital Wegener's granuloma resulting from direct extension of nasal disease through a surgical rhinostomy: *letter,* **198**
information technology, Information technology in ophthalmology: *commentary,* **984**
infrared reflection technique, Nystagmus in periventricular leucomalacia, **1026**
inherited retinal diseases, Accumulation of tissue inhibitor of metalloproteinases-3 in human eyes with Sorsby's fundus dystrophy or retinitis pigmentosa, **1329**
insulin-like growth factor type 1, Insulin-like growth factor type 1—friend or foe?: *editorial,* **719**
intensive therapy, Evidence that upregulation of serum IGF-1 concentration can trigger acceleration of diabetic retinopathy, **725**
interferon, Interferon associated retinopathy: *perspective,* **323**
interferon α_{2a}, Treatment of ocular symptoms of Behçet's disease with interferon α_{2a}: a pilot study, **488**
interferon gamma, Interferon gamma immunoreactivity in iris nerve fibres during endotoxin induced uveitis in the rat, **695**
interlamellar keratoplasty, A murine model of interlamellar corneal transplantation, **294**
interleukin 8, Elevated serum IL-8 levels are associated with disease activity in idiopathic intermediate uveitis, **871**
intermediate uveitis, Ultrasound biomicroscopic imaging in intermediate uveitis, **625**
internal limiting membrane, Electrophysiological evaluation of visual loss in Müller cell sheen dystrophy, **650**
internal resection, Internal resection of posterior uveal melanomas, **1147**
intracameral injection, Intraocular and extraocular bleeding after intracameral injection of tissue plasminogen activator: *letter,* **1345**
intracranial hypertension, Use of scanning laser ophthalmoscopy to monitor papilloedema in idiopathic intracranial hypertension, **1301**
intracranial plasmacytoma, Intracranial plasmacytoma masquerading as Gradenigo's syndrome: *letter,* **458**
intraocular bleeding, Intraocular and extraocular bleeding after intracameral injection of tissue plasminogen activator: *letter,* **1345**
intraocular fluid, Increased presence of Epstein–Barr virus DNA in ocular fluid samples from HIV negative immunocompromised patients with uveitis, **245**
intraocular foreign body, Use of ultrasound biomicroscopy in the localisation and management of an anteriorly situated intraocular foreign body: *letter,* **459**
Visual outcome and prognostic factors after magnetic extraction of posterior segment foreign bodies in 40 cases, **801**
intraocular gas, Optical coherence tomography of pneumatic displacement of optic disc pit maculopathy, **367**
intraocular lens, Adhesion of IOLs to the posterior capsule: *editorial,* **468**
Adhesion of lens capsule to intraocular lenses of polymethylmethacrylate, silicone, and acrylic foldable materials: an experimental study, **549**
Comparison of decentration and tilt between one piece and three piece polymethyl methacrylate intraocular lenses, **419**
Use of intraocular lenses in children with traumatic cataract in south India, **911**

Visual outcome after paediatric cataract surgery: is age a major factor?, **1022**
intraocular lens dislocation, Anterior capsule contraction and intraocular lens dislocation in eyes with pseudoexfoliation syndrome, **1429**
intraocular lenses, Are intraocular lenses the solution to cataract blindness in Africa?: *commentary*, **469**
Intraocular lens implants and risk of endophthalmitis, **1312**
intraocular metastasis, Intraocular metastasis of endodermal sinus tumour: *letter*, **1343**
intraocular photodisruption, Initial clinical experience with the picosecond Nd:YLF laser for intraocular therapeutic applications, **504**
intraocular pressure, Comparison of the safety and efficacy of the fixed combination of dorzolamide/timolol and the concomitant administration of dorzolamide and timolol: a clinical equivalence study, **1249**
Does raised intraocular pressure begin in utero?, **1125**
Effect of plasma colloid osmotic pressure on intraocular pressure during haemodialysis, **751**
Effect of PRK on intraocular pressure measurements and on keratometry: *correspondence*, **204**
Effects of latanoprost and dipivefrin, alone or combined, on intraocular pressure and on blood-aqueous barrier permeability, **404**
Effects of short term increase of intraocular pressure on optic disc cupping, **880**
Medium to long term intraocular pressure control following small flap trabeculectomy (microtrabeculectomy) in relatively low risk eyes, **1383**
Prevalence and management of elevated intraocular pressure in patients with Graves' orbitopathy, **754**
Symptomatic acute raised IOP following haemodialysis in a patient with end stage renal failure: *letter*, **1342**
Tono-Pen determination of intraocular pressure in patients with band keratopathy or glued cornea, **634**
Trabeculectomy augmented with mitomycin C application under the scleral flap, **397**
intravitreal phaco chopper fragment, Intravitreal phaco chopper fragment missed by computed tomography: *letter*, **460**
Ireland, Causes of blindness in the adult population of the Republic of Ireland, **630**
Primary association of HLA-B51 with Behçet's disease in Ireland: *correspondence*, **715**
iridectomy, Initial clinical experience with the picosecond Nd:YLF laser for intraocular therapeutic applications, **504**
iridotomy, Initial clinical experience with the picosecond Nd:YLF laser for intraocular therapeutic applications, **504**
iris, Adhesion molecules in iris biopsy specimens from patients with uveitis, **432**
Haemangiosarcoma of the breast, metastatic to the ciliary body and iris: *letter*, **709**
Irvine-Gass syndrome, Grid laser photocoagulation for macular oedema in uveitis or the Irvine–Gass syndrome, **1013**
ischaemia, Plasma endothelin-1 concentrations in patients with retinal vein occlusions, **498**

juvenile macular dystrophy, Difficulty in performing everyday activities in patients with juvenile macular dystrophies: comparison with patients with retinitis pigmentosa, **1372**

keloid, Mast cells in pathological and surgical scars, **691**
Kenny's syndrome, The nanophthalmic macula, **276**
keratitis, Acanthamoeba keratitis: multicentre survey in England 1992–6, **1387**
Anti-*Acanthamoeba* activity of contact lens solutions, **1033**
Correlation between surface water contamination with amoeba and the onset of symptoms and diagnosis of amoeba-like keratitis, **1143**
Diagnosis of *Fusarium* keratitis in an animal model using the polymerase chain reaction, **306**
Rhodococcus keratitis: *letter*, **198**
keratoacanthoma, Keratoacanthoma of the bulbar conjunctiva: *letter*, **586**
keratoconus, Emmetropisation, axial length, and corneal topography in teenagers with Down's syndrome, **793**
keratoepithelin, Severe form of juvenile corneal stromal dystrophy with homozygous R124H mutation in the keratoepithelin gene in five Japanese patients, **1280**
keratometry, Clinical evaluation of keratometry and computerised videokeratography: intraobserver and interobserver variability on normal and astigmatic corneas, **637**
Effect of PRK on intraocular pressure measurements and on keratometry: *correspondence*, **204**
Reliable keratometry with a new hand held surgical keratometer: calibration of the keratoscopic astigmatic ruler, **35**
keratopathy, Tono-Pen determination of intraocular pressure in patients with band keratopathy or glued cornea, **634**
keratoprosthesis, Clinical results of implantation of the Chirila keratoprosthesis in rabbits, **18**
Striving for the perfect keratoprosthesis: *editorial*, **3**
knowledge, Knowledge, attitudes, and self care practices associated with age related eye disease in Australia, **780**

lacrimal surgery, Adjunctive use of mitomycin C on endoscopic lacrimal surgery, **63**
lagophthalmos, Mechanical ptosis and lagophthalmos in cutaneous leishmaniasis: *letter*, **975**
lamina cribrosa, Axon deviation in the human lamina cribrosa, **680**
laser, Longer term visual outcome of eyes with retinopathy of prematurity treated with cryotherapy or diode laser, **1246**
The safety of laser pointers: myths and realities: *perspective*, **1335**
Three year visual outcome for treated stage 3 retinopathy of prematurity: cryotherapy versus laser, **1254**
laser iridotomy, Nd:YAG laser iridotomy in pigment dispersion syndrome: an ultrasound biomicroscopic study, **150**
laser photocoagulation, Prophylactic laser treatment in early age related maculopathy reduced the incidence of exudative complications, **1169**
laser scanning ophthalmoscope, Fundus autofluorescence in patients with macular holes imaged with a laser scanning ophthalmoscope, **346**
laser scanning tomography, Laser scanning tomography of localised nerve fibre layer defects, **1112**
laser treatment, Effect of isovolaemic haemodilution on visual outcome in branch retinal vein occlusion, **162**
latanoprost, Effects of latanoprost and dipivefrin, alone or combined, on intraocular pressure and on blood-aqueous barrier permeability, **404**
Latanoprost and cystoid macular oedema in a pseudophake: *letter*, **843**
lateral rectus palsy, Dissociated effects of botulinum toxin chemodenervation on ocular deviation and saccade dynamics in chronic lateral rectus palsy, **67**
lead, Effect of cigarette smoking on copper, lead, and cadmium accumulation in human lens, **186**
lens, Lens epithelial cell regression on the posterior capsule with different intraocular lens materials, **1182**
lens capsule, Adhesion of lens capsule to intraocular lenses of polymethylmethacrylate, silicone, and acrylic foldable materials: an experimental study, **549**
lens cell growth, Lens cell growth and posterior capsule opacification: in vivo and in vitro observations: *editorial*, **1102**
lens epithelial cells, Lens epithelial cell proliferation, migration, and metaplasia following capsulorhexis, **945**
leukotriene B_4, Systemic and local immunological features of atopic dermatitis patients with ocular complications, **82**
light perception, Rhinogenic optic neuropathy caused bilateral loss of light perception: *letter*, **99**
limbal transplantation, Transplantation of amniotic membrane and limbal autograft for patients with recurrent pterygium associated with symblepharon, **235**
linkage analysis, Phenotype of a British North Carolina macular dystrophy family linked to chromosome 6q, **1162**
lipids, Quantitative analysis of lipid deposits from Schnyder's corneal dystrophy, **444**
lipocalin, Tear lipocalin and the eye's front line of defence: *perspective*, **453**
lipodystrophy, Partial lipodystrophy with associated fundus abnormalities: an optical coherence tomography study: *letter*, **326**
lipofuscin, Fundus autofluorescence in patients with macular holes imaged with a laser scanning ophthalmoscope, **346**
Littmann, Measurement of optic disc size: equivalence of methods to correct for ocular magnification, **643**
liver transplantation, Ocular complications of heart, lung, and liver transplantation, **423**
lodoxamide, Treatment of common ocular allergic disorders; a comparison of lodoxamide and NAAGA, **1135**
low birth weight, The contribution of low birth weight to severe vision loss in a geographically defined population, **9**
The impact of low birth weight on the visual pathway: *editorial*, **1**
lower eyelid retraction, Correction of lower eyelid retraction in thyroid eye disease: a randomised controlled trial of retractor tenotomy with adjuvant antimetabolite versus scleral graft, **174**
lung transplantation, Ocular complications of heart, lung, and liver transplantation, **423**

macrophage, Immunopathology of uveitis: *perspective*, **91**
macula, Reproducibility of volumetric measurements of normal maculae with the Heidelberg retina tomograph, **884**
macular corneal dystrophy, Coexistence of macular corneal dystrophy types I and II in a single sibship, **241**
macular dystrophy, Phenotype of a British North Carolina macular dystrophy family linked to chromosome 6q, **1162**
macular grid photocoagulation, Grid laser photocoagulation for macular oedema in uveitis or the Irvine–Gass syndrome, **1013**
macular holes, Fundus autofluorescence in patients with macular holes imaged with a laser scanning ophthalmoscope, **346**
Macular holes—a diagnostic and therapeutic enigma?: *editorial*, **338**
macular oedema, Effect of isovolaemic haemodilution on visual outcome in branch retinal vein occlusion, **162**
Evidence that upregulation of serum IGF-1 concentration can trigger acceleration of diabetic retinopathy, **725**

Grid laser photocoagulation for macular oedema in uveitis or the Irvine–Gass syndrome, **1013**
Retinal thickness variation in the diabetic patient measured by the retinal thickness analyser, **1003**
macular pigment, Fruits and vegetables that are sources for lutein and zeaxanthin: the macular pigment in human eyes, **907**
macular retinal detachment, Unusual macular retinal detachment associated with vitreomacular traction syndrome: *letter,* **326**
maculopathy, The nanophthalmic macula, **276**
magnetic resonance image, Magnetic resonance image changes following optic nerve trauma from peribulbar anaesthetic: *letter,* **586**
magnification, Measurement of optic disc size: equivalence of methods to correct for ocular magnification, **643**
maintenance therapy, Risk of developing CMV retinitis following non-ocular CMV end organ disease in AIDS patients, **748**
major basic protein, Eosinophil granule proteins expressed in ocular cicatricial pemphigoid, **312**
malignant conjunctival melanosis, Towards a more accurate assessment of the malignant potential in conjunctival melanosis: *editorial,* **1227**
malignant melanoma, Internal resection of posterior uveal melanomas, **1147**
malignant tumour, Sebaceous carcinoma of the eyelid: a clinicopathological study, **1049**
maple syrup urine disease, Retinopathy associated with pancreatitis in a child with maple syrup urine disease: *letter,* **841**
mast cells, Mast cells in pathological and surgical scars, **691**
medicamentosa, Frequent association of delayed tear clearance in ocular irritation, **666**
meibomian gland carcinoma, Sebaceous carcinoma of the eyelid: a clinicopathological study, **1049**
melanoma model, Pigmented uveal tumours in a transgenic mouse model, **953**
meta-analysis, Meta-analysis on the recurrence rates after bare sclera resection with and without mitomycin C use and conjunctival autograft placement in surgery for primary pterygium, **661**
microbial keratitis, Disposable contact lens use as a risk factor for microbial keratitis, **1272**
microbiology, Evaluation of an extended period of use for preserved eye drops in hospital practice, **473**
microcystic adnexal carcinoma, Microcystic adnexal carcinoma masquerading as a chalazion: *letter,* **196**
microsatellite instability, Evaluation of loss of heterozygosity and microsatellite instability in human pterygium: clinical correlations, **1324**
microtrabeculectomy, Medium to long term intraocular pressure control following small flap trabeculectomy (microtrabeculectomy) in relatively low risk eyes, **1383**
microtropia, Clinical characteristics of microtropia—is microtropia a fixed phenomenon?, **219**
mitomycin C, Application of mitomycin C 0.02% for 2 minutes at the end of pterygium surgery: *letter,* **97**
Meta-analysis on the recurrence rates after bare sclera resection with and without mitomycin C use and conjunctival autograft placement in surgery for primary pterygium, **661**
Recurrent bleb infections, **926**
Topical mitomycin C chemotherapy for conjunctival melanoma and PAM with atypia, **476**
Trabeculectomy augmented with mitomycin C application under the scleral flap, **397**
Müller cells, Electrophysiological evaluation of visual loss in Müller cell sheen dystrophy, **650**
molecular diagnosis, Albinism: modern molecular diagnosis: *perspective,* **189**
morphometry, Donor organ cultured corneal tissue selection before penetrating keratoplasty, **382**
motion, Impaired motion sensitivity as a predictor of subsequent field loss in glaucoma suspects: the Roscommon Glaucoma Study, **534**
mouse, A murine model of interlamellar corneal transplantation, **294**
New model of conjunctival scarring in the mouse eye, **1072**
movement hyperacuity, Movement hyperacuity in childhood amblyopia, **991**
mucin, Gefarnate increases PAS positive cell density in rabbit conjunctiva, **1320**
multicentre survey, Acanthamoeba keratitis: multicentre survey in England 1992–6, **1387**
multiple sclerosis, Elevated serum IL-8 levels are associated with disease activity in idiopathic intermediate uveitis, **871**
myopia, Histomorphometry of the optic disc in highly myopic eyes with absolute secondary angle closure glaucoma, **286**
Myopia: *correspondence,* **1220**
Ophthalmologists should consider the causes of myopia and not simply treat its consequences: *editorial,* **210**
Zinn–Haller arterial ring observed by ICG angiography in high myopia, **1357**
mytomycin C, Adjunctive use of mitomycin C on endoscopic lacrimal surgery, **63**

NAAGA, Treatment of common ocular allergic disorders; a comparison of lodoxamide and NAAGA, **1135**
nanophthalmos, The nanophthalmic macula, **276**
naslacrimal intubation, Nasolacrimal intubation in adults, **1039**
nasolacrimal ducts, Efficacy of probing as treatment of epiphora in adults with blocked nasolacrimal ducts, **389**
natamycin, Randomised trial of 0.2% chlorhexidine gluconate and 2.5% natamycin for fungal keratitis in Bangladesh, **919**
neonates, Congenital toxoplasma chorioretinitis transmitted by preconceptionally immune women: *letter,* **1444**
neovascularisation, Steroid responsive disc neovascularisation in uveitis associated with juvenile chronic arthritis: *letter,* **327**
nephropathy, Serum total renin, an independent marker of the activity and severity of retinopathy in patients with IDDM, **939**
nerve fibre layer, Retinal nerve fibre layer polarimetry: histological and clinical comparison, **684**
nerve fibre layer defects, Laser scanning tomography of localised nerve fibre layer defects, **1112**
neuroblastoma, Does Horner's syndrome in infancy require investigation?, **51**
neurofibromatosis, Gaze evoked amaurosis in neurofibromatosis type II: *letter,* **584**
neuronal nitric oxide synthase, Possible role for nitric oxide releasing nerves in the regulation of ocular blood flow in the rat, **1199**
neuropathy, Serum total renin, an independent marker of the activity and severity of retinopathy in patients with IDDM, **939**
neuroretinal rim area, Comparison of measurements of neuroretinal rim area between confocal laser scanning tomography and planimetry of photographs, **362**
neuroretinal rim width ratios, Neuroretinal rim width ratios in morphological glaucoma diagnosis, **1366**
neutrophilic dermatosis, Scleritis associated with acute febrile neutrophilic dermatosis (Sweet's syndrome): *letter,* **328**
Newsdesk, 8, 109, 212, 341, 472, 599, 724, 861, 987, 1106, 1230, 1356
NG-nitro-l-arginine methyl ester, Possible role for nitric oxide releasing nerves in the regulation of ocular blood flow in the rat, **1199**
nitric oxide, Possible role for nitric oxide releasing nerves in the regulation of ocular blood flow in the rat, **1199**
Role of the endothelium in modulating functional responses of isolated bovine anterior ciliary arteries to vasoconstrictor agonists, **826**
7-nitroindazole, Possible role for nitric oxide releasing nerves in the regulation of ocular blood flow in the rat, **1199**
non-accidental injury, Can convulsions alone cause retinal haemorrhages in infants?, **659**
non-cycloplegic refractive screening, Screening for abnormal levels of hyperopia in children: a non-cycloplegic method with a hand held refractor, **1260**
non-Hodgkin's T cell lymphoma, Progressive outer retinal necrosis in a patient with cutaneous non-Hodgkin's T cell lymphoma (Sézary syndrome): *letter,* **1218**
normal subjects, Relation between size of optic disc and thickness of retinal nerve fibre layer in normal subjects, **1242**
normal tension glaucoma, Normal tension glaucoma—a practical approach: *perspective,* **835**
Pulsatile ocular blood flow investigation in asymmetric normal tension glaucoma and normal subjects, **731**
Pulsatile ocular blood flow: *editorial,* **720**
North America, Variation in indications for cataract surgery in the United States, Denmark, Canada, and Spain: results from the International Cataract Surgery Outcomes Study, **1107**
nystagmus, Nystagmus in periventricular leucomalacia, **1026**

OA1 gene, Paucity of signs in X linked ocular albinism with a 700 kb deletion spanning the OA1 gene: *letter,* **457**
obituary, Clifford "Grant" Tulloh, **590**
objective refraction, Immediate postoperative objective refraction as an indication to final refraction in phacoemulsification surgery: *letter,* **842**
occlusion therapy, Effectiveness of occlusion therapy in ametropic amblyopia: *correspondence,* **850**
Octopus perimetry, Correlation between Octopus perimetry and fluorescein angiography after strontium-90 plaque brachytherapy for subfoveal exudative age related macular degeneration, **763**
ocular blood flow, Possible role for nitric oxide releasing nerves in the regulation of ocular blood flow in the rat, **1199**
ocular cicatricial pemphigoid, Eosinophil granule proteins expressed in ocular cicatricial pemphigoid, **312**
ocular complications, Ocular complications of heart, lung, and liver transplantation, **423**
ocular contact time, Ocular contact time of a carbomer gel (GelTears) in humans, **1131**
ocular hypertension, Comparison of the safety and efficacy of the fixed combination of dorzolamide/timolol and the concomitant administration of dorzolamide and timolol: a clinical equivalence study, **1249**
Neuroretinal rim width ratios in morphological glaucoma diagnosis, **1366**
ocular infections, Recurrent bleb infections, **926**
ocular irritation, Frequent association of delayed tear clearance in ocular irritation, **666**
ocular malformation, How dangerous a world is it?: *commentary,* **6**

ocular melanoma, DNA ploidy pattern in choroidal melanoma: correlation with survival. A flow cytometry study on archival material, **1433**
ocular neoplasms, Endoresection of choroidal melanoma, **213**
ocular pulse amplitude, Topical carbonic anhydrase inhibition increases ocular pulse amplitude in high tension primary open angle glaucoma, **758**
ocular sarcoidosis, Retinal pigment epithelial detachment: an unusual presentation in ocular sarcoidosis: *letter,* **585**
ocular surface epithelium, Impairment of ocular surface epithelium barrier function in patients with atopic dermatitis, **797**
ocular toxoplasmosis, Azithromycin for ocular toxoplasmosis, **1306**
Sense and nonsense of corticosteroid administration in the treatment of ocular toxoplasmosis: *commentary,* **858**
ocular trauma, Ocular trauma from party balloons: *correspondence,* **203**
"Johnny Poppers": a cause of serious ocular injury, **807**
Shinty and ocular trauma in north west Scotland: *letter,* **1445**
oculocardiac reflex, The oculocardiac reflex in cataract surgery in the elderly: *correspondence,* **589**
Oman, Prevalence and risk factors for diabetic retinopathy among Omani diabetics, **901**
onchocerciasis, Blue-yellow colour vision in an onchocercal area of northern Nigeria, **510**
open lacrimal surgery, Open lacrimal surgery: a comparison of admission outcome and complications after planned day case or inpatient management, **392**
ophthalmodynamometry, Relation between pressure determined by ophthalmodynamometry and aortic pressure in the dog, **821**
ophthalmology, Information technology in ophthalmology: *commentary,* **984**
People and eyes: statistical approaches in ophthalmology: *perspective,* **971**
ophthalmoplegia, Anti-GQ1b ganglioside antibody and ophthalmoplegia of undetermined cause, **916**
optic disc, Effects of short term increase of intraocular pressure on optic disc cupping, **880**
Fluorescein angiographic correlation of focal narrowing of retinal arterioles in glaucoma, **48**
Histomorphometry of the optic disc in highly myopic eyes with absolute secondary angle closure glaucoma, **286**
Measurement of optic disc size: equivalence of methods to correct for ocular magnification, **643**
Optic disc anomalies and frontonasal dysplasia, **290**
Quantitative evaluation of the optic nerve head in early glaucoma, **352**
Relation between size of optic disc and thickness of retinal nerve fibre layer in normal subjects, **1242**
Retinal nerve fibre layer polarimetry: histological and clinical comparison, **684**
Sources of bias in studies of optic disc and retinal nerve fibre layer morphology: *commentary,* **986**
Use of scanning laser ophthalmoscopy to monitor papilloedema in idiopathic intracranial hypertension, **1301**
optic disc dimensions, Optic disc dimensions, body length, and body weight: *letter,* **197**
optic disc morphology, Optic disc morphology in pigmentary glaucoma, **875**
optic disc morphometry, RA/DA cumulative curve analysis of local and diffuse neuroretinal rim area damage in glaucoma patients, **769**
optic disc pit maculopathy, Optical coherence tomography of pneumatic displacement of optic disc pit maculopathy, **367**
optic nerve, Axon deviation in the human lamina cribrosa, **680**
Echographic measurements of the retrobulbar optic nerve in normal and glaucomatous eyes, **43**
Regeneration and transplantation of the optic nerve: developing a clinical strategy: *perspective,* **577**
optic nerve disease, Blue-yellow colour vision in an onchocercal area of northern Nigeria, **510**
optic nerve head, Blood flow in the Zinn–Haller circle: *editorial,* **1351**
Heidelberg retinal flowmetry: factors affecting blood flow measurement, **131**
Reproducibility of topographic measures of the glaucomatous optic nerve head, **14**
Zinn–Haller arterial ring observed by ICG angiography in high myopia, **1357**
optic nerve head blood flow, Automatic full field analysis of perfusion images gained by scanning laser Doppler flowmetry, **1294**
optic nerve trauma, Magnetic resonance image changes following optic nerve trauma from peribulbar anaesthetic: *letter,* **586**
optic neuropathy, Epidemic optic neuropathy in primary school children in Dar es Salaam, Tanzania, **232**
Rhinogenic optic neuropathy caused bilateral loss of light perception: *letter,* **99**
optical coherence tomography, Optical coherence tomography of pneumatic displacement of optic disc pit maculopathy, **367**
Partial lipodystrophy with associated fundus abnormalities: an optical coherence tomography study: *letter,* **326**
optics, Clinical results of implantation of the Chirila keratoprosthesis in rabbits, **18**
optometrists, Automated perimetry by optometrists in patients at low risk of glaucoma: *correspondence,* **1221**
oral contraception, Oral contraception and eye disease: findings in two large cohort studies, **538**
orbit, Orbital Wegener's granuloma resulting from direct extension of nasal disease through a surgical rhinostomy: *letter,* **198**
orbital cellulitis, Retinoblastoma associated orbital cellulitis, **517**
orbital fat prolapse, Bilateral orbital fat prolapse in cutis laxa: *letter,* **713**
orbital fibroblasts, Orbital fibroblast chemokine modulation: effects of dexamethasone and cyclosporin A, **318**
orbital pseudotumour, Why "orbital pseudotumour" is no longer a useful concept: *commentary,* **339**
osteoporosis, Osteoporosis: a survey of consultant ophthalmologists: *correspondence,* **203**
outcome assessment, Do patients with age related maculopathy and cataract benefit from cataract surgery?, **611**

pachymetry, Epithelial permeability reflects subclinical effects of contact lens wear, **376**
paediatric cataract, Visual outcome after paediatric cataract surgery: is age a major factor?, **1022**
pain, Use of indomethacin for pain relief following scleral buckling surgery, **429**
pancreatitis, Retinopathy associated with pancreatitis in a child with maple syrup urine disease: *letter,* **841**
papilloedema, Papilloedema, a complication of progressive diaphyseal dysplasia: a series of three case reports, **1042**
pars plana magnetic extraction, Visual outcome and prognostic factors after magnetic extraction of posterior segment foreign bodies in 40 cases, **801**
pars plana tube implantation, Pars plana vitrectomy with pars plana tube implantation in eyes with intractable glaucoma, **1377**
pars plana vitrectomy, Pars plana vitrectomy with pars plana tube implantation in eyes with intractable glaucoma, **1377**
PAS pattern, Reassessment of the PAS patterns in uveal melanoma: *correspondence,* **101**
patient comfort, Randomised prospective masked study comparing patient comfort following the instillation of topical proxymetacaine and amethocaine, **1285**
penetrating keratoplasty, *Candida glabrata* endophthalmitis following penetrating keratoplasty: *letter,* **712**
Successful penetrating keratoplasty in an infant after extended storage of infantile donor cornea: *letter,* **846**
penetrating ocular injury, Visual outcome and prognostic factors after magnetic extraction of posterior segment foreign bodies in 40 cases, **801**
people, People and eyes: statistical approaches in ophthalmology: *perspective,* **971**
perforated punctum plug, Clinical and scintigraphic comparison of silicone and polyvinylpyrrolidone coated silicone perforated plugs, **1416**
perforating keratoplasty, Effect of mycophenolate mofetil, cyclosporin A, and both in combination in a murine corneal graft rejection model, **700**
peribulbar anaesthesia, Cluster of four cases of inadvertent injury to the globe secondary to peribulbar anaesthesia: *correspondence,* **850**
Magnetic resonance image changes following optic nerve trauma from peribulbar anaesthetic: *letter,* **586**
perimetry, Impaired motion sensitivity as a predictor of subsequent field loss in glaucoma suspects: the Roscommon Glaucoma Study, **534**
periventricular leucomalacia, Nystagmus in periventricular leucomalacia, **1026**
phacoemulsification, Intraocular lens implants and risk of endophthalmitis, **1312**
phacoemulsification surgery, Immediate postoperative objective refraction as an indication to final refraction in phacoemulsification surgery: *letter,* **842**
PHEMA, Clinical results of implantation of the Chirila keratoprosthesis in rabbits, **18**
phenotypic heterogeneity, Phenotypic heterogeneity may occur in congenital fibrosis of the extraocular muscles, **676**
phosphenes, Flashing lights in thyroid eye disease: a new symptom described and (possibly) explained, **1309**
photocoagulation, Endoresection of choroidal melanoma, **213**
photorefractive keratectomy, Confocal microscopy reveals persisting stromal changes after myopic photorefractive keratectomy in zero haze corneas, **1393**
Effect of PRK on intraocular pressure measurements and on keratometry: *correspondence,* **204**
photosensitive epilepsy, Cross polarised spectacles in photosensitive epilepsy: *letter,* **974**
photostress recovery test, Extrafoveal photostress recovery test in glaucoma and idiopathic central serous chorioretinopathy, **1007**
picosecond laser, Initial clinical experience with the picosecond Nd:YLF laser for intraocular therapeutic applications, **504**
pigment dispersion syndrome, Nd:YAG laser iridotomy in pigment dispersion syndrome: an ultrasound biomicroscopic study, **150**

pigmentary glaucoma, Optic disc morphology in pigmentary glaucoma, **875**
planimetry, Comparison of measurements of neuroretinal rim area between confocal laser scanning tomography and planimetry of photographs, **362**
plasma colloid osmotic pressure, Effect of plasma colloid osmotic pressure on intraocular pressure during haemodialysis, **751**
plasma osmolarity, Effect of plasma colloid osmotic pressure on intraocular pressure during haemodialysis, **751**
platelet derived growth factor, Platelet derived growth factor and fibroblast growth factor basic levels in the vitreous of patients with vitreoretinal disorders, **181**
polarimetry, Retinal nerve fibre layer polarimetry: histological and clinical comparison, **684**
polarised spectacles, Cross polarised spectacles in photosensitive epilepsy: *letter,* **974**
polymerase chain reaction, Diagnosis of *Fusarium* keratitis in an animal model using the polymerase chain reaction, **306**
Increased presence of Epstein–Barr virus DNA in ocular fluid samples from HIV negative immunocompromised patients with uveitis, **245**
Polymerase chain reaction in the diagnosis of bacterial endophthalmitis, **1078**
polysulphone film, Basal cell carcinoma of the eyelids and solar ultraviolet radiation exposure, **1412**
posterior capsular opacification, Lens epithelial cell regression on the posterior capsule with different intraocular lens materials, **1182**
posterior capsule, Adhesion of IOLs to the posterior capsule: *editorial,* **468**
posterior capsule opacification, Adhesion of lens capsule to intraocular lenses of polymethylmethacrylate, silicone, and acrylic foldable materials: an experimental study, **549**
Lens cell growth and posterior capsule opacification: in vivo and in vitro observations: *editorial,* **1102**
Lens epithelial cell proliferation, migration, and metaplasia following capsulorhexis, **945**
posterior polymorphous dystrophy, Ultrasound biomicroscopic images of the anterior chamber angle of a patient with posterior polymorphous dystrophy: *letter,* **1339**
posterior uveal melanoma, Internal resection of posterior uveal melanomas, **1147**
postoperative management, Shared care postoperative management of cataract patients: *correspondence,* **332**
prematurity, Ophthalmological long term follow up of preterm infants: a population based, prospective study of the refraction and its development, **1265**
preschool vision screening, Preschool vision screening: a recent report calls for a halt: *commentary,* **722**
preservatives, Short term comparative study of topical 2% carteolol with and without benzalkonium chloride in healthy volunteers, **39**
primary acquired melanosis, MIB-1 and PC-10 immunostaining for the assessment of proliferative activity in primary acquired melanosis without and with atypia, **1316**
Topical mitomycin C chemotherapy for conjunctival melanoma and PAM with atypia, **476**
primary epithelial amyloid keratopathy, Primary epithelial amyloid keratopathy with multiple recurrences in grafts: *letter,* **330**
primary open angle glaucoma, Laser scanning tomography of localised nerve fibre layer defects, **1112**
Prevalence and management of elevated intraocular pressure in patients with Graves' orbitopathy, **754**
Topical carbonic anhydrase inhibition increases ocular pulse amplitude in high tension primary open angle glaucoma, **758**
probing, Efficacy of probing as treatment of epiphora in adults with blocked nasolacrimal ducts, **389**
profile shape analysis, Clinical evaluation of scanning laser polarimetry: II Polar profile shape analysis, **260**
progressive diaphyseal dysplasia, Papilloedema, a complication of progressive diaphyseal dysplasia: a series of three case reports, **1042**
progressive outer retinal necrosis, Progressive outer retinal necrosis in a patient with cutaneous non-Hodgkin's T cell lymphoma (Sézary syndrome): *letter,* **1218**
projectiles, "Johnny Poppers": a cause of serious ocular injury, **807**
proliferative vitreoretinopathy, Effects of single, short term exposures of human retinal pigment epithelial cells to thiotepa or 5-fluorouracil: implications for the treatment of proliferative vitreoretinopathy, **554**
Growth factors in proliferative vitreoretinopathy: *editorial,* **106**
Platelet derived growth factor and fibroblast growth factor basic levels in the vitreous of patients with vitreoretinal disorders, **181**
prorenin/total renin, Serum total renin, an independent marker of the activity and severity of retinopathy in patients with IDDM, **939**
prospective study, Ophthalmological long term follow up of preterm infants: a population based, prospective study of the refraction and its development, **1265**
protease inhibitors, Effects of protease inhibitors on the course of CMV retinitis in relation to CD4+ lymphocyte responses in HIV+ patients, **988**
proteinase inhibitor, Tear lipocalin and the eye's front line of defence: *perspective,* **453**
proxymetacaine, Randomised prospective masked study comparing patient comfort following the instillation of topical proxymetacaine and amethocaine, **1285**
pseudoexfoliation syndrome, Anterior capsule contraction and intraocular lens dislocation in eyes with pseudoexfoliation syndrome, **1429**
pseudophake, Latanoprost and cystoid macular oedema in a pseudophake: *letter,* **843**
pseudouveitis, Pseudouveitis as a manifestation of hyperlipidaemia: *letter,* **1215**
psychophysics, Objective measurement of contrast sensitivity function using contrast sweep visual evoked responses, **168**
Phenotype of a British North Carolina macular dystrophy family linked to chromosome 6q, **1162**
pterygium, Capillaries in the epithelium of pterygium, **77**
Evaluation of loss of heterozygosity and microsatellite instability in human pterygium: clinical correlations, **1324**
Meta-analysis on the recurrence rates after bare sclera resection with and without mitomycin C use and conjunctival autograft placement in surgery for primary pterygium, **661**
Split thickness buccal mucous membrane grafts and β irradiation in the treatment of recurrent pterygium, **1420**
Transplantation of amniotic membrane and limbal autograft for patients with recurrent pterygium associated with symblepharon, **235**
pterygium excision, Intrascleral dissemination of infectious scleritis following pterygium excision, **29**
pterygium surgery, Application of mitomycin C 0.02% for 2 minutes at the end of pterygium surgery: *letter,* **97**
ptosis, Mechanical ptosis and lagophthalmos in cutaneous leishmaniasis: *letter,* **975**
Pharmacological reversal of ptosis in a patient with acquired Horner's syndrome and heterochromia: *letter,* **1095**
ptosis surgery, Complications of fascia lata harvesting for ptosis surgery: *correspondence,* **333**
pulsatile ocular blood flow, Pulsatile ocular blood flow investigation in asymmetric normal tension glaucoma and normal subjects, **731**
Pulsatile ocular blood flow: *editorial,* **720**
punctum stenosis, Clinical and scintigraphic comparison of silicone and polyvinylpyrrolidone coated silicone perforated plugs, **1416**
pupillary hemiakinesia, Absence of relative afferent pupillary defect and pupillary hemiakinesia in a child with homonymous hemianopia due to ((retro-)geniculate) porencephaly: *letter,* **461**
pupillary membranes, Persistent pupillary membranes: *letter,* **711**

quality of life, Visual functioning and quality of life outcomes among cataract operated and unoperated blind populations in Nepal, **606**
questionnaire, Development of a disease specific quality of life questionnaire for patients with Graves' ophthalmopathy: the GO-QOL, **773**
Do patients with age related maculopathy and cataract benefit from cataract surgery?, **611**

R124H mutation, Severe form of juvenile corneal stromal dystrophy with homozygous R124H mutation in the keratoepithelin gene in five Japanese patients, **1280**
rabbit, Gefarnate increases PAS positive cell density in rabbit conjunctiva, **1320**
Suramin inhibits wound healing following filtering procedures for glaucoma, **816**
Transplanted and repopulated retinal pigment epithelial cells on damaged Bruch's membrane in rabbits, **1056**
radiation, Long term growth arrest of human Tenon's fibroblasts following single applications of β radiation, **448**
radiotherapy, An alternative and more cost effective method of delivery of radiotherapy in age related macular degeneration, **373**
rat, Interferon gamma immunoreactivity in iris nerve fibres during endotoxin induced uveitis in the rat, **695**
recurrent erosion syndrome, Natural history of recurrent erosion syndrome: *correspondence,* **1096**
Natural history of recurrent erosion syndrome—a 4 year review of 117 patients, **26**
referees, 201, 1449
reflectivity, Echographic findings in uveal melanomas treated with the Leksell gamma knife, **154**
refraction, Emmetropisation, axial length, and corneal topography in teenagers with Down's syndrome, **793**
Ophthalmological long term follow up of preterm infants: a population based, prospective study of the refraction and its development, **1265**
registration, BD8 certification of visually impaired people, **72**
reliability, Interobserver and intraobserver reliability of a classification scheme for corneal topographic patterns, **1401**
reoperation, Retreatment of children after surgery for acquired esotropia: reoperation versus botulinum injection, **110**
repopulation, Transplanted and repopulated retinal pigment epithelial cells on damaged Bruch's membrane in rabbits, **1056**
reproducibility, Clinical evaluation of scanning laser polarimetry: I Intraoperator reproducibility and design of a blood vessel removal algorithm, **252**

Reproducibility of volumetric measurements of normal maculae with the Heidelberg retina tomograph, **884**
resection, From the outside in, or the inside out. Resecting uveal melanomas: *editorial*, **209**
restrictive ophthalmopathy, Flashing lights in thyroid eye disease: a new symptom described and (possibly) explained, **1309**
retina, Axon deviation in the human lamina cribrosa, **680**
Heidelberg retinal flowmetry: factors affecting blood flow measurement, **131**
Ocular changes associated with *Giardia lamblia* infection in children, **59**
The retinopial vein: a vein passing directly from the retina to the pia mater at the optic nerve head, **495**
retinal blood flow, Automatic full field analysis of perfusion images gained by scanning laser Doppler flowmetry, **1294**
retinal degeneration, Electrophysiological evaluation of visual loss in Müller cell sheen dystrophy, **650**
retinal detachment, Use of indomethacin for pain relief following scleral buckling surgery, **429**
Vitreous intercellular adhesion molecule 1 in uveitis complicated by retinal detachment, **438**
retinal emboli, Accuracy of visible retinal emboli for the detection of cardioembolic lesions requiring anticoagulation or cardiac surgery, **655**
retinal haemorrhage, Can convulsions alone cause retinal haemorrhages in infants?, **659**
Retinal haemorrhage caused by "ecstasy": *letter*, **842**
retinal imaging, Retinal thickness variation in the diabetic patient measured by the retinal thickness analyser, **1003**
retinal infiltrates, Bilateral small retinal infiltrates during rickettsial infection: *letter*, **1217**
retinal microcirculation, Acute effect of metipranolol on the retinal circulation, **892**
retinal nerve fibre layer, Relation between size of optic disc and thickness of retinal nerve fibre layer in normal subjects, **1242**
Sources of bias in studies of optic disc and retinal nerve fibre layer morphology: *commentary*, **986**
retinal pigment epithelial cells, Transplanted and repopulated retinal pigment epithelial cells on damaged Bruch's membrane in rabbits, **1056**
retinal pigment epithelial detachment, Retinal pigment epithelial detachment: an unusual presentation in ocular sarcoidosis: *letter*, **585**
retinal pigment epithelium, Fundus autofluorescence in patients with macular holes imaged with a laser scanning ophthalmoscope, **346**
Terminology of sub-RPE deposits: do we all speak the same language?: *commentary*, **1104**
retinal thickening, Scanning laser tomography Z profile signal width as an objective index of macular retinal thickening, **121**
retinal thickness, Retinal thickness variation in the diabetic patient measured by the retinal thickness analyser, **1003**
retinal vein, The retinopial vein: a vein passing directly from the retina to the pia mater at the optic nerve head, **495**
retinal vein occlusion, Diagnosis of activated protein C resistance in retinal vein occlusion: *correspondence*, **849**
Plasma endothelin-1 concentrations in patients with retinal vein occlusions, **498**
Ultrasound enhanced thrombolysis in experimental retinal vein occlusion in the rabbit, **1438**
retinitis, Spontaneous and sustained resolution of CMV retinitis in patients receiving highly active antiretroviral therapy: *letter*, **845**
Sustained release intravitreal ganciclovir implant as salvage treatment in AIDS related cytomegalovirus retinitis: *correspondence*, **333**
retinitis pigmentosa, Accumulation of tissue inhibitor of metalloproteinases-3 in human eyes with Sorsby's fundus dystrophy or retinitis pigmentosa, **1329**
Choroidal melanoma in a patient with retinitis pigmentosa and Usher's syndrome: *letter*, **847**
Ocular signs associated with a rhodopsin mutation (Cys-167→Arg) in a family with autosomal dominant retinitis pigmentosa: *letter*, **709**
retinoblastoma, Expression patterns of cyclin D1 and related proteins regulating G1-S phase transition in uveal melanoma and retinoblastoma, **961**
Retinoblastoma associated orbital cellulitis, **517**
Role of chemotherapy alone or in combination with hyperthermia in the primary treatment of intraocular retinoblastoma: preliminary results, **1154**
retinoblastoma protein, Expression patterns of cyclin D1 and related proteins regulating G1-S phase transition in uveal melanoma and retinoblastoma, **961**
retinochoroiditis, Human antiretinal antibodies in toxoplasma retinochoroiditis, **1017**
retinocortical connections, Recovery in microtropia: implications for aetiology and neurophysiology, **225**
Retinomax, Screening for abnormal levels of hyperopia in children: a non-cycloplegic method with a hand held refractor, **1260**
retinopathy, Absence of hypertensive retinopathy in a Turkish kindred with autosomal dominant hypertension and brachydactyly, **1363**
Diabetic retinopathy in Down's syndrome, **407**
Interferon associated retinopathy: *perspective*, **323**
Retinopathy associated with pancreatitis in a child with maple syrup urine disease: *letter*, **841**
Serum total renin, an independent marker of the activity and severity of retinopathy in patients with IDDM, **939**
retinopathy of prematurity, Longer term visual outcome of eyes with retinopathy of prematurity treated with cryotherapy or diode laser, **1246**
Ophthalmological long term follow up of preterm infants: a population based, prospective study of the refraction and its development, **1265**
Three year visual outcome for treated stage 3 retinopathy of prematurity: cryotherapy versus laser, **1254**
retinopial vein, The retinopial vein: a vein passing directly from the retina to the pia mater at the optic nerve head, **495**
retinoschisis, Optical coherence tomography of pneumatic displacement of optic disc pit maculopathy, **367**
rheumatoid arthritis, Ultrastructural alterations in the stroma adjacent to non-inflammatory corneal perforations associated with long standing rheumatoid arthritis: *letter*, **1445**
rhinostomy, Ultrasonic assessment of rhinostomy size following external dacryocystorhinostomy, **786**
Rhodococcus, Rhodococcus keratitis: *letter*, **198**
rhodopsin, Ocular signs associated with a rhodopsin mutation (Cys-167→Arg) in a family with autosomal dominant retinitis pigmentosa: *letter*, **709**
rickettsia, Bilateral small retinal infiltrates during rickettsial infection: *letter*, **1217**
rim/disc area cumulative curves, RA/DA cumulative curve analysis of local and diffuse neuroretinal rim area damage in glaucoma patients, **769**
risk factors, Case-control study of the risk factors for age related macular degeneration, **996**
Risk of developing CMV retinitis following non-ocular CMV end organ disease in AIDS patients, **748**

saccades, Dissociated effects of botulinum toxin chemodenervation on ocular deviation and saccade dynamics in chronic lateral rectus palsy, **67**
sample survey, Trachoma in the Gambia, **930**
sarcoidosis, Elevated serum IL-8 levels are associated with disease activity in idiopathic intermediate uveitis, **871**
scanning laser, Reproducibility of topographic measures of the glaucomatous optic nerve head, **14**
scanning laser Doppler flowmetry, Automatic full field analysis of perfusion images gained by scanning laser Doppler flowmetry, **1294**
scanning laser ophthalmoscope, Colour imaging using a scanning laser ophthalmoscope: *editorial*, **337**
Extrafoveal photostress recovery test in glaucoma and idiopathic central serous chorioretinopathy, **1007**
Novel approach towards colour imaging using a scanning laser ophthalmoscope, **342**
scanning laser ophthalmoscopy, Acute effect of metipranolol on the retinal circulation, **892**
Use of scanning laser ophthalmoscopy to monitor papilloedema in idiopathic intracranial hypertension, **1301**
scanning laser polarimeter, Relation between size of optic disc and thickness of retinal nerve fibre layer in normal subjects, **1242**
scanning laser polarimetry, Clinical evaluation of scanning laser polarimetry: I Intraoperator reproducibility and design of a blood vessel removal algorithm, **252**
Clinical evaluation of scanning laser polarimetry: II Polar profile shape analysis, **260**
scanning laser tomography, Scanning laser tomography Z profile signal width as an objective index of macular retinal thickening, **121**
Schnyder's dystrophy, Quantitative analysis of lipid deposits from Schnyder's corneal dystrophy, **444**
schoolchildren, Epidemic optic neuropathy in primary school children in Dar es Salaam, Tanzania, **232**
scleral abscess, Intrascleral dissemination of infectious scleritis following pterygium excision, **29**
scleral graft, Correction of lower eyelid retraction in thyroid eye disease: a randomised controlled trial of retractor tenotomy with adjuvant antimetabolite versus scleral graft, **174**
scleritis, Scleritis associated with acute febrile neutrophilic dermatosis (Sweet's syndrome): *letter*, **328**
sclerokeratoplasty, Corneoscleral transplantation for end stage corneal disease, **1276**
Scotland, Shinty and ocular trauma in north west Scotland: *letter*, **1445**
screening, A new computer program for mass screening of visual defects in preschool children, **415**
An inner city preschool visual screening programme: long term visual results, **543**

Impaired motion sensitivity as a predictor of subsequent field loss in glaucoma suspects: the Roscommon Glaucoma Study, **534**
Modified Bagolini striated glass test: clinical applications of starlight test in binocular visual field screening, **1288**
Telemedicine and computers in diabetic retinopathy screening: *commentary*, **5**
screening guidelines, Use of eye care services by people with diabetes: the Melbourne Visual Impairment Project, **410**
screening programme, Frequency of asymptomatic choroidal metastasis in patients with disseminated breast cancer: results of a prospective screening programme, **1159**
sebaceous carcinoma, Sebaceous carcinoma of the eyelid: a clinicopathological study, **1049**
secondary open angle glaucoma, Optic disc morphology in pigmentary glaucoma, **875**
seroconversion, HIV retinopathy at seroconversion: *letter*, **1339**
serological tests, Serological tests for monitoring and predicting disease severity, course, and outcome of autoimmune intraocular inflammation: *editorial*, **856**
serotonin, Serotoninergic status in patients with hereditary vascular retinopathy syndrome, **897**
serotoninergic drugs, Acute glaucoma, chronic glaucoma, and serotoninergic drugs: *correspondence*, **976**
Sezary syndrome, Progressive outer retinal necrosis in a patient with cutaneous non-Hodgkin's T cell lymphoma (Sézary syndrome): *letter*, **1218**
shared care, Shared care postoperative management of cataract patients: *correspondence*, **332**
shinty, Shinty and ocular trauma in north west Scotland: *letter*, **1445**
short bowel syndrome, Xerophthalmia and short bowel syndrome: *letter*, **1340**
sialic acid, CA 19-9 ELISA test: a new method for studying mucus changes in tears, **88**
side effects, Systemic corticosteroid therapy—side effects and their management: *perspective*, **704**
silicone, Nasolacrimal intubation in adults, **1039**
sinus surgery, Bilateral subperiosteal haematoma after endoscopic sinus surgery: *letter*, **100**
small flap trabeculectomy, Medium to long term intraocular pressure control following small flap trabeculectomy (microtrabeculectomy) in relatively low risk eyes, **1383**
smoking, Glaucoma and vasospasm, **862**
socioeconomic barriers, Socioeconomic barriers to cataract surgery in Nepal: the south Asian cataract management study, **1424**
soft drusen, Prophylactic laser treatment in early age related maculopathy reduced the incidence of exudative complications, **1169**
Sorsby's fundus dystrophy, Accumulation of tissue inhibitor of metalloproteinases-3 in human eyes with Sorsby's fundus dystrophy or retinitis pigmentosa, **1329**
sphingomyelin, Quantitative analysis of lipid deposits from Schnyder's corneal dystrophy, **444**
spirometry, Randomised, controlled trial of spirometric changes in elderly people receiving timolol or betaxolol as initial treatment for glaucoma, **146**
split thickness buccal mucous membrane graft, Split thickness buccal mucous membrane grafts and β irradiation in the treatment of recurrent pterygium, **1420**
spondyloarthropathy, Identifying genes that cause disease: HLA-B27, the paradigm, the promise, the perplexity: *commentary*, **1354**
squint management, Is botulinum toxin helpful in squint management?: *editorial*, **105**
Stargardt's macular dystrophy, Multifocal electroretinography in patients with Stargardt's macular dystrophy, **267**
starlight test, Modified Bagolini striated glass test: clinical applications of starlight test in binocular visual field screening, **1288**
statistical approaches, People and eyes: statistical approaches in ophthalmology: *perspective*, **971**
stem cells, The conjunctiva in corneal epithelial wound healing, **1407**
stereoacuity, Recovery in microtropia: implications for aetiology and neurophysiology, **225**
stereopsis, A new computer program for mass screening of visual defects in preschool children, **415**
Movement hyperacuity in childhood amblyopia, **991**
Seeing beyond acuity: *editorial*, **982**
steroid, Steroid responsive disc neovascularisation in uveitis associated with juvenile chronic arthritis: *letter*, **327**
strabismus, Long term effect of hypermetropic anisometropia on the visual acuity of treated amblyopic eyes, **55**
strabismus surgery, The Early vs Late Infantile Strabismus Surgery Study: do sources for bias exist in this non-randomised trial?, **934**
streptokinase, Ultrasound enhanced thrombolysis in experimental retinal vein occlusion in the rabbit, **1438**
stroma, Ultrastructural alterations in the stroma adjacent to non-inflammatory corneal perforations associated with long standing rheumatoid arthritis: *letter*, **1445**
stromal pathology, Confocal microscopy reveals persisting stromal changes after myopic photorefractive keratectomy in zero haze corneas, **1393**
strontium, Correlation between Octopus perimetry and fluorescein angiography after strontium-90 plaque brachytherapy for subfoveal exudative age related macular degeneration, **763**
subperiosteal haematoma, Bilateral subperiosteal haematoma after endoscopic sinus surgery: *letter*, **100**
sub-Tenon's anaesthesia, Sub-Tenon's anaesthesia: *correspondence*, **589**
sulphur hexafluoride, Use of sulphur hexafluoride for anterior chamber reformation following trabeculectomy: *correspondence*, **1220**
superior vena cava, Obstruction of the superior vena cava: *letter*, **1092**
suramin, Suramin inhibits wound healing following filtering procedures for glaucoma, **816**
Sweet's syndrome, Scleritis associated with acute febrile neutrophilic dermatosis (Sweet's syndrome): *letter*, **328**
symblepharon, Transplantation of amniotic membrane and limbal autograft for patients with recurrent pterygium associated with symblepharon, **235**
synthetic cornea, In vivo comparison of three different porous materials intended for use in a keratoprosthesis, **569**

T lymphocyte, Immunopathology of uveitis: *perspective*, **91**
Takayasu's arteritis, Colour Doppler imaging in Takayasu's arteritis: *letter*, **1091**
Tanzania, Epidemic optic neuropathy in primary school children in Dar es Salaam, Tanzania, **232**
tear clearance, Frequent association of delayed tear clearance in ocular irritation, **666**
tear film stability, Direct observation of tear film stability on a damaged corneal epithelium: *letter*, **1094**
tear turnover, Frequent association of delayed tear clearance in ocular irritation, **666**
tears, CA 19-9 ELISA test: a new method for studying mucus changes in tears, **88**
Tear lipocalin and the eye's front line of defence: *perspective*, **453**
telemedicine, Telemedicine and computers in diabetic retinopathy screening: *correspondence*, **851**
teratogen, How dangerous a world is it?: *commentary*, **6**
thermochemotherapy, Role of chemotherapy alone or in combination with hyperthermia in the primary treatment of intraocular retinoblastoma: preliminary results, **1154**
***Theromyzon tessulatum*,** Conjunctival infestation of a child with *Theromyzon tessulatum: letter*, **1093**
thiotepa, Effects of single, short term exposures of human retinal pigment epithelial cells to thiotepa or 5-fluorouracil: implications for the treatment of proliferative vitreoretinopathy, **554**
thrombogenesis, Plasma endothelin-1 concentrations in patients with retinal vein occlusions, **498**
thrombolytic treatment, Ultrasound enhanced thrombolysis in experimental retinal vein occlusion in the rabbit, **1438**
thyroid eye disease, Botulinum toxin A treatment of overactive corrugator supercilii in thyroid eye disease, **528**
Correction of lower eyelid retraction in thyroid eye disease: a randomised controlled trial of retractor tenotomy with adjuvant antimetabolite versus scleral graft, **174**
Flashing lights in thyroid eye disease: a new symptom described and (possibly) explained, **1309**
tilt, Comparison of decentration and tilt between one piece and three piece polymethyl methacrylate intraocular lenses, **419**
timolol, Comparison of the safety and efficacy of the fixed combination of dorzolamide/timolol and the concomitant administration of dorzolamide and timolol: a clinical equivalence study, **1249**
Randomised, controlled trial of spirometric changes in elderly people receiving timolol or betaxolol as initial treatment for glaucoma, **146**
tissue inhibitor of metalloproteinases-3, Accumulation of tissue inhibitor of metalloproteinases-3 in human eyes with Sorsby's fundus dystrophy or retinitis pigmentosa, **1329**
tissue plasminogen activator, Intraocular and extraocular bleeding after intracameral injection of tissue plasminogen activator: *letter*, **1345**
Recombinant tissue plasminogen activator in cases with fibrin formation after cataract surgery: a prospective randomised multicentre study, **810**
TNFα, Vitreous intercellular adhesion molecule 1 in uveitis complicated by retinal detachment, **438**
tomography, Reproducibility of topographic measures of the glaucomatous optic nerve head, **14**
Tono-Pen, Tono-Pen determination of intraocular pressure in patients with band keratopathy or glued cornea, **634**
topical ointment, Topical ointment does not prevent recurrent symptoms following traumatic corneal abrasion: *correspondence*, **1096**
topical steroids, Topical steroids and alkali burns: *correspondence*, **1098**
topical therapy, Treatment of common ocular allergic disorders; a comparison of lodoxamide and NAAGA, **1135**
topography, Interobserver and intraobserver reliability of a classification scheme for corneal topographic patterns, **1401**
toxoplasma, Human antiretinal antibodies in toxoplasma retinochoroiditis, **1017**

toxoplasmosis, Overt chorioretinitis after patient acquired toxoplasmosis in an immunocompetent subject: *letter,* **1446**
trabeculectomy, Suramin inhibits wound healing following filtering procedures for glaucoma, **816**
Trabeculectomy augmented with mitomycin C application under the scleral flap, **397**
Use of sulphur hexafluoride for anterior chamber reformation following trabeculectomy: *correspondence,* **1220**
trachoma, Conjunctival impression cytology for vitamin A deficiency in the presence of infectious trachoma, **1139**
Elimination of trachoma: follow up: *correspondence,* **590**
Trachoma in the Gambia, **930**
transdifferentiation, The conjunctiva in corneal epithelial wound healing, **1407**
transforming growth factor β, Expression of transforming growth factor β superfamily and their receptors in the corneal stromal wound healing process after excimer laser keratectomy: *letter,* **462**
transgenic mice, Pigmented uveal tumours in a transgenic mouse model, **953**
transplantation, Transplanted and repopulated retinal pigment epithelial cells on damaged Bruch's membrane in rabbits, **1056**
traumatic corneal abrasion, Topical ointment does not prevent recurrent symptoms following traumatic corneal abrasion: *correspondence,* **1096**
tritan defects, Blue-yellow colour vision in an onchocercal area of northern Nigeria, **510**
tryptophan, Serotoninergic status in patients with hereditary vascular retinopathy syndrome, **897**

ulcer, Antimicrobial management of presumed microbial keratitis: guidelines for treatment of central and peripheral ulcers, **137**
Diagnosis of *Fusarium* keratitis in an animal model using the polymerase chain reaction, **306**
ulcerative keratitis, Antimicrobial management of presumed microbial keratitis: guidelines for treatment of central and peripheral ulcers, **137**
ultrasonography, Choroidal metastases and choroidal melanomas: comparison of ultrasonographic findings, **159**
Ultrasonic assessment of rhinostomy size following external dacryocystorhinostomy, **786**
ultrasound, Echographic measurements of the retrobulbar optic nerve in normal and glaucomatous eyes, **43**
Ultrasound enhanced thrombolysis in experimental retinal vein occlusion in the rabbit, **1438**
ultrasound biomicroscopy, Nd:YAG laser iridotomy in pigment dispersion syndrome: an ultrasound biomicroscopic study, **150**
Ultrasound biomicroscopic images of the anterior chamber angle of a patient with posterior polymorphous dystrophy: *letter,* **1339**
Ultrasound biomicroscopic imaging in intermediate uveitis, **625**
Use of ultrasound biomicroscopy in the localisation and management of an anteriorly situated intraocular foreign body: *letter,* **459**
ultrastructure, Capillaries in the epithelium of pterygium, **77**
ultraviolet radiation, Basal cell carcinoma of the eyelids and solar ultraviolet radiation exposure, **1412**
unesterified cholesterol, Quantitative analysis of lipid deposits from Schnyder's corneal dystrophy, **444**
Usher's syndrome, Choroidal melanoma in a patient with retinitis pigmentosa and Usher's syndrome: *letter,* **847**
uveal melanoma, Echographic findings in uveal melanomas treated with the Leksell gamma knife, **154**
Endoresection of choroidal melanoma, **213**
Expression patterns of cyclin D1 and related proteins regulating G1-S phase transition in uveal melanoma and retinoblastoma, **961**
From the outside in, or the inside out. Resecting uveal melanomas: *editorial,* **209**
Pigmented uveal tumours in a transgenic mouse model, **953**
Ploidy analysis in uveal melanoma: *editorial,* **1352**
Reassessment of the PAS patterns in uveal melanoma: *correspondence,* **101**
uveitis, Adhesion molecules in iris biopsy specimens from patients with uveitis, **432**
Elevated serum IL-8 levels are associated with disease activity in idiopathic intermediate uveitis, **871**
Identifying genes that cause disease: HLA-B27, the paradigm, the promise, the perplexity: *commentary,* **1354**
Immunopathology of uveitis: *perspective,* **91**
Increased presence of Epstein–Barr virus DNA in ocular fluid samples from HIV negative immunocompromised patients with uveitis, **245**
Steroid responsive disc neovascularisation in uveitis associated with juvenile chronic arthritis: *letter,* **327**
Treatment of ocular symptoms of Behçet's disease with interferon α_{2a}: a pilot study, **488**
Treatment of uveitis with recombinant human interleukin-13, **1195**
Vitreous intercellular adhesion molecule 1 in uveitis complicated by retinal detachment, **438**

varicella choroiditis, Paediatric varicella choroiditis: *letter,* **1092**
vascular endothelial growth factor, Expression of cell adhesion molecules and vascular endothelial growth factor in experimental choroidal neovascularisation in the rat, **1063**
VEGF localisation in diabetic retinopathy, **561**
vascular retinopathy, Serotoninergic status in patients with hereditary vascular retinopathy syndrome, **897**
vasospasm, Glaucoma and vasospasm, **862**
Vasospasm and glaucoma: *editorial,* **855**
VEGF, VEGF localisation in diabetic retinopathy, **561**
venous stasis, Plasma endothelin-1 concentrations in patients with retinal vein occlusions, **498**
videokeratometry, Cornea plana—clinical features, videokeratometry, and management: *letter,* **329**
viral infections, Improved impression cytology techniques for the immunopathological diagnosis of superficial viral infections: *correspondence,* **1097**
viscosity, Ocular contact time of a carbomer gel (GelTears) in humans, **1131**
vision, Difficulty in performing everyday activities in patients with juvenile macular dystrophies: comparison with patients with retinitis pigmentosa, **1372**
Movement hyperacuity in childhood amblyopia, **991**
The baby with poor visual contact: *commentary,* **1228**
vision limitations, Visual limitations assessment in patients with glaucoma: *correspondence,* **1347**
vision loss, The contribution of low birth weight to severe vision loss in a geographically defined population, **9**
visual acuity, Longer term visual outcome of eyes with retinopathy of prematurity treated with cryotherapy or diode laser, **1246**
Seeing beyond acuity: *editorial,* **982**
Visual functioning and quality of life outcomes among cataract operated and unoperated blind populations in Nepal, **606**
visual behaviour, Visual behaviours of neurologically impaired children with cerebral visual impairment: an ethological study, **1231**
visual defects, A new computer program for mass screening of visual defects in preschool children, **415**
visual disability assessment, An instrument for assessment of subjective visual disability in cataract patients, **617**
visual evoked potential, Objective measurement of contrast sensitivity function using contrast sweep visual evoked responses, **168**
visual field, Use of scanning laser ophthalmoscopy to monitor papilloedema in idiopathic intracranial hypertension, **1301**
visual field asymmetry, Pulsatile ocular blood flow investigation in asymmetric normal tension glaucoma and normal subjects, **731**
visual field defects, Does raised intraocular pressure begin in utero?, **1125**
visual field progression, Visual field progression in glaucoma: *correspondence,* **1097**
visual fixation, The baby with poor visual contact: *commentary,* **1228**
visual function, Cortically visually impaired children: a need for more study: *editorial,* **1225**
Visual behaviours of neurologically impaired children with cerebral visual impairment: an ethological study, **1231**
visual function assessment, Blue-yellow colour vision in an onchocercal area of northern Nigeria, **510**
visual functioning, Visual functioning and quality of life outcomes among cataract operated and unoperated blind populations in Nepal, **606**
visual impairment, BD8 certification of visually impaired people, **72**
Cortically visually impaired children: a need for more study: *editorial,* **1225**
Nystagmus in periventricular leucomalacia, **1026**
Visual impairment due to bilateral corneal endothelial failure following simultaneous bilateral cataract surgery: *letter,* **1341**
visual outcome, Three year visual outcome for treated stage 3 retinopathy of prematurity: cryotherapy versus laser, **1254**
Visual outcome after paediatric cataract surgery: is age a major factor?, **1022**
visual pathway, The impact of low birth weight on the visual pathway: *editorial,* **1**
vitamin A, Conjunctival impression cytology for vitamin A deficiency in the presence of infectious trachoma, **1139**
Role of impression cytology during hypovitaminosis A, **303**
vitrectomy, Endoresection of choroidal melanoma, **213**
vitreomacular traction syndrome, Unusual macular retinal detachment associated with vitreomacular traction syndrome: *letter,* **326**
vitreous, Vitreous intercellular adhesion molecule 1 in uveitis complicated by retinal detachment, **438**
vitreous opacities, Ultrasound biomicroscopic imaging in intermediate uveitis, **625**
Vogt–Koyanagi–Harada syndrome, Detection of anticytomegalovirus antibody synthesis in the anterior chamber in Vogt–Koyanagi–Harada syndrome: *letter,* **1216**
Videofunduscopy and videoangiography using the scanning laser ophthalmoscope in Vogt–Koyanagi–Harada syndrome, **1175**
volume above reference plane, Reproducibility of volumetric measurements of normal maculae with the Heidelberg retina tomograph, **884**

water contamination, Correlation between surface water contamination with amoeba and the onset of symptoms and diagnosis of amoeba-like keratitis, **1143**

Wegener's granuloma, Orbital Wegener's granuloma resulting from direct extension of nasal disease through a surgical rhinostomy: *letter,* **198**

women, Congenital toxoplasma chorioretinitis transmitted by preconceptionally immune women: *letter,* **1444**

wound healing, In vivo comparison of three different porous materials intended for use in a keratoprosthesis, **569**
New model of conjunctival scarring in the mouse eye, **1072**
Suramin inhibits wound healing following filtering procedures for glaucoma, **816**

X linked ocular albinism, Paucity of signs in X linked ocular albinism with a 700 kb deletion spanning the OA1 gene: *letter,* **457**

xerophthalmia, Xerophthalmia and short bowel syndrome: *letter,* **1340**

Z profile, Scanning laser tomography Z profile signal width as an objective index of macular retinal thickening, **121**

Zinn–Haller circle, Blood flow in the Zinn–Haller circle: *editorial,* **1351**
Peripapillary circle of Zinn-Haller: *correspondence,* **849**
Peripapillary circle of Zinn–Haller revealed by fundus fluorescein angiography: *correspondence,* **332**
Zinn–Haller arterial ring observed by ICG angiography in high myopia, **1357**